

Tel: [REDACTED]

Begin forwarded message:

**From:** Richard Iarossi [REDACTED] >  
**Subject:** RE: wiring limit  
**Date:** October 4, 2018 at 3:03:58 PM EDT  
**To:** Richard Kahn <[REDACTED]>  
**Cc:** Stewart Oldfield <[REDACTED]>, Bradley Gillin  
<[REDACTED]>

Hi Richard,

Please have the attached form completed in order to have the limit raised to 20mm.

Thank You,  
Rich

Richard Iarossi  
Assistant Vice President

Deutsche Bank Wealth Management  
345 Park Avenue, 24th Floor  
New York, NY 10154

[REDACTED]

Securities offered through Deutsche Bank Securities Inc.

-----Original Message-----

**From:** Richard Kahn [REDACTED]  
**Sent:** Thursday, October 04, 2018 8:46 AM  
**To:** Richard Iarossi <[REDACTED]>  
**Cc:** Stewart Oldfield <[REDACTED]>, Bradley Gillin  
<[REDACTED]>  
**Subject:** Re: wiring limit

20mm please  
thank you

Richard Kahn  
HBRK Associates Inc.  
575 Lexington Avenue 4th Floor  
New York, NY 10022  
tel [REDACTED]