

---

**From:** [REDACTED] <[REDACTED]>  
**Sent:** Saturday, September 21, 2013 1:58 PM  
**To:** Jeffrey Epstein  
**Subject:** Re:

ok. I will come at 4

<=iv dir="ltr">

---

**From:** Jeffrey Epstein <jeevacati=n@gmail.com>  
**To:** J=lia <[REDACTED]>  
**Sent:** Saturday, September 21, 2013 9:51 AM  
**Subject:** Re:

ok&nb=p; come at 4 after

On Sat, Sep 21, 2013 at 9:20 AM, [REDACTED] <[REDACTED]> wrote:

Hello Jeffrey !  
I Just want to tell you (in case )</=iv>  
I'm going to meet my wife today at 12pm or 1pm...

Sent from my iPhone

On Sep 20, 2013, at 9:27 PM, Jeffrey=Epstein <jeevacation@gmail.co= <mailto:jeevacation@gmail.com> > wrote:

5

On Fri, Sep 20, 2013 at 8:05 PM, [REDACTED] <[REDACTED]> &=t; wrote:

Jeffrey could you tell me please what time tomorrow should I come ?<=r>  
Sent from my iPhone

On Sep 20, 2013, at 5:59 PM,=Jeffrey Epstein <jeevacation@=mail.com <mailto:jeevacation@gmail.com> > wrote:

where are you?

--

\*\*\*\*\*\_\*\*\*\*\*

The information contained in this communication is confidential, may be attorney-client privileged, may constitute inside information, and is intended only for the use of the addressee. It is the property of Jeffrey Epstein

Unauthorized use, disclosure or copying of this communication or any part thereof is strictly prohibited and may be unlawful. If you have received this communication in error, please notify us immediately by return e-mail or by e-mail to [REDACTED]

<mailto:jeevacation@gmail.com>

, and

destroy this communication and all copies thereof, including all attachments. copyright -all rights reserved

--

\*\*\*\*\*\_\*\*\*\*\*

The information contained in this communication is confidential, may be attorney-client privileged,

may

constitute inside information, and is intended only for the use of the addressee. It is the property of Jeffrey Epstein

Unauthorized use, disclosure or copying of this communication or any part thereof is strictly prohibited and may be unlawful. If you have received this communication in error, please notify us immediately by return e-mail or by e-mail [REDACTED]

this communication and all copies thereof,

including all attachments. copyright -all rights reserved

<mailto:jeevacation@gmail.com> , and destroy

>x>Ä?+?'P 159=M RelationID1P 159=M

RelationNameP<sub>1</sub> 159=M<sub>1</sub> RelationID<sub>1</sub>P<sup>L</sup> 159=M<sub>1</sub>  
AttributeID<sub>1</sub>X<sup>J</sup> 159=U<sub>1</sub>||AttributeNameFormat<sub>1</sub>T| 159=Q<sub>1</sub><sup>L</sup>  
AttributeNameT- 159=Q<sub>1</sub><sup>J</sup>AttributeID-T• 159=Q<sub>1</sub>|AttributeFormat<sub>1</sub>P 159=M RelationID<sub>1</sub>L  
159=I •IndexID<sub>1</sub>P 159=M<sub>1</sub>  
AttributeID<sub>1</sub>P  
159=M<sup>L</sup> IndexType<sub>1</sub>X

159=U<sup>J</sup>IndexedDataLocation<sub>1</sub>P 159=M<sup>L</sup>RelationID<sub>1</sub>P

159=M<sup>L</sup>  
AttributeID<sub>1</sub>L<sub>0</sub> 159=I<sub>1</sub>ModuleID-P<sub>1</sub> 159=M<sup>LL</sup>

AddinVersionH◀ 159=E<sup>UJ</sup>SSID<sub>1</sub>T<sub>1</sub> 159=Q<sup>L</sup>|

SubserviceType 159=I@ ModuleIDP 159=M@  
CDSAVersion 159=I@ VendorH 159=E@ DescT 159=Q@

NativeServices L↑ 159=I@ CSSMGuidP 159=M@ PolicyType P→ 159=M@ PolicyNameP 159=M@  
PolicyPathP 159=M@ PolicyInfo-T 159=Q@

PolicyManifest-L- 159=I@\_ModuleIDL 159=I@^ModuleIDL 159=I@^ Manifest-P! 159=M@\_  
ModuleNameH" 159=E@^ PathP# 159=M@\_  
CDSAVersionT\$ 159=Q@^|

EMMSpecVersionH% 159=E@L DescP& 159=M@L PolicyStmt-P' 159=M@L EmmVersionP( 159=M@L  
EmmVendorL) 159=I@L EmmTypeL\* 159=I@L ModuleIDH+ 159=E@L SSIDL P, 159=M@L  
ServiceTypeL- 159=I@L Manifest-P. 159=M@L ModuleNameT/ 159=Q@L

ProductVersionL0 159=I@+ VendorP1 159=M@+  
SampleTypes•T2 159=Q@+ AcSubjectTypes•L3 159=I@+ AuthTags•T4 159=Q@+

EmmSpecVersionL5 159=I@J ModuleIDL6 159=I@J Manifest-P7 159=M@J  
ModuleIDH8 159=E@J PathP9 159=M@J  
CDSAVersionH: 159=E@J DescP; 159=M@J  
DynamicFlagT< 159=Q@J MultiThreadFlagP= 159=M@J  
ServiceMaskL> 159=I@J ModuleIDH? 159=E@J SSIDL@ 159=I@J Manifest-PA 159=M@J  
ModuleIDTB 159=Q@J

ProductVersionLC 159=I@||-VendorLD 159=I@|-●CspType7LE 159=I@|●CspFlags7TF 159=Q@|

CspCustomFlags LG 159=I@ | UseTags PH 159=M@ |  
SampleTypes TI 159=Q@ |  
AclSubjectTypes LJ 159=I@ |

AuthTags•LK 159=I@-ModuleIDHL 159=E@- SSID LM 159=I@-•UseTag PN 159=M@-L  
ContextType LO 159=I@-•AlgType LP 159=I@-•GroupID TQ 159=Q@- AttributeType TR 159=Q@-•

AttributeValue•PS 159=M@-  
DescriptionLT 159=I@•ModuleIDHU 159=E@• SSID PV 159=M@•  
ProductDescTW 159=Q@• ProductVendorTX 159=Q@•



ProductFlags: PZ 159=M@●-  
CustomFlags: P[ 159=M@●●

StandardDescT\ 159=Q@•□□StandardVersionP] 159=M@• ReaderDescP^ 159=M@•

ReaderVendorT\_ 159=Q@●  
ReaderVersion\` 159=Y@●

⊥ReaderFirmwareVersionPa 159=M@●  
ReaderFlagsγXb 159=U@●

◀ReaderCustomFlags;Xc 159=U@•¶↑ReaderSerialNumberLd 159=I@◻◻ModuleIDHe 159=E@◻ ↓SSID;Lf 159=I@◻-Sc  
cDescLg 159=I@◻◻ScVendorPh 159=M@◻<sup>l</sup>  
ScVersionXi 159=U@◻|◻ScFirmwareVersionLj 159=I@◻-•ScFlags;Tk 159=Q@◻• ScCustomFlags;TI 159=Q@◻◻

ScSerialNumberLm 159=I@ □ModuleIDHn 159=E@ ⌋SSID⌋ Lo 159=I@ ⌋ □Manifest-Pp 159=M@ ⌋  
ModuleNameTq 159=Q@ ⌋

ProductVersionLr 159=I@ |—VendorLs 159=I@ —DLType1Tt 159=Q@ •QueryLimitsFlag1Pu 159=M@  
SampleTypes•Tv 159=Q@ AcSubjectTypes•Lw 159=I@ AuthTags•Tx 159=Q@



RelationalOps•Lz 159=|@ ModuleIDH{ 159=E@ SSID1P| 159=M@ 1  
ProductDescT} 159=Q@ ProductVendorT~ 159=Q@



ProductFlags; P€ 159=M@ -

StandardDescT 159=Q@ •StandardVersionL, 159=I@ ProtocolTf 159=Q@ RetrievalModeL,, 159=I@  
ModuleIDH... 159=E@  
SSIDL† 159=I@  
ManifestP‡ 159=M@  
ModuleNameT^ 159=Q@  
J

ProductVersionL% 159=I@

| -VendorTŠ 159=Q@

-

CertTypeFormat\T\ 159=Q@  
• CrlTypeFormat\T\CE 159=Q@  
□

CertFieldNames-T 159=Q@

†BundleTypeFormat•XŽ 159=U@

◀XlationTypeFormat•X 159=U@

‡TemplateFieldNames-L 159=I@



SSID\_P' 159=M@

7  
ProductDescT" 159=Q@

ProductVendorT" 159=Q@







ProductFlags; P- 159=M@





• StandardVersionL~ 159=I@ ModuleIDH™ 159=E@ SSIDLš 159=I@ Manifest~P> 159=M@ L  
ModuleNameTœ 159=Q@ J

ProductVersionL 159=I@ | -VendorTž 159=Q@ -

CertTypeFormat 1 Pÿ 159=M@ •  
SampleTypes •T 159=Q@ ¼ AcSubjectTypes •Lj 159=I@ ¼ AuthTags •Lç 159=I@



SSID\_H 159=E@

7<sup>L</sup>OID-L¥ 159=I@

ValueL 159=I@ModuleIDH\$ 159=E@SSID P 159=M@  
ProductDescT© 159=Q@ProductVendorT# 159=Q@



ProductFlags; X~ 159=U@~¶AuthorityRequestType•P- 159=M@~•

StandardDescT® 159=Q@ StandardVersionP 159=M@

ProtocolDescT° 159=Q@ÿ ProtocolFlags1T± 159=Q@ÿ  
CertClassNameT² 159=Q@ÿ

RootCertificate-X³ 159=U@  
RootCertTypeFormatL 159=I@ ModuleIDHµ 159=E@ SSIDL 159=I@ Manifest-P 159=M@  
ModuleNameT, 159=Q@

ProductVersionL' 159=I@◀|~VendorL° 159=I@ [ModuleIDH» 159=E@ [ SSID L¼ 159=I@ [Manifest~P½ 159=M @ [ ModuleNameX¾ 159=U@ [CompatCSSMVersionL¿ 159=I@ [VersionLÀ 159=I@ [VendorPÁ 159=M@ [• DescriptionXÂ 159=U@ [ConfigFileLocation( L □ †@ ' "L-Yay'&{87191ca0-0fc9-11d4-849a-000502b52122}L2.0¶Apple Computer, Inc.!!Apple Standard CSSM? \ ÀP à,&{87191ca0-0fc9-11d4-849a-000502b52122}H@ ( , ¶ D@ L \$ ,↑ -à@J•8|4•8ø -¶ d L\$ LÔJ €À¶=iuj©μ'½&{87191ca6-0fc9-11d4-849a-000502b52122}~LDAPDL&/System/Library/Security/ldapdl.bundleL2.0•LDAP DLJ' L=iy%‰'©-±&{87191ca4-0fc9-11d4-849a-000502b52122}

AppleX509CL

\*AppleX509CL<sup>L</sup>2.0 Apple built-in CL  L=iy%'-±μ&{87191ca5-0fc9-11d4-849a-000502b52122}  
AppleX509TP

\*AppleX509TP L2.0 Apple built-in X509TP +A L=iy... μ½&{87191ca8-0fc9-11d4-849a-000502b52122}

AppleSDCSPDL \*SDCSPDL 2.0 Apple Security Daemon mediated CSPDL -°j L=iu... ¥©-&{87191ca2-0fc9-11d4-849a-000502b52122} AppleCSP \*AppleCSP 2.0 Apple built-in CSP 7-| L=iu %o;¥©&{87191ca1-0fc9-11d4-849a-000502b52122} AppleDL \*AppleDL 2.0 Apple built-in DL 7-| L=iy%o'©-±&{87191ca3-0fc9-11d4-849a-000502b52122} AppleCSPDL \*AppleCSPDL 2.0 Apple built-in CSPDL - ~ |@ • | |À|ð--P-€-°|7- 7 L,&{87191ca1-0fc9-11d4-849a-000502b52122},&{87191ca2-0fc9-11d4-849a-000502b52122},&{87191ca3-0fc9-11d4-849a-000502b52122},&{87191ca4-0fc9-11d4-849a-000502b52122},&{87191ca5-0fc9-11d4-849a-000502b52122},&{87191ca6-0fc9-11d4-849a-000502b52122},&{87191ca8-0fc9-11d4-849a-000502b52122} 7"@ |7\$ ð7\$Ø' LMy}%o'©-±&{87191ca2-0fc9-11d4-849a-000502b52122} AppleCSP 1.0 Apple Computer, Inc. LMy} •-±µ'y 7-&{87191ca3-0fc9-11d4-849a-000502b52122} AppleCSPDL 1.0 Apple Computer, Inc. •|O+WTuvVS{ 7 L

U|OWYt 7" 7 777` 0&{87191ca2-0fc9-11d4-849a-000502b52122}0&{87191ca3-0fc9-11d4-849a-000502b52122}U@@-Z „8äZ „7 7`LLe^|(|À-X-ø•□□À \^J œ

P  
i

„(1

pö†öÄ+|◀◀I\!!||~¶¶¶Ä^..ü\_T~|0|l|d|}|œ-4-Ô-| | 4 }-d-ü~ 8 Ø!p"◻" #8#Ô\$P%

%&L"œ(4(Ø)|\* \*È+t, ,,·.

./H/à0t1†1~2H2à3|4¶4°5L5ä6,,7 7'8T~<sup>L</sup>=imquy} %&{87191ca2-0fc9-11d4-849a-000502b52122}†<sup>L</sup> ¶<sup>L</sup>  
SHA1 Digest~<sup>L</sup>=imquy} %&{87191ca2-0fc9-11d4-849a-000502b52122}†• † † MD5  
Digest~<sup>L</sup>=imquy} %&{87191ca2-0fc9-11d4-849a-000502b52122}†|† † MD2 Digestæ<sup>L</sup>=imquy} &{87191ca2-0fc9-  
11d4-849a-000502b52122} \* †| RSA Key Pair Generation<sup>L</sup>=imquy} %&{87191ca2-0fc9-11d4-849a-000502b52122}

⌋+ @⌋DES Key Generation | ⌋=imquy} %&{87191ca2-0fc9-11d4-849a-000502b52122} ◀⌋+ À!!3DES Key  
Generation~⌋=imquy} &{87191ca2-0fc9-11d4-849a-000502b52122} ⌋-⌋RC2 Key Generation~•⌋=imquy} &{87191ca2-  
0fc9-11d4-849a-000502b52122} |•⌋RC4 Key Generation~◻⌋=imquy} &{87191ca2-0fc9-11d4-849a-000502b52122}  
⌋◻⌋RC5 Key Generation~ ⌋=imquy} &{87191ca2-0fc9-11d4-849a-000502b52122} ⌋- !!CAST Key Generationœ  
⌋=imquy} &{87191ca2-0fc9-11d4-849a-000502b52122} ⌋- Blowfish Key Generationœ  
⌋=imquy} &{87191ca2-0fc9-11d4-849a-000502b52122} [⌋  
⌋SHA1HMAC Key Generationœ

⌈imquy} &{87191ca2-0fc9-11d4-849a-000502b52122} f

MD5HMAC Key Generation † AES Key Generation

↳imquy} &{87191ca2-0fc9-11d4-849a-000502b52122} €•

ASC Key Generation:  $\{87191ca2-0fc9-11d4-849a-000502b52122\}$  FEE Key Pair  
Generation:  $\{87191ca2-0fc9-11d4-849a-000502b52122\}$  DSA Key Pair  
Generation:  $\{87191ca2-0fc9-11d4-849a-000502b52122\}$  PKCS5 Key  
Derivation:  $\{87191ca2-0fc9-11d4-849a-000502b52122\}$  PKCS5 PBKDF1 MD5 Key  
Derivation:  $\{87191ca2-0fc9-11d4-849a-000502b52122\}$  PKCS5 PBKDF1 MD2 Key  
Derivation:  $\{87191ca2-0fc9-11d4-849a-000502b52122\}$  PKCS5 PBKDF1 SHA1 Key  
Derivation:  $\{87191ca2-0fc9-11d4-849a-000502b52122\}$



DES Encryption - {87191ca2-0fc9-11d4-849a-000502b52122} 3DES EDE  
Encryption - {87191ca2-0fc9-11d4-849a-000502b52122}

AES Encryptionæ↑ ℓ=imquy} %&{87191ca2-0fc9-11d4-849a-000502b52122}ℓ↑↑!!

RC4 Encryption "l=imquy} •&{87191ca2-0fc9-11d4-849a-000502b52122}l↑|+!!J\_ l|—

RC5 Encryption → {87191ca2-0fc9-11d4-849a-000502b52122} Blowfish  
Encryption → {87191ca2-0fc9-11d4-849a-000502b52122} CAST  
Encryption → {87191ca2-0fc9-11d4-849a-000502b52122}

RSA Encryption~ } &{87191ca2-0fc9-11d4-849a-000502b52122}€- }FEEDExp  
Encryption"- } &{87191ca2-0fc9-11d4-849a-000502b52122}€| -}FEED Encryptionœ } &{87191ca2-  
0fc9-11d4-849a-000502b52122} } 3 }SHA1 With RSA Signatureœ } &{87191ca2-0fc9-11d4-849a-  
000502b52122} } , }MD5 With RSA Signatureœ! } &{87191ca2-0fc9-11d4-849a-000502b52122} } -! }MD2 With  
RSA Signature"" } &{87191ca2-0fc9-11d4-849a-000502b52122} } \*""Raw RSA  
Signatureœ# } &{87191ca2-0fc9-11d4-849a-000502b52122} } Q# }SHA1 With DSA  
Signature~\$ } &{87191ca2-0fc9-11d4-849a-000502b52122} } +\$Raw DSA Signatureœ% } &{87191ca2-  
0fc9-11d4-849a-000502b52122} } €% }MD5 with FEE Signatureœ& } &{87191ca2-0fc9-11d4-849a-  
000502b52122} } €& }SHA1 with FEE Signature"" } &{87191ca2-0fc9-11d4-849a-000502b52122} } € }Raw FEE  
Signature ( } &{87191ca2-0fc9-11d4-849a-000502b52122} } R( }SHA1 with ECDSA  
Signature~) } &{87191ca2-0fc9-11d4-849a-000502b52122} } I)!!Raw ECDSA  
Signature~\* } &{87191ca2-0fc9-11d4-849a-000502b52122} } •[\*+ ¶

SHA1HMAC MAC +  
Legacy ,  
Yarrow PRNG  
SHA1 Digest  
Digest /  
11d4-849a-000502b52122} \* RSA Key Pair Generation 1

⌋+ @⌋DES Key Generation 2<sup>L=imquy</sup> %&{87191ca3-0fc9-11d4-849a-000502b52122} ◀⌋+ À!!3DES Key  
Generation~3<sup>L=imquy</sup> &{87191ca3-0fc9-11d4-849a-000502b52122} ⌋-⌋RC2 Key Generation~4<sup>L=imquy</sup> &{87191ca3-  
0fc9-11d4-849a-000502b52122} |●⌋RC4 Key Generation~5<sup>L=imquy</sup> &{87191ca3-0fc9-11d4-849a-000502b52122}  
⌋◻⌋RC5 Key Generation~6<sup>L=imquy</sup> &{87191ca3-0fc9-11d4-849a-000502b52122} ← !!CAST Key  
Generationœ7<sup>L=imquy</sup> &{87191ca3-0fc9-11d4-849a-000502b52122} ⌋Blowfish Key  
Generationœ8<sup>L=imquy</sup> &{87191ca3-0fc9-11d4-849a-000502b52122} [  
⌋SHA1HMAC Key Generationœ9<sup>L=imquy</sup> &{87191ca3-0fc9-11d4-849a-000502b52122} f

MD5HMAC Key Generation: {87191ca3-0fc9-11d4-849a-000502b52122} AES Key Generation: {87191ca3-0fc9-11d4-849a-000502b52122}

[ASC Key Generation' <L=imquy}™&{87191ca3-0fc9-11d4-849a-000502b52122} €₁ ð† | €iÀ† FEE Key Pair  
Generationœ=L=imquy} &{87191ca3-0fc9-11d4-849a-000502b52122} +†† DSA Key Pair  
Generation~>L=imquy} &{87191ca3-0fc9-11d4-849a-000502b52122} g◀¶ PKCS5 Key  
Derivation?L=imquy} &{87191ca3-0fc9-11d4-849a-000502b52122} C† PKCS5 PBKDF1 MD5 Key  
Derivation@L=imquy} &{87191ca3-0fc9-11d4-849a-000502b52122} D! PKCS5 PBKDF1 MD2 Key  
DerivationAL=imquy} &{87191ca3-0fc9-11d4-849a-000502b52122} E¶ PKCS5 PBKDF1 SHA1 Key  
Derivation`BL=imquy} •&{87191ca3-0fc9-11d4-849a-000502b52122}L

44444444

DES Encryption~C^=imquy} •&{87191ca3-0fc9-11d4-849a-000502b52122}^L^+!J^L|-!!3DES EDE  
Encryption^D^=imquy} •&{87191ca3-0fc9-11d4-849a-000502b52122}^L^+!J^L|-

AES EncryptionæE<sup>L</sup>=imquy} %&{87191ca3-0fc9-11d4-849a-000502b52122}<sup>L</sup>††!!

RC4 Encryption "F<sup>L</sup>=imquy} •&{87191ca3-0fc9-11d4-849a-000502b52122}^↑|†|!J\_ L|-

RC5 Encryption-G<sup>L</sup>=imquy} •&{87191ca3-0fc9-11d4-849a-000502b52122}<sup>L</sup> →+!!J<sub>γ</sub> L|-!!Blowfish  
Encryption<sup>H</sup>=imquy} •&{87191ca3-0fc9-11d4-849a-000502b52122}<sup>L</sup> ←+!!J<sub>γ</sub> L|-!CAST  
Encryption<sup>I</sup>=imquy} &{87191ca3-0fc9-11d4-849a-000502b52122}□\*

RSA Encryption~J^=imquy} &{87191ca3-0fc9-11d4-849a-000502b52122}C€- [FEEDExp  
Encryption^L=imquy} &{87191ca3-0fc9-11d4-849a-000502b52122}C€|-ÛFEED EncryptionœL^=imquy} &{87191ca3-  
0fc9-11d4-849a-000502b52122}1 3|SHA1 With RSA SignatureœM^=imquy} &{87191ca3-0fc9-11d4-849a-  
000502b52122}1, TMD5 With RSA SignatureœN^=imquy} &{87191ca3-0fc9-11d4-849a-000502b52122}1 -!TMD2 With  
RSA Signature~O^=imquy} &{87191ca3-0fc9-11d4-849a-000502b52122}1 \*"SignatureœP^=imquy} &{87191ca3-0fc9-11d4-849a-000502b52122}1 Q#|SHA1 With DSA  
Signature~Q^=imquy} &{87191ca3-0fc9-11d4-849a-000502b52122}1 +\$Raw DSA SignatureœR^=imquy} &{87191ca3-  
0fc9-11d4-849a-000502b52122}1 €^%TMD5 with FEE SignatureœS^=imquy} &{87191ca3-0fc9-11d4-849a-  
000502b52122}1 €^&|SHA1 with FEE Signature~T^=imquy} &{87191ca3-0fc9-11d4-849a-000502b52122}1 €1'Raw FEE  
Signature U^=imquy} &{87191ca3-0fc9-11d4-849a-000502b52122}1 R(|SHA1 with ECDSA  
Signature~V^=imquy} &{87191ca3-0fc9-11d4-849a-000502b52122}1 I)!!Raw ECDSA  
Signature~W^=imquy} %o&{87191ca3-0fc9-11d4-849a-000502b52122}•[\*| ¶

SHA1HMAC MAC X<sup>L</sup>=imquy} %&{87191ca3-0fc9-11d4-849a-000502b52122}•€+† ¶!!SHA1HMAC MAC  
Legacy Y<sup>L</sup>=imquy} &{87191ca3-0fc9-11d4-849a-000502b52122}|€,  
Yarrow PRNG \ 8đ P • 7 □ | -Z;đ<8<€<È====>0>x>À?□?P?~?à@(@p@,AAHA AØB  
BhB°BøC@C^CÐD↑D`D`DðE8E€EÈF+FXF FèG0GxGÀH□HPH~Hàl(lpl,JJHJ JØK KhK°KøL@L`LÐM↑M`M`MðN8N€NÈO+OXO  
OèP0PxPÀQ□QPQ~QàR(RpR,SSHS SØT ThT°Tø"\$ !)#(%&+†|†↔†|† ,\*+ - `| -□• †



¡!!¶◀OQMNLVPUTRSBCFEHGD/.-YWXIKJ12354670=89:<;?@A>D&{87191ca2-0fc9-11d4-849a-000502b52122}¡ \*"D&{87191ca2-0fc9-11d4-849a-000502b52122}¡+\$D&{87191ca2-0fc9-11d4-849a-000502b52122}¡, D&{87191ca2-0fc9-11d4-849a-000502b52122}¡-!D&{87191ca2-0fc9-11d4-849a-000502b52122}¡3D&{87191ca2-0fc9-11d4-849a-000502b52122}¡)D&{87191ca2-0fc9-11d4-849a-000502b52122}¡Q#D&{87191ca2-0fc9-11d4-849a-000502b52122}¡R(D&{87191ca2-0fc9-11d4-849a-000502b52122}¡€¡'D&{87191ca2-0fc9-11d4-849a-000502b52122}¡€<sup>L</sup>%D&{87191ca2-0fc9-11d4-849a-000502b52122}¡€<sup>J</sup>&D&{87191ca2-0fc9-11d4-849a-000502b52122}¡<sup>L</sup>



J † D&{87191ca2-0fc9-11d4-849a-000502b52122} ◀ † D&{87191ca2-0fc9-11d4-849a-000502b52122} † -D&{87191ca2-0fc9-11d4-849a-000502b52122} † □ D&{87191ca2-0fc9-11d4-849a-000502b52122} † • D&{87191ca2-0fc9-11d4-849a-000502b52122} † - D&{87191ca2-0fc9-11d4-849a-000502b52122} D&{87191ca2-0fc9-11d4-849a-000502b52122} \* † D&{87191ca2-0fc9-11d4-849a-000502b52122} + † D&{87191ca2-0fc9-11d4-849a-000502b52122} { D&{87191ca2-0fc9-11d4-849a-000502b52122} f

D&{87191ca2-0fc9-11d4-849a-000502b52122} € † D&{87191ca2-0fc9-11d4-849a-000502b52122} € † D&{87191ca2-0fc9-11d4-849a-000502b52122} € † D&{87191ca2-0fc9-11d4-849a-000502b52122} € ●

D&{87191ca2-0fc9-11d4-849a-000502b52122} C †D&{87191ca2-0fc9-11d4-849a-000502b52122} D †D&{87191ca2-0fc9-11d4-849a-000502b52122} E †D&{87191ca2-0fc9-11d4-849a-000502b52122} g †D&{87191ca3-0fc9-11d4-849a-000502b52122} †\*D&{87191ca3-0fc9-11d4-849a-000502b52122} †+\$D&{87191ca3-0fc9-11d4-849a-000502b52122} †, D&{87191ca3-0fc9-11d4-849a-000502b52122} †-!D&{87191ca3-0fc9-11d4-849a-000502b52122} †3D&{87191ca3-0fc9-11d4-849a-000502b52122} †|)D&{87191ca3-0fc9-11d4-849a-000502b52122} †Q#D&{87191ca3-0fc9-11d4-849a-000502b52122} †R(D&{87191ca3-0fc9-11d4-849a-000502b52122} †€ †'D&{87191ca3-0fc9-11d4-849a-000502b52122} †€ †%D&{87191ca3-0fc9-11d4-849a-000502b52122} †€ †&D&{87191ca3-0fc9-11d4-849a-000502b52122} †L



⌋+ D&{87191ca3-0fc9-11d4-849a-000502b52122} ◀| + D&{87191ca3-0fc9-11d4-849a-000502b52122} | -D&{87191ca3-0fc9-11d4-849a-000502b52122} ↑ □D&{87191ca3-0fc9-11d4-849a-000502b52122} | ●D&{87191ca3-0fc9-11d4-849a-000502b52122} ← D&{87191ca3-0fc9-11d4-849a-000502b52122} D&{87191ca3-0fc9-11d4-849a-000502b52122} \* ⌊D&{87191ca3-0fc9-11d4-849a-000502b52122} + ⌋D&{87191ca3-0fc9-11d4-849a-000502b52122} [ D&{87191ca3-0fc9-11d4-849a-000502b52122} f

D&{87191ca3-0fc9-11d4-849a-000502b52122} € † D&{87191ca3-0fc9-11d4-849a-000502b52122} € † D&{87191ca3-0fc9-11d4-849a-000502b52122} € † D&{87191ca3-0fc9-11d4-849a-000502b52122} € ●

D&{87191ca3-0fc9-11d4-849a-000502b52122} C[D&{87191ca3-0fc9-11d4-849a-000502b52122} D!!D&{87191ca3-0fc9-11d4-849a-000502b52122} E[D&{87191ca3-0fc9-11d4-849a-000502b52122} gH@• ( , 7 \@ < ,0 • 7 U |—

@ { 0 { P à My } % ' © - ± Á & { 87191ca6-0fc9-11d4-849a-000502b52122 } - LDAPDL 1.0 Apple Computer,  
Inc. { 87191ca3-0fc9-11d4-849a-000502b52122 } AppleCSPDL 1.0 Apple  
Computer, Inc. | + O + WTuv VS {

U|OWYt L 7 7 L |J à 7 L My}%o'©-±Á&{87191ca1-0fc9-11d4-849a-000502b52122}•AppleDL L1.0¶Apple Computer,  
Inc. | L 7 • 7 L J | -Ü L < Ð 7 L L p L H L Ø 7 0&{87191ca1-0fc9-11d4-849a-000502b52122}0&{87191ca3-0fc9-11d4-849a-  
000502b52122}0&{87191ca6-0fc9-11d4-849a-000502b52122}H@ ( , 7 4@  
Ð ° L uy}%o'©-&{87191ca4-0fc9-11d4-849a-000502b52122}  
AppleX509CL L1.0¶Apple Computer, Inc. L L d Ü X 7 0&{87191ca4-0fc9-11d4-849a-000502b52122}H@

( , 7 8@ Ô ·<sup>L</sup>Amq %i¥-&{87191ca5-0fc9-11d4-849a-000502b52122}  
AppleX509TP<sup>L</sup>1.0Apple Computer, Inc.<sup>LL</sup> d àX 7 ·<sup>J</sup>0&{87191ca5-0fc9-11d4-849a-000502b52122}1|@



γ™#,,apsdγ—ěγ—ÿγ ÿ~EfSPIγi γi?γiOfN/AγirfYESγšjfYESγ~ãγi•L

ùä L◀Gû]• â→âv(|γÿÿÿÿP

1™#1—Ö1—ë1—ÿ1~1~EjSPI1~hf6001~† 01~¥f4301~Ä 11~ä1~øLjääLjGü]•†

ě | 1 bÿÿÿÿP

γ™#„apsdγ—ěγ—ÿγ Ÿγ ~EfsPIγi γi?γiOfN/AγirfYESγšjfYESγ~ãγi•L†fäL!!(Gý)•’↑/AÇ@|γbÿÿÿÿP

γ™#,,apsdγ—ëγ—ÿγ ÿγ~EfsPIγi γi?γiOfN/AγirfYESγšjfYESγ~ãγi•L◀äLq[uGp]•↔◀M^|γbÿÿÿÿP

γ™#„apsdγ—ěγ—ÿγ Ÿγ ~EfsPIγi γi?γiOfN/AγirfYESγšjfYESγ~ãγi•LγiäLγÉGγj•↔1ÚŽ∅|γbÿÿÿÿP

γ™#,,apsdγ—ěγ—ÿγ ÿ~EfsPIγi γi?γiOfN/AγirfYESγšjfYESγ~ãγi•L!!κ †corebrightnessd

messagetracer |com.apple.message.domain \$com.apple.CoreBrightness.nightshift com.apple.message.\_\_source\_\_  
7com.apple.message.corebrightness.bluereduction.offtime 14699971

Jeffreys-

iMac Fcom.apple.message.corebrightness.bluereduction.offcount.untiltomorrow ?com.apple.message.corebrightness.bluereduction.modetime.manual

14700404 3com.apple.message.corebrightness.bluereduction.cct Bcom.apple.message.corebrightness.bluereduction.modetime.scheduled Ecom.apple.message.corebrightness.bluereduction.oncount.untiltomorrow 6com.apple.message.corebrightness.bluereduction.ontime OH |]●S™ ↑ō! | 7 LE ò9|ÿÿÿP+ 7A 7;€ 7u 7;T 7;g 7% 7;- 7ÖfSPI 7  
ötigest 7!(+entity 7\$ 5 7!nfYES 7↑% 7;È 7:j 7+corebrightnessd

messagetracer |com.apple.message.domain !com.apple.BezelServices.ALStats com.apple.message.\_\_source\_\_ ↑com.apple.message.value |com.apple.message.value2 |com.apple.message.value3 |com.apple.message.value4 ⚙️SenderMachUUID %D1F1C9FE-F179-3831-BEE8-73892F78413B

Jeffreys-iMacä<sup>L</sup>@T<sup>H</sup>→]• L8Ó-€|1yÿÿÿP

!NotificationCenter !com.apple.nc.today.widget.active com.apple.m  
essage.bundle\_id |com.apple.nc.today.dnd ↑com.apple.message.title ⚙Do Not Disturb %3173069E-4C95-3AF9-9C17-  
25B8BB00D499Ä@pH+• i5BG|7L







öñÿÿÿP >;L?9 L=L?R L=SPI L?y LB²L?, LBÖ L=L?ë LAè ←com.apple.ncplugin.weatherÄ DÉH]• i5Câ+|L





^>,,,apsd ^ = ^E" ^=SPI ^E± ^EÓ ^EāfN/A ^F-fYES ^F)fYES ^ = ^FK ^DÉ com.apple.dock.preferences.2 -  
com.apple.message.show\_recents %CB96674A-BB8B-34C3-8D20-55DBFFD52BAC' ^iH" ]•ž

Úđ | 7 KB öŷÿÿÿPŷL>,,Dock L=L=L`L=SPI L`Gf#enabled L=L`L`Fv !!com.apple.dp.usage 2com.apple.message.uses\_diff  
erent\_desktop\_pictures 1com.apple.message.uses\_changing\_desktop\_pictures 5com.apple.message.uses\_random\_or  
der\_desktop\_pictures 3com.apple.message.uses\_non\_preset\_desktop\_pictures :com.apple.message.uses\_desktop\_pic  
ture\_not\_on\_boot\_volume com.apple.message.has\_no\_image J`L`KOH#]●ž

,ä |7KB öfllyyyP] L>,,Dock L=L=LH L=SPI L'H|,no LHp,no L'l,no L'IPfyes L'I%,no L'É,no L=L'G' L'GÓ Lcom.apple.dp.usage.2  
Lcom.apple.message.kind' L/L/H\$]•ž

...€|7KB õ9ÿÿÿÿP□L>,,Dock L= L= LJø L=SPI LK!!...solar L= LG" Li |com.apple.db.preferences  
com.apple.message.show\_as\_space L M{H%}●ž

...8|KB õÿÿÿÿP>;,,Dock = = Kê =SPI L  
foff = G K0 ðSystemUIServer !com.apple.screenshot.defaults %com.apple.message.remember\_selection %6374  
DF57-07C6-3829-B34F-  
32C4E6DFB2F6' N5H&J•ž|:|Kà õÿÿÿÿP>;Lé = = Lp =SPI LM%fyes = MP L/ä P H'J•žç7%ÿ|ÿÿÿÿÿP

L>; L<i L= L= L=SPI L=860 L=0 L=500 L=1 L=>+ M{ +corebrightnessd

messagetracer |com.apple.message.domain !com.apple.BezeServices.ALSStats com.apple.message.\_\_source\_\_ ↑com.apple.message.value |com.apple.message.value2 |com.apple.message.value3 |com.apple.message.value4 ØSenderMachUUID %D1F1C9FE-F179-3831-BEE8-73892F78413B



LPm LO O5 LOI LOh LO fSPI LO²f570 LOÐ O LOif820 LP

1 P- PB N5ä SPH)•E ,ý x | 1YÿÿÿÿP

LPm LO O5 LOI LOh LO fSPI LO²f970 LOÐ O LOif800 LP

1LP-

LPB LP AddressBookSourceSync 'com.apple.AddressBook.accounts.summary com.apple.message.summarize #com.apple.message.carddav\_accounts \$com.apple.message.disabled\_accounts #com.apple.message.enabled\_accounts com.apple.message.ldap\_accounts \$com.apple.message.exchange\_accounts !com.apple.message.total\_accounts %69 B5C320-4CFE-36B1-9CC2-

D6FBEE1BE67D UAH\*]•xvWÅĐ |c\$ öŷŷŷŷP [LPm LRU„user LOI LRq LRžfYES LRÀ 2 LRé 0 Ls!! 3 Ls< 0 Lsb 0 LsCE 4 LP- Ls3 LQk 3com.apple.AddressBook.customPropertyDamageDetected →com.apple.message.damagedÄ LV H+]•xv |ô0 |c\$ öŷŷŷŷP LPm LRU LO5 LOI LTe LO fSPI LU! 0 LRžfYES LP- Ls3 LSpÄ LVÖH,]•xv Zgè |c\$ öŷŷŷŷP LPm LRU LO5 LOI LTe LO fSPI LU! 0 LRžfYES LP- Ls3 LUAÄ LWŸH-]•xv œÄ0 |c\$ öŷŷŷŷP LPm LRU LO5 LOI LTe LO fSPI LU! 0 LRžfYES LP- Ls3 LV

Ä LXiH.]•xv

@ |c\$ öŷŷŷŷP LPm LRU LO5 LOI LTe LO fSPI LU! 0 LRžfYES LP- Ls3 LVÖÄ LZMH/]•xv

Ts |c\$ öŷŷŷŷP LPm LRU LO5 LOI LTe LO fSPI LU! 0 LRžfYES LP- Ls3 LWŸ 2Address Book event completed. Changes: 0 (0/0/0). (com.apple.sleepservices.addressbookData |com.apple.message.uuid %24A9349A-2DCB-43E5-8FA7-230EE1B6D0AC com.apple.message.wake\_state |com.apple.message.uuid2 %09A989C0-9B1E-446A-8C91-BE4AC8FF7CB4Ô L['H0]•x" TÓ/x |c\$ öŷŷŷŷP

Lpm lRU,,user LY3 lOl LYk lO2 0 LY™ LY¶ LYá 0 LZJ LZ" LP- LS³ LXiÔ l\ H1]●π" TÔ-P | c\$ õ¶lyyyyP

LPm lRU,,user LY3 lOl LYk lO2 0 LY™ LY¶ LYá 0 LZJ LZ" LP- LS3 LZMä l\ëH2]•|^{|°|γÿÿÿÿP

LPm LO O5 LOI LOh LO fSPI LO²f800 LOÐ O LOif460 LP

1 P. PB [a ^ H3] O Eax | 1 yyyyp

LPm LO LO5 LOI LOh LO fSPI LO²f980 LOÐ O LOif690 LP

1 Lp-  
L PB L \ )com.apple.coretls.client\_finished.config com.apple.message.signature com.apple.message.signature2 Œco  
m.apple.mail com.apple.message.signature3 %5B8E4AFB-6AB4-3CB6-A7F7-  
07E84E4009C4Œ L ±H4J•©f1aä8 | 7 KÙ öŒÿÿÿÿP

LPm,,Mail,,user LOI L]Ö L^J ftls L^& L^I L^A 8 LRzfYES LP-  
L^ L\ë %com.apple.coretls.client\_finished.pvÔ L^¶H5]•©f1bpØ | KÙ ð¶ÿÿÿÿP

LPm,,Mail,,user LOI L + L^J fts L^& L^j L^L,,0303 LRzfYES LP-  
L^ L^~ %com.apple.coretls.client\_finished.csÔ LaÁH6]●©f1b¾ø | KÙ ðŷÿÿÿP

LPm,,Mail,,user LOI L' LΛJ ftls LΛ& LΛI LΛΛ,,c02f LRzfYES LP-  
L^ L\_± +com.apple.coretls.client\_finished.key\_typeÔ Lb)H7]●©f1c|H|KÙ ðŷÿÿÿP

LPm,,Mail,,user LOI La LAJ ftls LA& LAJ LAAfrsa LRzfYES LP-  
LA L'¶ +com.apple.coretls.client\_finished.kxSigAlgÔ LcÔH8J●©f1cK~ | 1 KÙ õ¶ÿÿÿÿP

ŁPm,,Mail,,user ŁOl Łb> Ł^Ł ftls Ł^& Ł^Ł Ł^Ł...06\_01 ŁRžfYES ŁP-  
Ł^ ŁaÁ (com.apple.coretls.client\_finished.curveÔ ŁdûH9]•©f1cŽ |ŁKÙ õŕŕŕŕŕŕP

^Pm,,Mail,,user ^OI ^c! ^L^J ^fts ^L^& ^L^I ^L^L^,,p256 ^RzfYES ^p- ^L^ ^b) "com.apple.coretls.client\_finished -  
com.apple.message.value\_eventsÔ ^g7H:J●©f1c)€|\_KÙ ðŷÿÿÿP

LPm,,Mail,,user LOI Ld® L^J ftIs L^& L^J LdÖ 1 LRzfYES LP- L^ LcÔ †corebrightnessd

messagetracer |com.apple.message.domain !com.apple.BezeServices.ALSStats com.apple.message.\_\_source\_\_ ↑com.apple.message.value |com.apple.message.value2 |com.apple.message.value3 |com.apple.message.value4 ⚙️SenderMachUUID %D1F1C9FE-F179-3831-BEE8-73892F78413B



g# eÖ eë eÿ f- fEjSPI fh,,1000 ft 0 fÿf860 fÄ 1 fã fø dúä jmH<]•-L\*œ4 | 1ÿÿÿÿÿP

lg# leÖ leë leÿ lf- lfEjSPI lfhf760 lft 0 lfÿf800 lÄ 1 lfä lfø lg7

messagetracer |com.apple.message.domain ↑com.apple.apsd.15918893 com.apple.message.\_\_source\_\_ com.apple.message.signature 1st  
Party com.apple.message.signature2 com.apple.message.signature3 com.apple.message.summarize ⚙SenderMac  
hUUID %399BDED0-DC36-38A3-9ADC-9F97302C3F08



LjY,,apsd Li  
Li Li> Li\jSPI Li Li Li±fN/A LiÔ,NO Li±fYES Li|Li. Li!ä Li'm\$H>]•~{ α...h |γ bÿÿÿÿP

ljY,,apsd li

li-

li> li\fspl li li li±fN/A liÔ,NO li÷fYES lj|lj. ljm |corebrightnessd !com.apple.BezelServices.ALSStats ↑com.apple.message.value |com.apple.message.value2 |com.apple.message.value3 |com.apple.message.value4 %D1F1C9FE-F179-3831-BEE8-73892F78413Bä |n-H?]•~„\* @ |ryÿÿÿÿP

ljY 4A 4  
4 4W 4\FSPI 4~f620 4æ 0 4»f560 4Ú 1 4j 4ú 4kW OSAActivityID !!0x80000000000c01da †knowledge-  
agent ,com.apple.coreduet.portraitknowledge.ingest %9BE4D678-C581-3096-A166-  
BE7D6D9080B5ô 4o\$H@J• ...0+ø` 4LE ô 4ÿÿÿÿP† 4jY 4n: 4  
4n

Ln! Li LnP Li \SPI Li tingest Li ± entity Li ~ 1 Li ÷ fYES Li | Ln, Lm\$ä Lp'HAJ • š+γ | γ bÿÿÿÿP

LjY„apsd Li  
Li> Li\FSPI Li Li±fN/A LiÔ,NO Li±fYES Lj|Lj. Ln-ä Lq{HB}•±/.Áí^ |γbÿÿÿÿP

LjY„apsd Li  
Li>Li\jSPI Li Li±fN/A LiÔ,NO Li+fYES Lj|Lj. Lošä LrØHC]•±0'Û7p|7bÿÿÿÿP

ljY,,apsd li

li li> li\jSPI li li li±fN/A liô,NO li±fYES li|li. lp'

suggestd 3com.apple.proactive.portrait.entities\_per\_donation %2006714D-676F-383C-9BA4-E539229574E7ä LsÛHDJ●±c

r

è|L" òPÿÿÿÿP

ljYre li  
liLrt li\FSPI li „mail li±#corenlp li~ 2 li÷fYES lij|Lr- liq{ !!0x80000000000c08d1ô LtÖHE]●±c

ã3ø | 7 LE õñÿÿÿP††jYLn: 4  
Ln



^H|7L" õ9lyyyP

ljYre li  
liLrt li\SPi li „mail li±#corenlp li~ 1 li÷fYES li|Lr- lsÛ !!0x80000000000c08e1ô Lx9HG]•±c

¾R | 1 LE ö 9 11 y y y P + 1 j Y L n : 4  
L n

u ç  
n P i \fSPI i tingest i±†entity 4~ 1 i÷fYES l j | l n, tÖ 7AddressBookSourceSync 'com.apple.AddressBook.accounts.summary #com.apple.message.calldav\_accounts \$com.apple.message.disabled\_accounts #com.apple.message.enabled\_accounts com.apple.message.ldap\_accounts \$com.apple.message.exchange\_accounts !com.apple.message.total\_accounts %69 B5C320-4CFE-36B1-9CC2-D6FBEE1BE67D 7 yœHH]•±²1E | ~ | 7 dQ ö 9 i y y y P i l j Y v Ö „user i- v i i÷fYES l w- 2 l wD 0 l wn 3 l w— 0 l w½ 0 l wç 4 l j | l x



Lx9Ä L{0HJ}•±²3Ll†|γdQ öñÿÿÿÿP LjY LvÖ Lì  
Lì LγC Lì \fSPI Lγ| 0 Lì ÷ fYES Lj Lx

LyoeÄ {úH | •±²3CEi@ | 7 dQ õ9ÿÿÿÿP LjY LvÒ Lj  
LjYc Lj\fsPI Lj| 0 Lj÷fYES Lj| Lx

LzfÄ |ÄHLJ•±²3ö- |₁dQ ö¶ÿÿÿÿP LjY LvÒ L  
L LγC L\FSPI Lγ| 0 L i÷fYES Lj Lx

L{0Ä L~HM]•±24KD |γdQ ðñÿÿÿÿP LjY LvÒ Lì  
Lì LγC Lì \fSPI Lγ| 0 Lì ÷ fYES Lj Lx

↳ú 2Address Book event completed. Changes: 0  
(0/0/0). (com.apple.sleepservices.addressbookData ↓com.apple.message.uuid %24A9349A-2DCB-43E5-8FA7-  
230EE1B6D0AC com.apple.message.wake\_state ↑com.apple.message.uuid2 %09A989C0-9B1E-446A-8C91-  
BE4AC8FF7CB4Ô↳ ,HNJ•±Ñ↓—#đ|ᵱdQ öŕŕŕŕŕP

ljY v0,,user ljZ li lj}E l~ 0 lj}o lw◀lw< 0 lw\_ lw}lj|lx

L|ÄÔ L€\HO]•±ÑJ —öà | 7 dQ öñÿÿÿÿP

ljY v0,,user ljZ li lj}E l~ 0 lj}o lw◀lw< 0 lw\_ lw}lj|lx

W-äL FHP]•2 0)° |γγγγP

ljY4A4

44W4\FSPI4~f8804œ 04»f6304Ú 14j4ú4 ,ä4,0HQJ•2z%šĐØ|7bÿÿÿÿP

LjY„apsd Li  
Li Li> Li\FSPI Li Li Li±fN/A LiÔ,NO Li±fYES Li|Li. Li€\ä Li→HR]•²«← œà |γ bÿÿÿÿP

ljY„apsd li  
li> li\FSPI li li li±fN/A liÔfYES li+fYES lj|lj. L Fä L„J HSJ●²«&îK↑ |γbÿÿÿP

LjY„apsd Li  
Li> Li\FSPI Li Li±fN/A LiÔfYES Li+fYES Lj|Lj. L,0ä L„îHTJ•2-2 zÐ |γ bÿÿÿÿP

ljY„apsd li  
li> li\FSPI li li li±fN/A liÔfYES li+fYES lj|lj. lf-ä L...ØHU]•³f|èž| |γbÿÿÿÿP

LjY„apsd Li  
Li>Li\FSPI Li Li±fN/A LiÔfYES Li+fYES Lj|Lj. L„J ä L+ÂHV]•³ÿ-?eP|γbyÿÿÿP

LjY„apsd Li  
Li Li> Li\jSPI Li Li Li±fN/A LiÔfYES Li+fYES Lj|Lj. Li„iä Li±~HW]•/)ò0 |1bÿÿÿÿP

LjY„apsd Li  
Li Li> Li\FSPI Li Li Li±fN/A LiÔfYES Li+fYES Lj|Lj. L...øä L^-HX]•'<\*4Çp |γbÿÿÿP

LjY„apsd Li  
Li Li> Li\FSPI Li Li Li±fN/A LiÔfYES Li+fYES Lj|Lj. L+Âä L%o€HY]•´<4Ã´´ |₁bÿÿÿP

LjY„apsd Li  
Li> Li\FSPI Li Li±fN/A LiÔfYES Li+fYES Lj|Lj. L±~ä 'ŠjHZ]•' =t(|\_ bÿÿÿP

LjY„apsd Li  
Li Li> Li\FSPI Li Li Li±fN/A LiÔfYES Li+fYES Lj|Lj. L^~ä L<TH[]•Ç'/,x|1YÿÿÿP

ljY 4A 4

4 4W 4i\FSPI 4~f750 4æ 0 4»f570 4Ú 1 4j|4ù 4%€ä 4CE>H\J•µ Å÷ø |7bÿÿÿÿP

ljY„apsd li  
li> li\FSPI li li li±fN/A liÔfYES li=fYES lj|lj. Šjä L (H)]•μ#Ń,io | 1bÿÿÿP

LjY„apsd Li  
Li> Li\FSPI Li Li±fN/A LiÔfYES Li=fYES Lj|Lj. LcTä Lž[H^]•μ ±1BØ|7bÿÿÿP

LjY„apsd Li  
Li Li> Li\FSPI Li Li Li±fN/A LiÔfYES Li+fYES Lj|Lj. LCE>ä LžüH\_]•¶W \@|γγγγP

ljy4A4  
44W4\FSPI4~f8804œ 04»f6504Ú 14j4ú4 (ä4 fH4]•r. \_È4bÿÿÿP

ljY,,apsd li  
li>li\jSPI li li ±fN/A liô,NO li+fYES lj|lj. lžî (com.apple.crashreporter.writereport.awd UNBUNDLED ||| awd-osx  
((null)) |com.apple.message.result %8628F2E0-527F-32CB-8B71-D754C9E2E67Cä Lr"Ha]•š0d:,|ŕÖyÿÿÿP

ljY„awdd†daemon li L æ li „awdd li± L ¶liÔ‡UNKNOWN L 9„noop li÷fYES lj|L X Lžü UNBUNDLED ||| anon-osx  
((null))ä L“2Hb]•š;+°~ |γÖÿÿÿP

!CalDAV account refresh completed

CalendarAgent !com.apple.sleepservices.icalData "CalDAV account refresh statistics %5D0654AC-DCFA-3115-BB19-27394F808407  
%com.apple.calendar.account\_refresh\_2 - com.apple.account.appleaccountä

ljY Lx li  
li L L li \fSPI L 9,,pass li #success li ± L w li ÷ fYES li | L • L 2 !!0x80000000000c1841

loginwindow .com.apple.login.keybagunlockresult.screenlock %A8999E50-B549-3CC7-B4B9-  
F7AB371E4DC3Ô<sup>L</sup>~iHe]•,%0 s0•<sub>1</sub>lò õ<sup>q</sup>lyyyÿP

ljy • ŷ lj  
ln

L•+ Lj-

L•± Li\FSPI Li fYES Li÷fYES Lj|L•ä L'œ !com.apple.coreservices.applaunch -com.apple.message.path\_bucket \$com.apple  
.message.volume\_is\_network -com.apple.message.quarantined &com.apple.message.volume\_is\_removable &com.ap  
ple.message.volume\_is\_ejectable !com.apple.message.volume\_is\_root 'com.apple.message.volume\_is\_disk\_image \$c  
om.apple.message.bundle\_identifier †com.apple.iChat !com.apple.message.bundle\_version 'com.apple.message.bund  
le\_short\_version %CB96674A-BB8B-34C3-8D20-55DBFFD52BAC D LšGHf]•, —L—" |γ Kß öſſÿÿÿP→LjY„Dock Li  
LiLê Li\FSPI L—◀ 0L—5,no L—\_no L—f,no L—-,no L—Ûfyes L~γ,no L~/L~Y L~o„5500 L~-,„12.0 Lj|L~Ä L—†  
nsua\_locä L>kHg]•,— rLP|γL" öſſÿÿÿP



ljY L,1 li  
li li Ê li \fSPI li ù 0 L c → 0 L 9,,fail li | L, @ L € ← com.apple.graphics.clients com.apple.message.architecture -  
com.apple.message.context\_type com.apple.message.signature1 \*com.apple.message.intermediate\_frameworks N{  
com.apple.QuartzCore-  
CA)QuartzCore,libdispatch.dylib,libsystem\_pthread.dylib ¶ li Y li \fSPI li li li li ± fN/A li Ô fYES li ÷ fYES li j | L j. L x " ä L S | Hp ] • ,™!  
W?p | bÿÿÿÿP

LjY„apsd Li  
Li> Li\FSPI Li Li±fN/A LiÔfYES Li+fYES Lj|Lj. Lx<ä LšúHq]•,™:öú~ |γbÿÿÿÿP

LjY„apsd Li

Li Li> Li\FSPI Li Li Li±fN/A LiÔfYES Li=fYES Lj|Lj. Li& J L@J Hr]•,i\$à È|\_dø òſÿÿÿPÿ LjY^vÒ„user Li-  
Li Li=fYES Lw- 2 LwD 0 Lwn 3 Lw- 0 Lw½ 0 Lwç 4 Lj|Lx

ŁŒ|Ä ˆ©ÎHs|•,i&-tX|Œdø øŒÿÿÿÿP ŁjYˆvÒ Łi  
ŁiˆyC ŁiˆfSPI Ły| 0 Łi÷fYES Łj|Łx

ŁŝúÄ Łª~Htj•,i&Ø.đ |ŧdø øŧŧŧŧŧŧP ŁjY ŁvØ Ł  
Ł ŁyC Łi\ŧSPI Ły| 0 Łi÷fYES Łj Łx

© J. Å. «bHu]•, i' h | 7 dø ø P l y y y P l j y v ò l i  
l i y C l i \ f S P I l y | 0 l i ÷ f Y E S l j l x

© 2008, H. V. J. P. M. E. J. d. ø. P. J. Y. V. Ø. J.  
L. Y. C. J. S. P. I. J. O. J. F. Y. E. S. J. J. L. X.

La~Ä L-ÛHw]•,i'Á°H|₁dø øñÿÿÿÿP LjY^vÒ Lì  
Lì LìC Lì\jSPI Lì| 0 Lì÷fYES Lì| Lìx

«b !com.apple.FaceTime D“Hx]•,c9A»“|K B öÿÿÿÿP→LjY„Dock L  
Lê L\FSPI L◀ 0L5,no L\_,no L\_f,no L-,no L-Ûfyes L~\_ ,no L~/L-ö L~o„3080 L~f5.0 Lj|L~Ä L~,  
FaceTime %7A101A4D-A95F-354F-8BE6-5A527A81BDF0 J L- Hy]•,£ ±,p |du öÿÿÿÿP LjY L•Y„user L-  
Lî L÷fYES Lw- 2 LwD 0 Lwn 3 Lw— 0 Lw½ 0 Lwç 4 Lj|L•h L-ÛÄ L°gHz]•,£!NB“ |du öÿÿÿÿP LjY L•Y L-  
LjY C L\FSPI L| 0 L÷fYES Lj|L•h L•“Ä L±1H|]•,£!# |du öÿÿÿÿP LjY L•Y L-  
LjY C L\FSPI L| 0 L÷fYES Lj|L•h L- Ä L±ûH|]•,£!ÀÇ† |du öÿÿÿÿP LjY L•Y L-  
LjY C L\FSPI L| 0 L÷fYES Lj|L•h L°gÄ L²ÅH|]•,«2U

8|\_dù òñÿÿÿÿP LjY L\*Y Lj  
LjY C Lj\ S P I Lj| 0 Lj÷fY ES Lj| L\* h L±1Ä LµY H~]•,«3|v`|\_dù òñÿÿÿÿP LjY L\*Y Lj  
Lj-  
LjY C Lj\ S P I Lj| 0 Lj÷fY ES Lj| L\* h L±û !!NotificationCenter &com.apple.nc.usage.notification.aging com.apple.message.b  
undle\_id ðcom.apple.mail -com.apple.message.in\_1\_minute 65367424 com.apple.message.in\_5\_minutes  
com.apple.message.in\_20\_minutes com.apple.message.in\_1\_hour com.apple.message.in\_2\_hours com.apple.mes  
sage.in\_6\_hours +com.apple.message.in\_1\_day com.apple.message.in\_2\_days com.apple.message.in\_1\_week ↑co  
m.apple.message.older %3173069E-4C95-3AF9-9C17-25B8BB00D499 d L L H ]•,µ4{õx|\_L

öñÿÿÿÿP- LjY L3 Lj  
Lj L3 Lj \SPI L3 Ö L3 ö L  
0 L / L > 0 L c 0 L % 0 L « 0 L î 0 L ñ 0 L µ î 0 L µ 4 0 L µ V 1 L j | L µ t L 2 Å 65368064 d L , H € ] • , µ 4 | ° ø | 7 L





ljY vò,,user l}ž li l}E l~ 0 l}ò l~◀ l~< 0 l~\_ l~} l} l}x

L,ÔL»-Hf]•,¿- œÈ|₁dø õŕlyyyP

ljY v0,,user ljZ li lj}E l~ 0 lj}o lw◀lw< 0 lw\_ lw}lj|lx

L1ûä L¼™H„]•,f50«0|7L" õŕÿÿÿÿP

LjYreLi

LiLrtLi\FSPI Li „mail Li±Lš8 Li~ 0Li÷fYES Lj|Lr- LqÖä L½äH...]•,f55B8 |L" öPlyyyP

ljYre li  
li rt li \SPI li „mail li ± lš8 li ~ 0 li ÷ fYES li j | li r. li »- com.apple.WebKit.WebContent

14607.2.6.1.1 %E0F5D5E2-BBE5-39C5-9D34-B342FF8ED896 ¶¼pH+]•,x7Sæ`|7e

øÿÿÿÿP¶¼jY ¶¼f ¶¼

¶¼-

£†¶¼\¶¼SPI £1,64 £V...Metal ¶¼± ¶¼½¥ ££{ ¶¼½f ¶¼iÔ...Metal £ž ££¶¼i÷fYES ¶¼j| ¶¼½¹ ¶¼½™ ¶¼À1H¶¼]•,Ù ÿh|7e¶¼ øÿÿÿÿP¶¼jY ¶¼f ¶¼

¶¼£†¶¼\¶¼SPI £1,64 £V...Metal ¶¼± ¶¼½¥ ££{ ¶¼½f ¶¼iÔ...Metal £ž ££¶¼i÷fYES ¶¼j| ¶¼½¹ ¶¼½ä !!0x800000000000c223fô £Á+H^]•,Ù

ÿ... |7L" øÿÿÿÿP¶¼jY ¶¼re ¶¼

¶¼n

LÀ↑LiLrtLi\FSPILi „mailLi±Lš8Li~ 0Li÷fYESLj|Lr-L¼pôLÂ>H%o]•,ÛL«8|L" õŸŸŸŸP+LjYLreLi  
Ln

LÀ†LiLrtLi\SPiLi „mailLi±Lš8Li~ 0Li÷fYESLjLr-LÀ1 !!0x8000000000c22a9ôLĂQHŠj•ÜŦŦ•|L" šŦŦŦŦP†LjYLreLi  
Ln

^% \rt \fSPI „mail ± š8 ~ 0 ÷fYES j | r- Á+ !!0x8000000000c2302ô ÄHç]•Ý! í0 | L" õÿÿÿÿP | jY re  
n

!0x80000000000c230bô !AwHCE]•,p6ŽVĐ |1L" ōŕÿÿÿP†LjYre L  
n

ÄK rt \fSPI „mail ±š8 ~ 0 ÷fYES j r- ÄQ !!0x8000000000c2324ô ÆŠH ]•,à Yi ^ | L" öÿÿÿÿP† jY re  
n

LÅ^ L; Lrt L; \fSPI L; „mail L; ± Lš8 L; ~ 0 L; ÷ fYES L; j | L; r- L; Äd !!0x80000000000c232dô L; Ç HŽ]•,áTJèÀ | L; L" õŕŕŕŕŕŕP | L; jY L; re L; L; n

Œq rt \fSPI „mail ±š8 ~ 0 ÷fYES j |r- Åw !!0x8000000000c2358ê È—H j•,è&ewÀ |L" õŸŸŸŸP+ jY re  
n

LÇ„ li rt li \fSPI li „mail li ± l38 li ~ 0 li ÷ fYES li j | Lr- LÆŠô LÉ#H ]●,è&iT□ | 1L" õ9lÿÿÿÿP† ljY Lre li  
Ln

ŁŒ„ ĩ ĩrt ĩ ĩfSPI ĩ „mail ĩ ĩ± ĩš8 ĩ~ 0 ĩ ĩ±fYES ĩ ĩj ĩ ĩr-ŁŒ !!0x80000000000c2391ô ĩ ĩĕ½Hĳ•,é→Dqĳ ĩ ĩL” ōſĳŷŷŷP ĩ ĩjY ĩre ĩ  
ĩn

LÉ' Lrt \fSPI „mail L± š8 L~ 0 L÷fYES Lj Lr- LÈ— !!0x8000000000c239aô LÈÐH']●,é9ó ø|L" õŕÿÿÿP LjY Lre L  
Lñ

Èrt\SPi „mail±š8~ 0±fYESj|r-Éa !!0x8000000000c23b8ôãH“]•,é:À|L" öÿÿÿP+Yre  
n

È. rt \SPI „mail ±š8 ~ 0 ÷fYES j| r- È½ !!0x8000000000c23d0ô {öH"}•,ë]“↑ |L" öÿÿÿP+ jY re  
n

Ërt\SPi „mail±š8~ 0÷fYES|\_|-ËÐ !!0x8000000000c23d8ô H•j,iî9øH|L" õÿÿÿP|jYre  
n







Ń\_T\_i\_r t\_i \fSPI\_i „mail\_i±Lš8\_i~ 0\_i÷fYES\_lj|\_r-\_L\_Đ\_ô\_Ó#H™]•!|\_ëa↑|\_L" ò\_Ń\_ÿÿÿ\_P+\_l\_jY\_re\_l\_i  
L\_n



Ń\_T rt \SPI „mail ±š8 ~ 0 ÷fYES j |r- ò)ô Ő0H>]•!†ñL, |L" õŷŷŷŷP |jY re  
n

Ń\_T\_i\_rti\SPi\_i „mail\_i±Lš8\_i~ 0\_i÷fYES\_lj|Lr-Ó# !!0x8000000000c250eô LÖHœ]•!7~-€|L" õ9ÿÿÿP+l\_jY\_re\_i  
L\_n

Ö| |rt|\SPI | „mail |± |š8 |~ 0 |÷fYES |j |r- |Ô ||0x8000000000c25a7ô |x=H |•"4b¼p |L" ö|ÿÿÿP |jY |re |  
n

LÖ\* Li rt Li \SPI Li „mail Li ± Lš8 Li ~ 0 Li ÷ fYES Li | Li r- LÖöô LØPHž] • 1" 4c2^ | 1 L" ö 9 llyyyP | jY Lre Li  
Ln

LÖ\* Li rt i\SPi i „mail i± Lš8 i~ 0 i÷fYES j|Lr- LÖC !!0x8000000000c2613ô LÛJHÿ]•'P

δ | 1 L" ö 9 | y y y P + j Y L re i  
L n

L07 li rt li \SPI li „mail li ± Lš8 li ~ 0 li ÷ fYES li | li r- li x=ô li Ú]H ]•'P

◀ f, | 1 L" õ 9 | y y y y P + L j Y L re L i  
L n

L07 Li rt Li \SPI Li „mail Li ± Lš8 Li ~ 0 Li ÷ fYES Li | Li r- Li ØP !!0x80000000000c261cô LÛpHiJ•'P&-ŕĚ | 1 L" õŕÿÿÿP† LjY Lre Li  
Ln

L'ÚD L'rt L'i\jSPI L'i „mail L'i± L's8 L'i~ 0 L'i÷fYES L'j L'r- L'ÚJ !!0x80000000000c2655ô L'ÜfHc]•'Q | !\*À | 1L" ô9ÿÿÿÿP L'jY L're L'i  
L'n

ÜW rt \fSPI „mail ± s8 ~ 0 ÷fYES j |r- Ú] !!0x8000000000c265eô Ý-HÉ]•Q „ää | L" õÿÿÿÿP+ jY re  
n

Üjrt\fsPI „mail±š8 0±fYESj|tr-Üp !!0x8000000000c2677ô ªp©Hxj•'RPÄÈ|L" õŷŷŷŷP+JYre  
n

LÝ}LiLrtLi\FSPI Li „mail Li±Lš8Li~ 0Li÷fYESLj|Lr-LÜf !!0x8000000000c26d0ôLB¼HYJ●¹SiÖX|L" ô9lÿÿÿP+LjYLreLi  
Ln

↳ ↳rt ↳fSPI ↳ „mail ↳± ↳s8 ↳~ 0 ↳±fYES ↳j ↳r- ↳ý- !!0x80000000000c26d9ô ↳äH|J•'S)5x+|↳L" ö9|yÿÿÿP+↳jY ↳re ↳  
↳n

BE rt \fSPI „mail i± s8 ~ 0 i÷fYES j| r- b© !!0x8000000000c2712ô LââH§j•T-:ç8 | L" öÿÿÿÿP† jY re i  
n

Làñ l; Lrt l; \fSPI l; „mail l; ± l; s8 l; ~ 0 l; ÷ fYES l; j l; r- l; ß¼ !!0x80000000000c271aô L; äöH“]•U%“J À | 1 L" öñÿÿÿP l; jY l; re l; l; n

LáÉ i rt i \fSPI i „mail i ± s8 i ~ 0 i ÷ fYES i j | r - l ä i ! 0x8000000000c2733ô L ä H©] • V Te + h | 1 L " ö P i y y y P | j Y re i  
L n

LâÜ Lrt i\FSPI i „mail i± Lš8 i~ 0 i÷fYES Lj Lr- Lââ !!0x8000000000c2752ô Lâ Hª]•W↑Æžđ |L" õŷŷŷŷP LjY re L  
L<sub>n</sub>

Lāi Li Lrt Li \SPI Li „mail Li ± š8 Li ~ 0 Li ÷ fYES Lj | Lr- Lāöä Læ | H«]•] | , ÷ @ | 7 L" ö 9 l y y y y P

LjY Lre Li  
Li Lrt Li \SPi Li „mail Li ± Lš8 Li ~ 0 Li ÷ fYES Lj Lr- Lä ☐ !!0x8000000000c27a1ô Lç [H-]•1`)"-☐ | L" šſſſſſſP LjY Lre Li  
Ln

Łai Łi Łrt Łi \fSPI Łi „mail Łi Łš8 Łi~ 0 Łi ÷fYES Łj Łr- ŁšŁi !!0x80000000000c27aaô Łè+H-J•1a\$Ž#~ |ŁL" ôŕŕŕŕŕŕPŁjYŁre Łi  
Łn

Læy li rt li \SPI li „mail li ± š8 li ~ 0 li ÷ fYES li | r- Læ | !!0x80000000000c2835ô Lé%H\*J•'d↓J" | L" õŋÿÿÿP†ljY re li  
Lñ

L`è] Li Lrt Li \fSPI Li „mail Li ± Ls8 Li ~ 0 Li ± fYES Li j | Lr- Lç | ô L`ê8H` ] • L`d L`KVø | L`L" ô 9 | y y y P | L`j Y L`re Li  
L`n

L`è] Li Lrt Li \fSPI Li „mail Li ± Ls8 Li ~ 0 Li ± fYES Li j | Lr- L`è+ !!0x80000000000c2844ô L`ëKH°]•1e |4@ | L" õŹŹŹŹŹP+ LjY Lre Li  
Ln

Lê Lrt LfSPI Li „mail Li± Ls8 L~ 0 Li÷fYES Lj Lr- Lé% !!0x8000000000c284cô Li^H±]●f/ôup | L" õŸÿÿÿP LjY Lre Li  
Ln

Lë2 Li Lrt Li \fSPI Li „mail Li ± Ls8 Li ~ 0 Li ± fYES Li j Li Lr- Lê8 !!0x80000000000c2865ô Li qH²]•!g7ÄÄ | L" ö9lÿÿÿÿP Li jY Lre Li  
Ln

LiE LiLrt Li\FSPI Li „mail Li± Lš8 Li~ 0 Li÷fYES Lj Lr- LëK !!0x8000000000c286eô Li„H³]•i\$ž)( | L" õŕlyyyP LjY Lre Li  
Ln

ix rt \SPI „mail ±š8 ~ 0 ÷fYES j| r- ^ !!0x80000000000c2897ô —H]•j)ùHø | L" õÿÿÿÿP † jY re  
n

ik rt \SPI „mail ±š8 ~ 0 ÷fYES j |r- iq !!0x8000000000c28c0δ δμj•k5-¼è |L" ðÿÿÿP |jY re  
n

~\rt\SPi „mail ±š8 ~ 0 ÷fYES j| r- i,, !!0x8000000000c28c9ô Ľ½H¶]•!1eßÀ | L" õŷŷŷŷP+ jY re i  
n

Łđ' Łi Łrt Łi \fSPI Łi „mail Łi Łš8 Łi~ 0 Łi ÷fYES Łj Łr- Łi— !!0x80000000000c28d8ô Łò·H·]●!o ¼æÈ |ŀL" õŀŀŀŀŀŀP ŁjY Łre Łi  
Łn





Łó± Łi Łóà Łi \fSPI Łi tingest Łi ±†entity Łi ~ 1 Łi ±fYES Łi j | Łó Łò · ä ŁöBHºj • Łi ~ '7q" | ŁL" őŹŹŹŹŹŹP

LjY Lre Li

Li Lrt Li \FSPI Li „mail Li ± Lš8 Li ~ 0 Li ÷ fYES Lj | Lr- Lõ = ← com.apple.launchpad.opened Ä L ÷ 3H » ] • f — ³ X | 7 KB õ 9 l y y y y P

LjY „Dock Li

Li Lõ ! Li \FSPI Li „tile Li ÷ fYES Lj | L~ Ä L õ 7 ! com.apple.launchpad.app.launched Ä L ø + H ¼ ] • 1 % \$

€ | 7 KB õñÿÿÿÿP LjY„Dock Li  
Li Lz



H½]•¹ %UØ~ |γ KB õñÿÿÿÿP→ LjY,,Dock Li  
Li L-ê Li\FSPI L-◀ 0 L-5,no L-\_,no L-f,no L-,no L-Ûfyes L~γ,no L~/L÷ý L~o LøT L~  
...16.25 Lj L-Ã L÷3 |corebrightnessd 1com.apple.BezelServices.ALSStatsActivityFiltered |com.apple.message.value2 %  
D1F1C9FE-F179-3831-BEE8-73892F78413BÄ Lú;H¾]•¹,8wË~ |γÿÿÿÿÿP LjY Lúu Li  
Li-  
Lú< Li\FSPI L~f190 LúÂf190 Lj L-úá Lø+ !com.apple.BezelServices.ALSStats |com.apple.message.value3 |com.apple.mess  
age.value4ä Lú~H¿]•¹,8y+( |γÿÿÿÿÿP

ljy üu li  
li üö li \fspi li „1000 üâ 0 üýf420 ü 1 j | üá ü



LjY„apsd Li  
Li Lü% Li \SPI Li Lüc Li ±fN/A Li ÔfYES Li ±fYES Li | Lüs Lû;ä Li pRHÁ]●● Bn0 | 7 bÿÿÿÿP

LjY„apsd Li

Li Lũ% Li \fSPI Li LũC Li ±fN/A Li ÔfYES Li ÷fYES Li | LũS Lũ~Ä Lÿ HÂ]••] &Xô | 1γγγγÿP LjY Lũu Li

Li Lũ< Li \fSPI Li ~f810 LũÂ 0 Li | Lũá LÿhÄ LÿæHÄ]••] &Y»Ø | 1γγγγÿP LjY Lũu Li

Li Lũ< Li \fSPI Li ~f810 LũÂ 0 Li | Lũá LÿpRÄ]••] &Z±° | 1γγγγÿP LjY Lũu Li

Li Lũ< Li \fSPI Li ~f810 LũÂ 0 Li | Lũá Lÿ ä] šHÄ]••n' L'P | 1bγγγγÿP

LjY„apsd Li  
Li LÛ% Li \SPI Li LÛC Li ±fN/A Li ÔfYES Li ±fYES Li | LÛS Li ÿæä | „HÆ] ●º & à-0 | bÿÿÿÿP

ljY„apsd li  
li ü% li \SPI li üC li ±fN/A li ÔfYES li ±fYES li | -lüS -ä - nHÇ]•• -Ä | ~ | 1 bÿÿÿÿP

LjY„apsd Li  
Li L ü% Li \fSPI Li L üC Li ±fN/A Li ÔfYES Li ±fYES Li | L üS Li šä Li XHÈ Li •€ Li i L X Li | Li bÿÿÿÿP

LjY„apsd Li  
Li LÛ% Li \SPI Li LÛC Li ±fN/A Li ÔfYES Li ±fYES Li | LÛS L „ä L | [HÉ] ••i (Eùø | L L" ðŸÿÿÿP

ljY re li  
li rt li \SPi li „mail li ± corenlp li ~ 1 li ÷ fYES li j | li r . li n !!0x8000000000c28f4ô li -UHÊ]••i(ø