
From: Larry Visoski <[REDACTED]>
Sent: Friday, March 4, 2016 2:45 PM
To: jeffrey E.
Cc: Rich Kahn
Subject: Re:

Jeffrey,
When will you complete Mx on GIV then?
-Westfield has cleared their calendar for our input, sometime early next week,

Gulfstream informs HoneyWell and Gulfstream Engineering have spent \$8k to \$10k for prewire harness for Synt Vision upgrade and Honeywell has restocking charges for Radar upgrade and FMS 6.1 software upgrades, Rusty is fighting to have these charges dropped,

Rusty Crammer our Gulfstream sales guy wanted me to inform, All GIVSP have 6.1 FMS software, large portion have upgraded to 880 radar all ready, Rusty thinks it brings resale value compared to the GIV compared to non upgraded aircraft, certainly not dollar for dollar, just his opinion, could be some validity, but I don't fully agree,

I will ask Gulfstream, I know Palm beach has been booked with Latin American Gulfstreams,,

WestField has better mechanics, and has a better chance to complete on schedule, Palm beach will always be late on completion, Palm Beach has very few good dedicated mechanics, many disgruntle employee's in Palm Beach.

Sent from my iPhone<=div>

On Mar 4, 2016, at 5:46 AM, jeffrey E. <jeevacation@gmail.com <mailto:jeevacation@gmail.com> > wrote:

with the change in schedule = and the reduced scope of work, does it make more sense to have the mx done in west palm ?

--

please note<=r>

The information contained in this communication is confidential, may be attorney-client privileged, may constitute inside information, and is intended only for the use of the addressee. It is the property of JE. Unauthorized use, disclosure or copying of this communication or any part thereof is strictly prohibited and may be unlawful. If you have received this communication in error, please notify us immediately by return e-mail or by e-mail to jeevacation@gmail.com <mailto:jeevacation@gmail.com> , and destroy this communication and all copies thereof, including all attachments. copyright -all rights reserved

=