

To: [REDACTED]
From: Jeffrey Epstein
Sent: Tue 7/21/2009 7:08:27 PM
Subject: Re: Camera Installation

no inside camera near garage door, i want a not to exceed on installation cost. and i want a dedicated monitor set up for the security guard

2009/7/21 [REDACTED] >

Begin forwarded message:

From: "[REDACTED] Ogg" <[REDACTED]@[REDACTED]>
Date: July 21, 2009 10:39:40 AM EDT
To: <[REDACTED]>
Subject: RE: Camera Installation

[REDACTED]

Attached is a revised proposal that now includes a dock camera. We looked at the dock this morning, and this is the best way of adding the camera for proper coverage.

The dock camera will be located behind the exercise building. We will pipe over to the seawall, and mount the camera on an aluminum extension arm to get the right angle to look down the dock. We include the piping, arm extension, and camera mounting. The only T&M will be capturing a wire from the exercise building to use.

I highly recommend the optional call box cameras at the two gates.

If acceptable, please shoot me an "approved" email, and I'll get it started with the order.

Thank you for your business!

█ Ogg

Cell █

From: █ Ogg [█]
Sent: Friday, July 17, 2009 2:39 PM
To: █
Subject: RE: Camera Installation

The attached proposal has been revised to include most of the hardware installation in a fixed price. The unknown is really the wiring of the bullet cameras since we have to locate existing wire, or attempt to run new. That portion will remain T&M.

Thanks,

█ Ogg

ETC.

Cell#561-568-0279

From: █ Ogg [mailto:█]
Sent: Friday, July 17, 2009 10:06 AM
To: █
Subject: Camera Installation

Good Morning,

Attached is the proposal for the camera installation at 358 Brillo Way. Material is included. The installation will be billed by the hour. I've included an option for a few cameras (gate call boxes) that were not included in the report.

If you have any questions, please call me.

Have a nice weekend.

FRED OGG

ETC

2921 Australian Avenue

West Palm Beach, FL 33407

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]



Please consider the environment before printing this email.