

**To:** Jeffrey Epstein[jeevacation@gmail.com]  
**From:** Richard Kahn  
**Sent:** Thur 9/26/2013 3:59:12 PM  
**Subject:** 9 east status report from Mark and Rich B

fyi

Richard Kahn  
HBRK Associates Inc.  
575 Lexington Avenue, 4th Floor,  
New York, New York 10022  
tel [REDACTED]  
fax [REDACTED]  
cell [REDACTED]

Begin forwarded message:

**From:** Richard Barnett <rbhvac@msn.com>  
**Date:** September 26, 2013 11:32:33 AM EDT  
**To:** Mark Tollison <[REDACTED]>  
[REDACTED]  
**Subject:** RE: Status

Mark here is the up date of pending work. 1) Fire alarm control installation to start 8:00am with Stanley Security , 2) Motors for cooling tower shipped out to Landover cooling tower on 9/21 if Landover receives motors by 9/27 Installation will start week of 10/1 , 3) Heat exchangers priced control valves with Siemens looking into more cost effective solution. Control company scheduled to look at system on 10/4. to price valves. 4) Marantz receiver is covered under Warranty Technetron waiting on parts unit should be repaired by end of next week 10/4. 5) Front door contacted both contractors Simply Elegant. can do work for the same price from the proposal dated 4/11/12 cost \$7800.00 Elite Renovation option 1) \$ 10.800.00, Option #2 \$ 15.800.00 Elite does not know if they can do the work they have a very busy work load until the end of the year and also price would be higher due to the front door is in worse condition. Project needs approval to proceed.

---

**From:** [REDACTED]  
**To:** [REDACTED]  
**Subject:** Status  
**Date:** Wed, 25 Sep 2013 17:14:02 -0600

Rich,

Please provide status on quotes/progress:

1. Fire alarm system control panel
2. Motors for cooling tower
3. Heat exchanges
4. Marantz receiver
5. Front door

Best regards,

Mark

Mark Tollison, J.D., M.B.A., C.H.M.  
Director of Residences

*The information contained in this e-mail is confidential and is intended solely for the use of the addressee(s) named above. If you are not the intended recipient or the person responsible for delivering this confidential information to the intended recipient, you have received this information in error, and any review, use, dissemination, forwarding, printing, copying, or other distribution of this e-mail message and any attached files is strictly prohibited. The sender reserves the right to monitor any communication that is created, received, or sent on its network. If you have received this confidential communication in error, please notify the sender immediately by reply e-mail message and permanently delete the original communication.*