

GRADE-ALL
HEAVY EQUIPMENT, INC.

EQUIPMENT RATES LITTLE ST. JAMES

<u>Equipment</u>	<u>Hourly Minimum</u>	<u>Attachments</u>	<u>Rate Hourly</u>
CAT 320 Excavator	8	Bucket	\$165.00
		Grapple	\$165.00
		Densifier	\$190.00
		Hydraulic Hammer	\$225.00
CAT 322CL Excavator	8	Bucket	\$170.00
		Grapple	\$170.00
		Densifier	\$205.00
		Hydraulic Hammer	\$250.00
		Material Processor	\$290.00
CAT 420D Backhoe Loader	4	Mult. Bucket	\$75.00
		Forks	\$75.00
		Hydraulic Hammer	\$130.00
CAT 426B Backhoe Loader	4	Bucket	\$70.00
CAT D5Gxl Dozer	8	8' 9" Blade	\$130.00
CAT CS-533E Vibratory Compactor	8	84" Drum	\$130.00
Terex 850 Trench Compactor	4	33" Drum	\$75.00
Peterbilt 378 Tractor truck	4	Tandam Axle	\$100.00
Dump Trucks	4	20 cu. yd. Box	\$100.00
Rock Truck	4	20 cu. yd. Box	\$160.00

Equipment rates do not include mobilization.

8168 Crown Bay Marina

Suite 310, PMB 373

St. Thomas, VI 00802

Tel. (340) 776-3355

mail@grade-all.com

Fax (340) 774-1300



EQUIPMENT SPECIFICATIONS

<u>Model</u>	<u>Make</u>	<u>Year</u>	<u>Weight (Lbs.)</u>	<u>Notes</u>
320 CL Excavator	CAT	2006	46,000	Breakout force of 29,000 pounds
322 CL Excavator	CAT	2005	53,400	Breakout force of 44,600 pounds
320 B Excavator	CAT	1999	44,000	Breakout force pf 28,000 pounds
320 BL Excavator	CAT	1998	45,200	Breakout force of 28,900 pounds
420 D-IT Backhoe/Loader	CAT	2006	21,600	4x4 (1.25 cu. yd. bucket) forks & multi-purpose bucket
426 B Backhoe/Loader	CAT	1995	22,300	4x4 (1.25 cu. yd. bucket)
D5 G-xl Dozer/Tractor	CAT	2005	19,662	8'-9", 6 way blade
533 E Vibratory Compactor	CAT	2005	24,960	84" drum, centrifugal force of 60,000 pounds
850 BTR Trench Vib. Compactor	Terex	2003	3,550	33" drum, centrifugal force of 17,500 pounds
378 Tractor Truck	Peterbilt	1999		Adjustable 5th wheel
Lowboy	Trailboss	2006		50 ton capacity, deck space 11'x20'
Dump Truck	Freightliner	1993		23 cu. yd.
Rock Truck	Freightliner	2006		18 cu. yd.

8168 Crown Bay Marina

Tel. (340) 776-3355

Suite 310, PMB 373

mail@grade-all.com

St. Thomas, VI 00802

Fax (340) 774-1300



ATTACHMENT SPECIFICATIONS

<u>Model</u>	<u>Make</u>	<u>Notes</u>
GH-10 Hydraulic Hammer	NPK	Impact rating 4,000 ft. lb.
E-210 Hydraulic Hammer	NPK	Impact rating 2,350 ft. lb.
E-204 Hydraulic Hammer	NPK	Impact rating 600 ft. lb.
GR-2530 Mechanical Grapple	NPK	2 into 3 tine
M28 Material Processor	NPK	Concrete & Steel Jaws
MDG-100 Concrete Densifier	Pemberton	Jaw opening 32"
MDG-200 Concrete Densifier	Pemberton	Jaw opening 32"
Rock Bucket	CAT	24" wide, 0.62 cu. yd. capacity
Bucket	CAT	36" wide, 1.00 cu. yd. capacity
Bucket	CAT	48" wide, 1.50 cu. yd. capacity
Bucket	CAT	48" wide, 1.75 cu. yd. capacity
Bucket	CAT	60" wide, 2.25 cu. yd. capacity

8168 Crown Bay Marina

Suite 310, PMB 373

St. Thomas, VI 00802

Tel. (340) 776-3355

mail@grade-all.com

Fax (340) 774-1300