

To: Lvjet [REDACTED]
From: [REDACTED]
Sent: Mon 3/24/2014 8:43:46 PM
Subject: Re: updates

Hi Larry...

-so do I keep the June 30th date in the calendar for the 24 month inspection of the plane? or do I take this out? (or does JE have no choice!?)
-sounds like a midnight departure won't work for JE on April 4?
-the charter on the 31st would be for Mariana (shhhhh) departing Warsaw through Paris and on to St. Maarten...we may need a charter to get her back to St. Maarten on April 19th...not sure...

On Mar 24, 2014, at 4:37 PM, Lvjet <[REDACTED]> wrote:

I ment to include you both on this email to Jeffrey, It appears he was not please or surprised when I informed him of the 24 month inspection that is due in 90 days June 30th, so I sent Jeffrey the DUE list that I review every week, (sometimes).

***-also, JE wanted to depart ST THOMAS at midnight April 4th to arrive in Phoenix to clear customs,. flight time is 7+10min,, that would have us land in PHX at 5am,.. however, Customs is open only, 830am to 4:30pm for hours of operation.

*** JE wants a small plane charter for March 31st, St Martaan to St Thomas, maybe they are arriving on airlines from EU?
SEE update to JE below,
thx
Larry

-----Original Message-----

From: Lvjet <[REDACTED]>
To: jeevacation <jeevacation@gmail.com>
Sent: Mon, Mar 24, 2014 4:28 pm
Subject: Re: updates

Jeffrey,

PHX Customs flight OK.. April 4th ?

Customs is not enforcing Overflight, as long as operator has obtained Overflight in the past, (as we have), we are allowed to fly into any AOE (Airport of Entry). with prior approval.
Phoenix Customs hours of operation **Monday - Friday 8:30am - 4:30pm only**, no overtime according to officer on duty.
Phoenix will approve overflight after they review passengers listed on EAPIS for this flight on April 4th and we must land between the hours of 8:30am and 4:30pm Monday - Friday.

OUTFLOW Valve:

Gulfstream Tech ops has to locate in their archives the original drawings for our GIV serial number, 1085, this has been our delay in getting an answer and or approval, whether Gulfstream will use other installation drawings or fabricate New ones for procedure to install new louvers,. I have contacted Rusty Crammer our DU885 Sales Rep, to assist with pushing Gulfstream to give an answer regarding installing other style outflow valve louvers,

CHARTER St. Martaan to St Thomas March 31st, 2014

St Thomas Jet Center Charter has Twin Engine Piper Navajo Panther, (similar to our past Cessna 421).
price **St. Martaan to St Thomas \$1,920.00 all fees and Handling included.**

GIV Due list below with dates,.

Below is my due list for Gulfstream IV that will take me thru November 2014,. calendar items and inspections are sometimes hidden in these reports,. many items are complied with during routine Mx visits to Teterboro and Islip to keep the GIV operating as smooth as possible. In the future I will give a minimum of 12 month warning of impending inspections that will come due, so we can address Mx scheduling properly,

Select a compliance function:

- Click Here to Select Function
- GoTo: ATA Code Management
- GoTo: LogBook/MTR Entry for Checked Items
- GoTo: Maintenance Due List
- RPT: Airframe Times Due List (ATA Code w Rel)
- RPT: Airframe Times Due List (ATA Code)
- RPT: Airframe Times Due List (Due Date w Rel)
- RPT: Airframe Times Due List (Due Date)
- RPT: Airframe Times Due List By Group (ATA Code)
- RPT: Airframe Times Due List By Group (Due Date)
- RPT: Component Transaction (Part Rem) for Checked
- RPT: Current Status of Checked Items
- RPT: Due List (ABS)
- RPT: Due List with Projected Due Date (ATA Code)
- RPT: Due List with Projected Due Date (Due Date)
- RPT: Excel Output for Checked Items
- RPT: Maint Quote Related (Excel) for Checked
- RPT: Maint Quote Related for Checked
- RPT: Maintenance Due List (ATA Code)
- RPT: Maintenance Due List (Due Date)
- RPT: Maintenance Due List (STD)
- RPT: Maintenance Due List By Hrs/Cyc/Date (STD)
- RPT: Maintenance Quote (Excel) for Checked Items
- RPT: Maintenance Quote (STD) for Checked Items
- RPT: Mechanic Signoff (ABS) for Checked Items
- RPT: Mechanic Signoff (STD) for Checked Items
- RPT: Mechanic Signoff With Related for Checked
- RPT: Parent Child Signoff for Checked Items
- RPT: Status Summary (STD) Of Checked Items
- RPT: Task Card Package for Checked Items

Aircraft Due List: Ordered by next due based on utilization

Updating Due and Remains Information ... Please Wait

Retrieving data ... Please Wait

Includes recurring and mandatory service information that have not been accomplished

All related codes due within the projection are included

Projected Through Hours:8802.5 Landings:4057 Date:28 Nov 2014

Delta

Select All Checkboxes | De-select All Checkboxes

cw	ATA Code	Logbook	Description	Compliance Interval
<input checked="" type="checkbox"/>	353012 (P)	Airframe	Oxygen Bottle, #2 Portable - Removal / Installation P/N: 176965-S-M-B-3 S/N: 672761	180 M Due: End Of Month Custom Frequenc y

<input checked="" type="checkbox"/> 262562 (P)	Airframe	Portable H2O Fire Extinguisher (Aft Cabin) - Hydrostatic Test	60 MOS Due: End Of Month
<input checked="" type="checkbox"/> 262631 (P)	Airframe	Portable Halon Fire Extinguisher (Right Cockpit) - Inspection	1 M Tolerance +15 DAY Due: End Of Month
<input checked="" type="checkbox"/> 262632 (P)	Airframe	Portable Halon Fire Extinguisher (Forward Cabin) - Inspection	1 M Tolerance +15 DAY Due: End Of Month
<input checked="" type="checkbox"/> 262633 (P)	Airframe	Portable Halon Fire Extinguisher (Aft Cabin) - Inspection	1 M Tolerance +15 DAY Due: End Of Month
<input checked="" type="checkbox"/> 320004	Airframe	Main Landing Gear (Left) - Lubrication	4 M Tolerance +15 DAY Due: End Of Month
<input checked="" type="checkbox"/> 320005	Airframe	Main Landing Gear (Right) - Lubrication	4 M Tolerance +15 DAY Due: End Of Month

<input checked="" type="checkbox"/> 320006 (P)	Airframe	Nose Gear - Lubrication	Tolerance +15 DAY Due: End Of Month	4 M
<input checked="" type="checkbox"/> 240178	Airframe	Battery #3, Emergency Service	Custom Frequency	6 MO
<input checked="" type="checkbox"/> 243105 (P)	Airframe	Battery, #1--Capacity Check P/N: RG-380E-44 S/N: 40336977	Tolerance +1/-1 MOS Custom Frequency	6 MO
				12 MOS In
<input checked="" type="checkbox"/> 243106 (P)	Airframe	Battery, #2--Capacity Check P/N: RG-380E-44 S/N: 40494892	Tolerance +1/-1 MOS Custom Frequency	6 MO
				12 MOS In
<input checked="" type="checkbox"/> 346019	Airframe	FMS No. 1 NDB - Update	Tolerance -8 DAY	28 D
<input checked="" type="checkbox"/> 346020	Airframe	FMS No. 2 NDB - Update	Tolerance -8 DAY	28 D

<input checked="" type="checkbox"/> 346021	Airframe	FMS No. 3 NDB - Update	28 D	Tolerance -8 DAY
<input checked="" type="checkbox"/> 254001 (P)	Airframe	Lavatory Compartment Above Floor - Inspection	1000	
<input checked="" type="checkbox"/> 994002 (P)	Airframe	AD74-08-09 R3 Lavatory Paper and Linen Waste Receptacle Enclosure Access Door and Disposal Door Inspection	1000	
<input checked="" type="checkbox"/> 240260 (P)	Airframe	Emergency Securaplane Battery / Heater Assembly No. 1 - Replacement P/N: 160-0201-02 S/N: 1410	48 M	Due: End Of Month
<input checked="" type="checkbox"/> 304003	Airframe	Windshield Wiper Lock Pin - Lubrication / Adjustment	6 M	Tolerance +15 DAY Due: End Of Month
<input checked="" type="checkbox"/> 323112 (P)	Airframe	Landing Gear Emergency Air Bottle - Hydrostatic Test P/N: 1159SCH233-5 S/N: 12398C1	36 M	Due: End Of Month
<input checked="" type="checkbox"/> 381010	Airframe	Filter Element, No. 1 Potable Water System - Removal / Installation P/N: 778000 S/N:	6 MO	Due: End Of Month Custom Frequency
<input checked="" type="checkbox"/> 381025 (P)	Airframe	Potable Water System - Flush / Sanitize	6 MO	Due: End Of Month

Custom
Frequency

<input checked="" type="checkbox"/> 539516 (P)	Airframe	Antenna Interface - Inspection	Tolerance +15 DAY Due: End Of Month	72 M
<input checked="" type="checkbox"/> 314007	Airframe	FWC No. 1 Trend and Limit Monitoring - Data Download	Custom Frequency	90 DA
<input checked="" type="checkbox"/> 314008	Airframe	FWC No. 2 Trend and Limit Monitoring - Data Download	Custom Frequency	90 DA
<input checked="" type="checkbox"/> 340100	Airframe	Reduced Vertical Separation Minimum (RVSM) Monitoring Policy	1000 HRS <u>6 MOS Init</u>	
<input checked="" type="checkbox"/> 262622 (P)	Airframe	Portable Halon Fire Extinguisher (Forward Cabin) - Weight Check	Tolerance +15 DAY Due: End Of Month	12 M
<input checked="" type="checkbox"/> 262623 (P)	Airframe	Portable Halon Fire Extinguisher (Aft Cabin) - Weight Check	Tolerance +15 DAY Due: End Of Month	12 M

<input checked="" type="checkbox"/> 521080 (P)	Airframe	Inflatable Door Seal - Purging Procedure	Tolerance e +15 DAY Due: End Of Month	12 M
<input checked="" type="checkbox"/> 710019 (P)	Engine 1	Powerplant Internal - Inspection	Tolerance +15 DAY Due: End Of Month	12 M
<input checked="" type="checkbox"/> 710019 (710020) (P)	Engine 2	Powerplant Internal - Inspection	Tolerance +15 DAY Due: End Of Month	12 M
<input checked="" type="checkbox"/> 100310*	Airframe	CK AIRWORTHY DIRECTIVES P/N: ? S/N:	Due: End Of Month	3 M
<input checked="" type="checkbox"/> 100320*	Airframe	CK SERVICE BULLETINS P/N: ? S/N:	Due: End Of Month	3 M
<input checked="" type="checkbox"/> 212077 (P)	Airframe	Air Conditioning Shut-off Valve Filter (Left) - Inspection	Tolerance e +15 DAY Due: End Of Month	24 M
<input checked="" type="checkbox"/> 212078 (P)	Airframe	Air Conditioning Shut-off Valve Filter (Right) - Inspection	Tolerance e +15 DAY	24 M

Due: End
Of Month

212115	Airframe	Nose Compartment Cooling System - Operational Test	Tolerance +15 DAY Due: End Of Month	24
--------	----------	---	--	----

213053	Airframe	Cabin Pressure Warning Indication System - Functional Test	Tolerance +15 DAY Due: End Of Month	24
--------	----------	---	--	----

213081 (P)	Airframe	Pressurization Safety Valve - Inspection	Tolerance +15 DAY Due: End Of Month	24
------------	----------	--	--	----

213090	Airframe	Cabin Pressure Controller (Manual Mode) - Operational Test	Tolerance +15 DAY Due: End Of Month	24
--------	----------	---	--	----

216097 (P)	Airframe	Air Cycle Machine Compressor Outlet Overheat Switch (Left) - Trip Point Check	Tolerance +15 DAY Due: End Of Month	24
------------	----------	--	--	----

216098 (P)	Airframe	Air Cycle Machine Compressor Outlet Overheat Switch (Right) - Trip Point Check	Tolerance	24
------------	----------	---	-----------	----

e
+15 DAY
Due: End
Of Month

<input checked="" type="checkbox"/> 236010 (P)	Airframe	Static Discharger Wick (Left Wing) - Resistance Check	Tolerance e +15 DAY Due: End Of Month	24 M
--	----------	---	---	------

<input checked="" type="checkbox"/> 236011 (P)	Airframe	Static Discharger Wick (Right Wing) - Resistance Check	Tolerance e +15 DAY Due: End Of Month	24 M
--	----------	--	---	------

<input checked="" type="checkbox"/> 236014 (P)	Airframe	Static Discharger Wick (Left Horizontal Stabilizer) - Resistance Check	Tolerance e +15 DAY Due: End Of Month	24 M
--	----------	--	---	------

<input checked="" type="checkbox"/> 236015 (P)	Airframe	Static Discharger Wick (Right Horizontal Stabilizer) - Resistance Check	Tolerance e +15 DAY Due: End Of Month	24 M
--	----------	---	---	------

<input checked="" type="checkbox"/> 237041 (P)	Airframe	CVR Underwater Locator Beacon (DK100 / DK120) - Operational Test P/N: DK120 S/N:	Tolerance e +15 DAY Due: End Of Month	24 M
--	----------	---	---	------

<input checked="" type="checkbox"/> 237047 (P)	Airframe	CVR Underwater Locator Beacon - Battery Voltage Check (DK100 / DK120) P/N: DK120 S/N:	24 MOS Due: End Of Month
<input checked="" type="checkbox"/> 251125	Airframe	Pilot / Copilot Inertia Reel - Operational Test	24 M Tolerance +15 DAY Due: End Of Month
<input checked="" type="checkbox"/> 261035 (P)	Airframe	Engine Alternator Overheat Switch (Left) - Trip Point Check	24 M Tolerance +15 DAY Due: End Of Month
<input checked="" type="checkbox"/> 261036 (P)	Airframe	Engine Alternator Overheat Switch (Right) - Trip Point Check	24 M Tolerance +15 DAY Due: End Of Month
<input checked="" type="checkbox"/> 261065 (P)	Airframe	Combined Hydraulic System Overheat Switch - Trip Point Check	24 M Tolerance +15 DAY Due: End Of Month
<input checked="" type="checkbox"/> 261066 (P)	Airframe	Flight Hydraulic System Overheat Switch - Trip Point Check	24 M Tolerance +15 DAY Due: End Of Month

<input checked="" type="checkbox"/> 261235 (P)	Airframe	Bleed Air Manifold Overheat Switch (Left) - Trip Point Check	24 MOS Tolerance +15 DAY Due: End Of Month
<input checked="" type="checkbox"/> 261236 (P)	Airframe	Bleed Air Manifold Overheat Switch (Right) - Trip Point Check	24 M Tolerance +15 DAY Due: End Of Month
<input checked="" type="checkbox"/> 261440 (P)	Airframe	APU Overheat Switch - Trip Point Check	24 M Tolerance +15 DAY Due: End Of Month
<input checked="" type="checkbox"/> 262075 (P)	Airframe	Fire Bottle (APU) - Weight Check	24 M Tolerance +15 DAY Due: End Of Month
<input checked="" type="checkbox"/> 262155	Airframe	Fire Pull Handle - Operational Test	24 M Tolerance +15 DAY Due: End Of Month
<input checked="" type="checkbox"/> 262165 (P)	Airframe	Fire Extinguisher System (Left) - Functional Test	24 M Tolerance +15 DAY Due: End Of Month

<input checked="" type="checkbox"/> 262166 (P)	Airframe	Fire Extinguisher System (Right) - Functional Test	24 M	Tolerance +15 DAY Due: End Of Month
<input checked="" type="checkbox"/> 262170	Airframe	Fire Extinguisher System (APU) - Functional Test	24 M	Tolerance +15 DAY Due: End Of Month
<input checked="" type="checkbox"/> 303006	Airframe	Standby Pitot Heat System - Operational Test	24 M	Tolerance +15 DAY Due: End Of Month
<input checked="" type="checkbox"/> 303009	Airframe	Total Temperature Probe Heat System - Operational Test	24 M	Tolerance +15 DAY Due: End Of Month
<input checked="" type="checkbox"/> 303012	Airframe	Angle of Attack Heat - Operational Test	24 M	Tolerance +15 DAY Due: End Of Month
<input checked="" type="checkbox"/> 320010 (P)	Airframe	Landing Gear (Right Main) Corrosion Inhibiting Compound Reapplication	24 M	Tolerance +15 DAY Over Flight

Due: End
Of Month

<input checked="" type="checkbox"/> 320034 (P)	Airframe	Nose Landing Gear Corrosion Inhibiting Compound Reapplication	24 M	Tolerance +15 DAY Over Flight Due: End Of Month
--	----------	---	------	---

<input checked="" type="checkbox"/> 321041	Airframe	Main Gear Shock Absorber (Left) - Service	24 M	Tolerance +15 DAY Due: End Of Month
--	----------	---	------	--

<input checked="" type="checkbox"/> 321042	Airframe	Main Gear Shock Absorber (Right) - Service	24 M	Tolerance +15 DAY Due: End Of Month
--	----------	--	------	--

<input checked="" type="checkbox"/> 322006 (P)	Airframe	Nose Gear Shock Strut - Friction Check	24 M	Tolerance +15 DAY Due: End Of Month
--	----------	--	------	--

<input checked="" type="checkbox"/> 322028	Airframe	Nose Gear Shock Strut - Service	24 M	Tolerance +15 DAY Due: End Of Month
--	----------	---------------------------------	------	--

☒ 323025 (P)	Airframe	Main Gear Side Brace Fitting Pin (Left) - Inspection	24 MOS Tolerance +15 DAY Due: End Of Month	24 M
☒ 323026 (P)	Airframe	Main Gear Side Brace Fitting Pin (Right) - Inspection	Tolerance +15 DAY Due: End Of Month	24 M
☒ 362005	Airframe	Bleed Air Manifold Pressure Indication - Functional Test	Tolerance +15 DAY Due: End Of Month	24 M
☒ 510070	Airframe	24 Month Honeycomb (Aluminum Panels Only) - Inspection / Bond Test	Tolerance +15 DAY Due: End Of Month	24 M
☒ 521007 (P)	Airframe	Main Entrance Door - Inspection	Tolerance +15 DAY Due: End Of Month	24 M
☒ 521024 (P)	Airframe	Main Entrance Door Hinge Pins - Inspection	Tolerance +15 DAY Due: End Of Month	24 M

<input checked="" type="checkbox"/> 521051	Airframe	Door Seal Pressure Regulator - Functional Test	24 M	Tolerance e +15 DAY Due: End Of Month
<input checked="" type="checkbox"/> 532017 (P)	Airframe	Cockpit Compartment Above Floor - Inspection	24 M	Tolerance e +15 DAY Due: End Of Month
<input checked="" type="checkbox"/> 532019 (P)	Airframe	Cockpit Compartment Below Floor - Inspection	24 M	Tolerance e +15 DAY Due: End Of Month
<input checked="" type="checkbox"/> 532021 (P)	Airframe	Cockpit Compartment Below Pedestal - Inspection	24 M	Tolerance e +15 DAY Due: End Of Month
<input checked="" type="checkbox"/> 532027	Airframe	Entrance Compartment Behind Panel - Inspection	24 M	Tolerance e +15 DAY Due: End Of Month
<input checked="" type="checkbox"/> 532029	Airframe	Entrance Compartment Above Floor - Inspection	24 M	Tolerance e +15 DAY Due: End Of Month

<input checked="" type="checkbox"/> 532031 (P)	Airframe	Entrance Compartment Below Floor - Inspection	24 M	Tolerance +15 DAY Due: End Of Month
<input checked="" type="checkbox"/> 532033 (P)	Airframe	Entrance Compartment Shelf - Inspection	24 M	Tolerance +15 DAY Due: End Of Month
<input checked="" type="checkbox"/> 532041 (P)	Airframe	Baggage Compartment Above Floor - Inspection	24 M	Tolerance +15 DAY Due: End Of Month
<input checked="" type="checkbox"/> 532045	Airframe	Baggage Compartment Behind Panel - Inspection	24 M	Due: End Of Month
<input checked="" type="checkbox"/> 532050	Airframe	Engine / APU Fuel Feed Line - Inspection	24 M	Tolerance +15 DAY Due: End Of Month
<input checked="" type="checkbox"/> 532052 (P)	Airframe	Torque Box - Inspection	24 M	Tolerance +15 DAY Due: End Of Month

<input checked="" type="checkbox"/> 532055	Airframe	Fuselage Interior / Wing Attach - Inspection	24 M	Tolerance +15 DAY Due: End Of Month
<input checked="" type="checkbox"/> 532070	Airframe	Shear Clips Aft Fuselage - Inspection	24 M	Tolerance +15 DAY Due: End Of Month 3000 Hrs In
<input checked="" type="checkbox"/> 533005	Airframe	Exterior Fuselage - Inspection	24 M	Tolerance +15 DAY Due: End Of Month
<input checked="" type="checkbox"/> 535008 (P)	Airframe	Nose Compartment / Radome Interior - Inspection	24 M	Tolerance +15 DAY Due: End Of Month
<input checked="" type="checkbox"/> 535012 (P)	Airframe	Tail Cone Interior - Inspection	24 M	Tolerance +15 DAY Due: End Of Month
<input checked="" type="checkbox"/> 562005 (P)	Airframe	Emergency Window Release Mechanism (Internal and External) - Functional Test	24 M	Tolerance +15 DAY

Due: End
Of Month

783005 (P) Airframe Engine Thrust Reverser (Left) - Inspection 24 M

Tolerance
+15 DAY
Due: End
Of Month

783006 (P) Airframe Engine Thrust Reverser (Right) - Inspection 24 M

Tolerance
+15 DAY
Due: End
Of Month

236020 (P) Airframe Static Discharger Wick (Tail Cone) - Resistance Check 24 M

Tolerance
+15 DAY
Due: End
Of Month

243030 (P) Airframe Auxiliary TRU - Inspection / Cleaning 24 M

Tolerance
+15 DAY
Due: End
Of Month

243189 Airframe Battery Circulating Fan - Operational Test 24 M

Tolerance
+15 DAY
Due: End
Of Month

262621 (P) Airframe Portable Halon Fire Extinguisher (Right Cockpit) - Weight Check 12 M

Tolerance

				e +15 DAY Due: End Of Month	
☒ 320009 (P)	Airframe	Landing Gear (Left Main) Corrosion Inhibiting Compound Reapplication		Tolerance e +15 DAY Over Flight Due: End Of Month	24 M
☒ 323004 (P)	Airframe	Landing Gear - Emergency - Functional Test		Tolerance e +15 DAY Due: End Of Month	24 M
☒ 527012	Airframe	Tail Compartment Door Warning System - Operational Test		Tolerance e +15 DAY Due: End Of Month	24 M
☒ 532067 (P)	Airframe	Tail Compartment Above Floor - Inspection		Due: End Of Month	24 M
☒ 571064	Airframe	Wing to Fuselage Attachments (Left) - Ultrasonic and Visual Corrosion Damage Tolerance Inspection		Tolerance e +15 DAY Due: End Of Month	24 M

<input checked="" type="checkbox"/> 571065	Airframe	Wing to Fuselage Attachments (Right) - Ultrasonic and Visual Corrosion Damage Tolerance Inspection	24 MOS Tolerance +15 DAY Due: End Of Month
<input checked="" type="checkbox"/> 783009	Airframe	Engine Thrust Reverser (Left) - Operational Test	24 M Tolerance +15 DAY Due: End Of Month
<input checked="" type="checkbox"/> 783010	Airframe	Engine Thrust Reverser (Right) - Operational Test	24 M Tolerance +15 DAY Due: End Of Month
<input checked="" type="checkbox"/> 212200 (P)	Airframe	Display Unit Fan Filter - Inspection	450 H Tolerance +15 Hrs
<input checked="" type="checkbox"/> 273019	Airframe	Elevator Trim Tab Actuator (Left) - Lubrication	450 H Tolerance +15 Hrs
<input checked="" type="checkbox"/> 273020	Airframe	Elevator Trim Tab Actuator (Right) - Lubrication	450 H Tolerance +15 Hrs
<input checked="" type="checkbox"/> 344051 (P)	Airframe	IRU No. 1 Blower Filter - Inspection P/N: 26000790-101 S/N:	450 H Tolerance +15 Hrs

<input checked="" type="checkbox"/> 344052 (P)	Airframe	IRU No. 2 Blower Filter - Inspection P/N: 26000790-101 S/N:	450 H	Tolerance e +15 Hrs
<input checked="" type="checkbox"/> 344055 (P)	Airframe	IRU No. 3 Blower Filter - Inspection P/N: 26000790-101 S/N:	450 H	Tolerance e +15 Hrs
<input checked="" type="checkbox"/> 242008 (P)	Airframe	R Engine Alternator Bearing - Discard P/N: 154777-5 S/N: NSN	2500 H	
<input checked="" type="checkbox"/> 213083 (P)	Airframe	Pressurization Safety Valve - Ground Test	24 M	Tolerance e +15 DAY Due: End Of Month
<input checked="" type="checkbox"/> 236016 (P)	Airframe	Static Discharger Wick (Vertical Stabilizer) - Resistance Check	24 M	Tolerance e +15 DAY Due: End Of Month
<input checked="" type="checkbox"/> 270006	Airframe	Shutoff Valve, Flight Control Manual - Operational Test	24 M	Tolerance e +15 DAY Due: End Of Month
<input checked="" type="checkbox"/> 276001	Airframe	Ground Spoiler System - Operational Test	24 M	Tolerance e +15 DAY

Due: End
Of Month

<input checked="" type="checkbox"/> 276004 (P)	Airframe	Ground Spoiler Fault Detection System - Functional Test	24	Tolerance e +15 DAY Due: End Of Month
--	----------	--	----	---

<input checked="" type="checkbox"/> 282038	Airframe	Fuel Pump Auto Change - Operational Test	24	Tolerance e +15 DAY Due: End Of Month
--	----------	--	----	---

<input checked="" type="checkbox"/> 282073	Airframe	APU Wing Fuel Shut-off Valve - Functional Test	24	Tolerance e +15 DAY Due: End Of Month
--	----------	--	----	---

<input checked="" type="checkbox"/> 301005	Airframe	Wing Anti-Ice (Left) - Operational Test	24	Tolerance e +15 DAY Due: End Of Month
--	----------	---	----	---

<input checked="" type="checkbox"/> 301006	Airframe	Wing Anti-Ice (Right) - Operational Test	24	Tolerance e +15 DAY Due: End Of Month
--	----------	--	----	---

<input checked="" type="checkbox"/> 302005	Airframe	Cowl Anti-Ice (Left Engine) - Operational Test	24	Tolerance
--	----------	--	----	-----------

e
+15 DAY
Due: End
Of Month



☒ 302006

Airframe

Cowl Anti-Ice (Right Engine) - Operational Test

24 M

Toleranc
e
+15 DAY
Due: End
Of Month



☒ 323001 (P)

Airframe

Landing Gear - Normal - Functional Test

24 M

Toleranc
e
+15 DAY
Due: End
Of Month



☒ 341052

Airframe

Total Air Temperature Probe Aspirator -
Operational Test

24 M

Toleranc
e
+15 DAY
Due: End
Of Month



☒ 352005 (P)

Airframe

Passenger Oxygen System - Operational Test

24 M

Toleranc
e
+15 DAY
Due: End
Of Month



☒ 527005

Airframe

Main Entrance Door Warning System -
Operational Test

24 M

Toleranc
e
+15 DAY
Due: End
Of Month



☒ 527008	Airframe	Baggage Door Warning System - Operational Test	24 MOS Tolerance +15 DAY Due: End Of Month	
☒ 532005	Airframe	Cabin Compartment Above Floor - Inspection	Tolerance +15 DAY Due: End Of Month	24 M
☒ 532069 (P)	Airframe	Tail Compartment Below Floor - Inspection	Due: End Of Month	24 M
☒ 541019 (P)	Airframe	Pylon Internal (Left) - Inspection	Tolerance +15 DAY Due: End Of Month	18 M
☒ 541020 (P)	Airframe	Pylon Internal (Right) - Inspection	Tolerance +15 DAY Due: End Of Month	18 M
☒ 723001	Engine 1	Intermediate Compressor Case, Engine - Inspection	Tolerance +15 DAY Due: End Of Month	9 M
☒ 723001 (723002)	Engine 2	Intermediate Compressor Case, Engine -		9 M

Inspection

Tolerance
+15 DAY
Due: End
Of Month

☒ 761001 (P)	Engine 1	Engine Control - Operational Test	9 M	Tolerance +15 DAY Due: End Of Month
--------------	----------	-----------------------------------	-----	--

☒ 761001 (761002) (P)	Engine 2	Engine Control - Operational Test	9 M	Tolerance +15 DAY Due: End Of Month
-----------------------	----------	-----------------------------------	-----	--

☒ 761005	Engine 1	Controls, Engine - Service / Lubrication	9 M	Tolerance +15 DAY Due: End Of Month
----------	----------	--	-----	--

☒ 761005 (761006)	Engine 2	Controls, Engine - Service / Lubrication	9 M	Tolerance +15 DAY Due: End Of Month
-------------------	----------	--	-----	--

☒ 217075 (P)	Airframe	Water Separator Bag (Left) - Inspection	300 H	Toleranc e +15 Hrs
--------------	----------	---	-------	--------------------------

☒ 217076 (P)	Airframe	Water Separator Bag (Right) - Inspection	300 H	Toleranc e +15 Hrs
--------------	----------	--	-------	--------------------------

<input checked="" type="checkbox"/> 240108	Airframe	Standby Power System - Operational Test	300 H	Tolerance e +15 Hrs
<input checked="" type="checkbox"/> 321057	Airframe	Main Gear Timer Valve Striker Arm (Left) - Inspection	150 H	Tolerance e +15 Hrs
<input checked="" type="checkbox"/> 321058	Airframe	Main Gear Timer Valve Striker Arm (Right) - Inspection	150 H	Tolerance e +15 Hrs
<input checked="" type="checkbox"/> 541017	Airframe	Pylon External / Internal (Left) - Inspection	300 H	Tolerance e +15 Hrs
<input checked="" type="checkbox"/> 541018	Airframe	Pylon External / Internal (Right) - Inspection	300 H	Tolerance e +15 Hrs
<input checked="" type="checkbox"/> 554007	Airframe	Rudder External - Inspection	150 H	Tolerance e +15 Hrs 2000 Cyc In
<input checked="" type="checkbox"/> 710021	Airframe	Engine External (Left) - Inspection	150 H	Tolerance e +15 Hrs

<input checked="" type="checkbox"/> 710022	Airframe	Engine External (Right) - Inspection	Tolerance e +15 Hrs	150 H
<input checked="" type="checkbox"/> 801011	Airframe	Engine Starter Oil Level (Left) - Check	Tolerance e +15 Hrs	300 H
<input checked="" type="checkbox"/> 801012	Airframe	Engine Starter Oil Level (Right) - Check	Tolerance e +15 Hrs	300 H
<input checked="" type="checkbox"/> 200001* (P)	Airframe	OPERATION ONE		150 H
<input checked="" type="checkbox"/> 276065 (P)	Airframe	Takeoff Alarm System - Functional Test		150 H
<input checked="" type="checkbox"/> 730001	Engine 1	Fuel Contamination Check, Engine - Inspection	Tolerance +15 Hrs	150 H
<input checked="" type="checkbox"/> 730001 (730002)	Engine 2	Fuel Contamination Check, Engine - Inspection	Tolerance +15 Hrs	150 H
<input checked="" type="checkbox"/> 742001	Engine 1	Engine Ignition System - Operational Check	Tolerance e +15 Hrs	150 H
<input checked="" type="checkbox"/> 742001 (742002)	Engine 2	Engine Ignition System - Operational Check		150 H

Toleranc
e
+15 Hrs

792007 (P) | Engine 1 | Filter, Engine Pressure Oil - Cleaning / Inspection | 150 H

Toleranc
e
+15 Hrs

792007 (792009) (P) | Engine 2 | Filter, Engine Pressure Oil - Cleaning / Inspection | 150 H

Toleranc
e
+15 Hrs

999005 | Airframe | AD 90-02-05 Takeoff Alarm (S/N 1000 - 1092) | 150 HF

292010 (P) | Airframe | Auxiliary Hydraulic Filter (Pressure) - Inspection | 72

P/N: AC-B451F-8 S/N:

Due:
End Of
Month

292012 (P) | Airframe | Auxiliary Hydraulic Filter (Return) - Inspection | 72

P/N: AC-B451F-8 S/N:

Due:
End Of
Month

212033 | Airframe | Ram Air Check Valve - Inspection | 48 M

Toleranc
e
+15 DAY
Due: End
Of Month

<input checked="" type="checkbox"/> 237004	Airframe	Cockpit Voice Recorder System - Operational Test	12 M	Tolerance e +15 DAY Due: End Of Month
<input checked="" type="checkbox"/> 240262 (P)	Airframe	Emergency Securaplane Battery / Heater Assembly No. 3 - Replacement P/N: 362-0101-01 S/N: 0707149	48 M	Due: End Of Month
<input checked="" type="checkbox"/> 270011	Airframe	Control Surface Hinge Joints - Lubrication	12 M	Tolerance e +15 DAY Due: End Of Month
<input checked="" type="checkbox"/> 275013	Airframe	Emergency Flap System - Operational Test	48 M	Tolerance e +15 DAY Due: End Of Month
<input checked="" type="checkbox"/> 321053 (P)	Airframe	Main Landing Gear (Left) - Corrosion Prevention	48 M	Tolerance e +15 DAY Due: End Of Month 24 MOS In
<input checked="" type="checkbox"/> 321054 (P)	Airframe	Main Landing Gear (Right) - Corrosion Prevention	48 M	Tolerance e +15 DAY Due: End Of Month 24 MOS In

322040 (P)

Airframe

Nose Gear Strut Assembly - Corrosion Prevention

48 M

Tolerance
+15 DAY
Due: End
Of Month

Event Category
Lubrication/Serviceing (S)

PN
Enter Part Number

C/W
7690

Mfg Ref Number: 32-22-00
Doc: GIV AMM Rev: Temp Rev 57-2 Issued: 28 Aug 2005

Hrs: 7690
Lnd: 354

Section: 05-01-00

Date: 17 Sep 2010

Next
Freq

Documents
AMM 322040
Task Card

Watched RII
Ops Package

Last Updated By: Ru Vilcan Date: 20 Sep 2010 11:44

Est. Parts/Labor: 3
Mx. N

Show Remarks

Show C/W History

Show Related Codes

No Part Information

Show C/W Adj

C/W Adjustments

Airframe Time used for Due Calculation

Ops Spec

Hours:7690.5

Initial Frequency:N/A

Cycles:3545

Recurring Frequency:48 MOS

Next
due
was
not
adjuste
d.

Date: 17 Sep 2010

Frequency Tolerance:+15 DAY

Part Details

Manufacturer:		Install Status:	RB - Rebuilt R - Repaired S - Serviceable TC - Time Continued I - Inspected M - Modified N - New O - Overhauled	Current Part Run Time: HoursLandingsMonths TSN TSO TSR
Vendor:		Mod Status:		
HW Version:		Part		

ieevacation@gmail.com

ieevacation@gmail.com