



FEDERAL BUREAU OF INVESTIGATION

Date of entry 03/04/2021

On March 12, 2020, [REDACTED], date of birth [REDACTED], telephone number [REDACTED], was interviewed by Assistant United States Attorney [REDACTED], Task Force Officer Detective [REDACTED], and Special Agent [REDACTED] at the United States Attorneys Office (USAO), Southern District of New York (SDNY), 1 St. Andrews Plaza, New York, New York. During the interview, [REDACTED] provided the following details:

[REDACTED] started working for the Bureau of Prisons (BOP) in 2003 and worked in both New York and Indiana. [REDACTED] had some college education, was with the [REDACTED], and had 10 years experience in electronics.

In 2016, [REDACTED] was put in charge of all the cameras at the Metropolitan Correctional Center (MCC). [REDACTED] advised that the cameras at MCC were out of date, the recorders frequently went bad, and the cameras were all analog and not maintained properly. The camera system was over 20 years old. Sometimes the screen would be active indicating that the camera was working, however, the video would not be recording.

[REDACTED] advised that only one hard drive of the camera system was working at the time of the incident on August 10, 2019. When a DVR went bad, none of the cameras recorded. There was a system failure of DVR 2 on July 29, 2019 and the motherboard failed on DVR 2 on August 8, 2019. The hard drive failure occurred on August 10, 2019.

[REDACTED] recalled that there was a body alarm around 6am on August 10, 2019 and he was one of the MCC personnel who responded. [REDACTED] stated that he was one of the personnel who briefly tried to resuscitate JEFFREY EPSTEIN.

After the incident, [REDACTED] was asked about the cameras. There were two new hard drives to install but installing the new hard drives would mean that all prior data would be lost. The Warden wanted video and so [REDACTED] was

Investigation on 03/12/2020 at New York, New York, United States (In Person)

File # 90A-NY-3151227Date drafted 03/04/2021by [REDACTED]

This document contains neither recommendations nor conclusions of the FBI. It is the property of the FBI and is loaned to your agency; it and its contents are not to be distributed outside your agency.

SDNY_00018001

EFTA00064309

90A-NY-3151227

Continuation of FD-302 of (U) Interview of [REDACTED], On 03/12/2020, Page 2 of 2

told to start working on the system. [REDACTED] started removing the bad drives in order to rebuild the DVR. [REDACTED] advised that an FBI Agent was the one who pulled out the DVR. [REDACTED] also advised that he knew that by replacing both hard drives, the system would be wiped and that he had advised personnel at MCC of that.