

Harold Ettinger
 Restore & More, LLC
 4528 Brook Drive
 West Palm Beach, FL 33417



AEML, Inc.
 1301 E. Atlantic Blvd., Suite 5
 Pompano Beach, FL 33060
 Phone: (954) 333-8149
 Fax: (954) 333-8151
 email: [REDACTED]

Project: GSJ
 Batch: 215238

Sampled: 5/22/2019
 Received: 5/24/2019
 Analysis Date: 5/24/2019
 Report Date: 5/24/2019

AEML Test: S001 Swab Analysis

Sample ID:	1905240057	1905240060*
Client Sample ID:	GSJ Mikes Room	Living Room AC
Area Swabbed (cm ²):	6.45	6.45
Media:	Swab	Swab
Sample Analysis:	Analyzed at 600X Magnification	Analyzed at 600X Magnification

Spore Types	Raw Count	Count/cm ²	%	Raw Count	Count/cm ²	%
Alternaria	-	-	-	-	-	-
Arthrinium	-	-	-	-	-	-
Ascospores	-	-	-	-	-	-
Aspergillus/Pericillium-Like	90	558	98	116	719	98
Basidiospores	-	-	-	-	-	-
Bipolaris/Dreschlera	-	-	-	-	-	-
Botrytis	-	-	-	-	-	-
Chaetomium	-	-	-	-	-	-
Cladosporium	-	-	-	2	12	2
Curvularia	2	12	2	-	-	-
Epicoccum	-	-	-	-	-	-
Fusarium	-	-	-	-	-	-
Ganoderma	-	-	-	-	-	-
Membranella	-	-	-	-	-	-
Nigrospora	-	-	-	-	-	-
Clidium/Peronospora	-	-	-	-	-	-
Phthomyces	-	-	-	-	-	-
Rust	-	-	-	-	-	-
Smult/Mycomyces/Periconia	-	-	-	-	-	-
Stachybotrys	-	-	-	-	-	-
Torula	-	-	-	-	-	-
Ulocladium	-	-	-	-	-	-
Unidentified Spores	-	-	-	-	-	-
Total Spores	92	571		118	732	
Hyphal Fragments	-	-	-	36	223	
Detection Limit	-	-	-	12	12	

* Bacteria Present.

Joshua Krinsky
 Joshua Krinsky
 Technical Director

Results submitted pertain only to the samples as presented on the accompanying Chain of Custody.
 This report shall not be reproduced, except in its entirety and with the written approval of AEML.

Harold Eittinger
 Restore & More, LLC
 4528 Brook Drive
 West Palm Beach, FL 33417



AEML, Inc.
 1301 E. Atlantic Blvd., Suite 5
 Pompano Beach, FL 33060
 Phone: (954) 333-8149
 Fax: (954) 333-8151
 email: [REDACTED]

Project: LSJ
 Batch: 215235

Sampled: 5/22/2019
 Received: 5/24/2019
 Analysis Date: 5/24/2019
 Report Date: 5/24/2019

AEML Test: S001 Swab Analysis

Sample ID:	1905240041	1905240042	1905240044
Client Sample ID:	Kitchen Swab	Theater Swab Fireplace	Theater Swab Ceiling
Area Swabbed (cm ²):	6.45	6.45	6.45
Media:	Swab	Swab	Swab
Sample Analysis:	Analyzed at 600X Magnification	Analyzed at 600X Magnification	Analyzed at 600X Magnification

Spore Types	Raw Count	Count/cm ²	%	Raw Count	Count/cm ²	%	Raw Count	Count/cm ²	%
Alternaria	-	-	-	-	-	-	-	-	-
Arthrinium	-	-	-	-	-	-	-	-	-
Ascosporas	-	-	-	-	-	-	-	-	-
Aspergillus/Pericillium-Like	34,148	211,771	100	-	-	-	-	-	-
Basidiospores	-	-	-	-	-	-	-	-	-
Bipolaris/Dreschlera	-	-	-	-	-	-	-	-	-
Botrytis	-	-	-	-	-	-	-	-	-
Chaetomium	-	-	-	-	-	-	-	-	-
Cladosporium	-	-	-	-	-	-	5,746	35,634	100
Curvularia	-	-	-	-	-	-	-	-	-
Epicoccum	-	-	-	-	-	-	-	-	-
Fusarium	-	-	-	-	-	-	-	-	-
Ganoderma	-	-	-	-	-	-	-	-	-
Memnoniella	-	-	-	-	-	-	-	-	-
Nigrospora	-	-	-	-	-	-	-	-	-
Oidium/Peronospora	-	-	-	-	-	-	-	-	-
Pitheomyces	-	-	-	-	-	-	-	-	-
Rust	-	-	-	-	-	-	-	-	-
Smut/Mycomyces/Periconia	-	-	-	-	-	-	-	-	-
Stachybotrys	-	-	-	-	-	-	-	-	-
Toninia	-	-	-	-	-	-	-	-	-
Ullocladium	-	-	-	-	-	-	-	-	-
Unidentified Spores	-	-	-	-	-	-	-	-	-
Total Spores	34,148	211,771		0	0		5,746	35,634	
Hyphal Fragments	518	3,212		-	-		424	2,629	
Detection Limit		73			12			73	

Joshua Krinsky
 Joshua Krinsky
 Technical Director

Results submitted pertain only to the samples as presented on the accompanying Chain of Custody.
 This report shall not be reproduced, except in its entirety and with the written approval of AEML.



Harold Ettinger
 Restore & More, LLC
 4528 Brook Drive
 West Palm Beach, FL 33417



AEML Test: A001 Spore Trap Analysis

AEML, Inc.
 1301 E. Atlantic Blvd., Suite 5
 Pompano Beach, FL 33060
 Phone: (954) 333-8149
 Fax: (954) 333-8151
 email: [REDACTED]

Project: GSJ

Batch: 215238

Sampled: 5/22/2019
Received: 5/24/2019
Analysis Date: 5/24/2019
Report Date: 5/24/2019

Sample ID:	1905240055	1905240056 <th>1905240058 <th>1905240059 </th></th>	1905240058 <th>1905240059 </th>	1905240059
Client Sample ID:	GSJ Office 2803-5155	GSJ Twin Bedroom 2803-5135	GSJ Kitchen 2803-5148	GSJ Master Bedroom 2803-5141
Volume Sampled (L.):	150	150	150	150
Media:	Air-O-Cell	Air-O-Cell	Air-O-Cell	Air-O-Cell
Percent of Trace Analyzed:	100% at 600X Magnification	100% at 600X Magnification	100% at 600X Magnification	100% at 600X Magnification

Spore Types	Raw Count	Count/m ³	%	Raw Count	Count/m ³	%	Raw Count	Count/m ³	%	Raw Count	Count/m ³	%
Alternaria	-	-	-	1	7	<1	-	-	-	-	-	-
Arthrinium	-	-	-	-	-	-	-	-	-	-	-	-
Ascospores	-	-	-	-	-	-	-	-	-	-	-	-
Aspergillus/Trichothium-Like	80	533	62	188	1,253	86	59	393	69	1	7	<1
Basidiospores	2	13	2	3	20	1	-	-	-	621*	4,140	99
Bipolaris/Dreschlera	-	-	-	-	-	-	-	-	-	-	-	-
Botrytis	-	-	-	-	-	-	-	-	-	-	-	-
Chaetomium	-	-	-	-	-	-	-	-	-	-	-	-
Cladosporium	16	107	16	23	153	11	6	40	9	7	47	1
Curvularia	-	-	-	1	7	<1	1	7	2	-	-	-
Epiloccum	-	-	-	-	-	-	-	-	-	-	-	-
Fusarium	-	-	-	-	-	-	-	-	-	-	-	-
Ganoderma	-	-	-	-	-	-	-	-	-	-	-	-
Memnoniella	-	-	-	-	-	-	-	-	-	-	-	-
Nigrospora	-	-	-	-	-	-	-	-	-	-	-	-
Oidium/Peronospora	-	-	-	-	-	-	-	-	-	-	-	-
Pitheomyces	-	-	-	-	-	-	-	-	-	-	-	-
Rust	-	-	-	-	-	-	-	-	-	-	-	-
Smull/Mycomyces/Periconia	-	-	-	2	13	<1	-	-	-	-	-	-
Stachybotrys	-	-	-	-	-	-	-	-	-	-	-	-
Torula	-	-	-	-	-	-	-	-	-	-	-	-
Ulocladium	-	-	-	-	-	-	-	-	-	-	-	-
Unidentified Spores	-	-	-	-	-	-	-	-	-	-	-	-
Total Spores	98	653		218	1,453		66	440		629	4,193	
Hyphal Fragments	2	13		1	7		1	7		3	20	
Pollen	-	-	-	-	-	-	1	7		-	-	-
Debris Rating	3			3			3			3		
Detection Limit	7			7			7			7		

* Estimation performed due to high count.

Joshua Krinsky
 Joshua Krinsky
 Technical Director

Results submitted pertain only to the samples as presented on the accompanying Chain of Custody.
 This report shall not be reproduced, except in its entirety and with the written approval of AEML.



Harold Ettlinger
 Restore & More, LLC
 4528 Brook Drive
 West Palm Beach, FL 33417



AEML, Inc.
 1301 E. Atlantic Blvd., Suite 5
 Pompano Beach, FL 33060
 Phone: (954) 333-8149
 Fax: (954) 333-8151
 email: customer@service.com

Project: LSU
 Batch: 215235

Sampled: 5/22/2019
 Received: 5/24/2019
 Analysis Date: 5/24/2019
 Report Date: 5/24/2019

AEML Test: A001 Spore Trap Analysis

Sample ID:	1905240028	1905240029	1905240030	1905240031					
Client Sample ID:	Treacher 2826-6994	Kitchen 2826-6747	Master Bedroom 2826-6779	Library 2826-6776					
Volume Sampled (L):	150	150	150	150					
Media:	Air-O-Cell	Air-O-Cell	Air-O-Cell	Air-O-Cell					
Percent of Trace Analyzed:	100% at 600X Magnification								
Spore Types	Raw Count	Count/m ³	%	Raw Count	Count/m ³	%	Raw Count	Count/m ³	%
Alternaria	-	-	-	-	-	-	-	-	-
Arthrinium	-	-	-	-	-	-	-	-	-
Ascospores	-	-	-	-	-	-	-	-	-
Aspergillus/Pericillium-Like	68	453	92	1,053*	7,020	100	2	13	50
Basidiospores	3	20	4	-	-	-	2	13	50
Bipolaris/Dreschlera	-	-	-	-	-	-	-	-	-
Botrytis	-	-	-	-	-	-	-	-	-
Chaetomium	-	-	-	1	7	<1	-	-	-
Chaetosporium	3	20	4	1	7	<1	-	-	-
Curvularia	-	-	-	-	-	-	-	-	-
Epicoccum	-	-	-	-	-	-	-	-	-
Fusarium	-	-	-	-	-	-	-	-	-
Ganoderma	-	-	-	-	-	-	-	-	-
Memnoniella	-	-	-	-	-	-	-	-	-
Nigrospora	-	-	-	-	-	-	-	-	-
Oidium/Peronospora	-	-	-	-	-	-	-	-	-
Pithomyces	-	-	-	-	-	-	-	-	-
Rust	-	-	-	-	-	-	-	-	-
Smut/Mycomyces/Periconia	-	-	-	-	-	-	-	-	-
Stachybotrys	-	-	-	-	-	-	-	-	-
Torula	-	-	-	-	-	-	-	-	-
Ulocladium	-	-	-	-	-	-	-	-	-
Unidentified Spores	-	-	-	-	-	-	-	-	-
Total Spores	74	493		1,056	7,040		4	27	
Hyphal Fragments	2	13		8	53		-	-	
Pollen	-	-		-	-		-	-	
Debris Rating	3			4			2		
Detection Limit	7			7			7		

* Estimation performed due to high count.

Joshua Krinsky
 Joshua Krinsky
 Technical Director

Results submitted pertain only to the samples as presented on the accompanying Chain of Custody.
 This report shall not be reproduced, except in its entirety and with the written approval of AEML.



Harold Etinger
 Restore & More, LLC
 4528 Brook Drive
 West Palm Beach, FL 33417



AEML, Inc.
 1301 E. Atlantic Blvd., Suite 5
 Pompano Beach, FL 33060
 Phone: (954) 333-8149
 Fax: (954) 333-8151
 email: [REDACTED]

Project: LSU

Batch: 215235

Sampled: 5/22/2019
 Received: 5/24/2019
 Analysis Date: 5/24/2019
 Report Date: 5/24/2019

AEML Test: A001 Spore Trap Analysis

Sample ID:	1905240032	1905240033	1905240034	1905240035					
Client Sample ID:	Sams Place Kitchen 2826-6754	Sams Place Bedroom 2826-6751	Chillax Room 2826-6760	Burgalo #1 2826-6769					
Volume Sampled (L):	150	150	150	150					
Media:	Air-O-Cell	Air-O-Cell	Air-O-Cell	Air-O-Cell					
Percent of Trace Analyzed:	100% at 600X Magnification	100% at 600X Magnification	100% at 600X Magnification	100% at 600X Magnification					
Spore Types	Raw Count	Count/m ³	%	Raw Count	Count/m ³	%	Raw Count	Count/m ³	%
Alternaria	-	-	-	-	-	-	-	-	-
Arthrinium	-	-	-	-	-	-	-	-	-
Ascospores	-	-	-	-	-	-	-	-	-
Aspergillus/Penicillium-Like	44	293	96	1	7	5	-	-	-
Basidiospores	1	7	2	13	87	68	5	5	33
Bipolaris/Dreschlera	1	7	2	3	20	16	4	4	27
Botrytis	-	-	-	-	-	-	-	-	-
Chaetomium	-	-	-	-	-	-	-	-	-
Cladosporium	-	-	-	-	-	-	-	-	-
Curvularia	-	-	-	1	7	5	-	-	-
Epicoccum	-	-	-	-	-	-	1	7	10
Fusarium	-	-	-	-	-	-	-	-	-
Ganoderma	-	-	-	-	-	-	-	-	-
Memnoniella	-	-	-	-	-	-	-	-	-
Nigrospora	-	-	-	-	-	-	-	-	-
Oidium/Peronospora	-	-	-	-	-	-	-	-	-
Pitheomyces	-	-	-	-	-	-	-	-	-
Rust	-	-	-	-	-	-	-	-	-
Stictomyces/Periconia	-	-	-	-	-	-	-	-	-
Stachybotrys	-	-	-	1	7	5	-	-	-
Torula	-	-	-	-	-	-	-	-	-
Ulocladium	-	-	-	-	-	-	-	-	-
Unidentified Spores	-	-	-	-	-	-	-	-	-
Total Spores	46	307	96	19	127	100	10	67	87
Hyalal Fragments	2	13	-	1	7	-	-	-	-
Pollen	-	-	-	-	-	-	-	-	-
Debris Rating	3	-	-	3	-	-	3	-	-
Detection Limit	7	-	-	7	-	-	7	-	-

* Estimation performed due to high count.

Joshua Krinsky
 Joshua Krinsky
 Technical Director

Results submitted pertain only to the samples as presented on the accompanying Chain of Custody.
 This report shall not be reproduced, except in its entirety and with the written approval of AEML.



Harold Ettinger
 Restore & More, LLC
 4528 Brook Drive
 West Palm Beach, FL 33417



AEML, Inc.
 1301 E. Atlantic Blvd., Suite 5
 Pompano Beach, FL 33060
 Phone: (954) 333-8149
 Fax: (954) 333-8151
 email: [REDACTED]

Project: LSU

Batch: 215235

Sampled: 5/22/2019
 Received: 5/24/2019
 Analysis Date: 5/24/2019
 Report Date: 5/24/2019

AEML Test: A001 Spore Trap Analysis

Sample ID:	1905240036	1905240037	1905240038	1905240039					
Client Sample ID:	Bungalo #2 2803-5161	Bungalo #3 2803-5136	Bungalo #4 2826-6752	Gym #2803-5138					
Volume Sampled (L):	150	150	150	150					
Media:	Air-O-Cell	Air-O-Cell	Air-O-Cell	Air-O-Cell					
Percent of Trace Analyzed:	100% at 600X Magnification								
Spore Types	Raw Count	Count/m ³	%	Raw Count	Count/m ³	%	Raw Count	Count/m ³	%
Alternaria	-	-	-	-	-	-	-	-	-
Arthrinium	-	-	-	-	-	-	-	-	-
Ascospores	-	-	-	-	-	-	-	-	-
Aspergillus/Penicillium-Like	5	33	71	13	87	100	7	47	78
Basidiospores	1	7	14	-	-	-	1	7	11
Bipolaris/Dreschlera	-	-	-	-	-	-	-	-	-
Botrytis	-	-	-	-	-	-	-	-	-
Chaetomium	-	-	-	-	-	-	-	-	-
Cladosporium	1	7	14	-	-	-	-	-	-
Curvularia	-	-	-	-	-	-	-	-	-
Epicoccum	-	-	-	-	-	-	-	-	-
Fusarium	-	-	-	-	-	-	-	-	-
Ganoderma	-	-	-	-	-	-	-	-	-
Memnoniella	-	-	-	-	-	-	-	-	-
Nigrospora	-	-	-	-	-	-	-	-	-
Oidium/Peronospora	-	-	-	-	-	-	-	-	-
Pithomyces	-	-	-	-	-	-	-	-	-
Rust	-	-	-	-	-	-	-	-	-
Smut/Mycomyces/Periconia	-	-	-	-	-	-	-	-	-
Stachybotrys	-	-	-	-	-	-	1	7	11
Torula	-	-	-	-	-	-	-	-	-
Ulocladium	-	-	-	-	-	-	-	-	-
Unidentified Spores	-	-	-	-	-	-	-	-	-
Total Spores	7	47	91	13	87	100	9	60	89
Hypal Fragments	2	13	25	-	-	-	-	-	-
Pollen	-	-	-	-	-	-	1	7	11
Debris Rating	2	-	-	3	-	-	3	-	-
Detection Limit	7	-	-	7	-	-	7	-	-

* Estimation performed due to high count.

Joshua Krinsky
 Joshua Krinsky
 Technical Director

Results submitted pertain only to the samples as presented on the accompanying Chain of Custody.
 This report shall not be reproduced, except in its entirety and with the written approval of AEML.



Harold Ettinger
 Restore & More, LLC
 4528 Brook Drive
 West Palm Beach, FL 33417



AEML, Inc.
 1301 E. Atlantic Blvd., Suite 5
 Pompano Beach, FL 33060
 Phone: (954) 333-8149
 Fax: (954) 333-8151
 email: customerservice@
 [REDACTED]

Project: LSU
 Batch: 215235

Sampled: 5/22/2019
 Received: 5/24/2019
 Analysis Date: 5/24/2019
 Report Date: 5/24/2019

AEML Test: A001 Spore Trap Analysis

Sample ID:	1905240040	1905240043
Client Sample ID:	Flag Pole Pool House 2803-5142	Outside 2803-5142
Volume Sampled (L):	150	150
Media:	Air-O-Cell	Air-O-Cell
Percent of Trace Analyzed:	100% at 600X Magnification	100% at 600X Magnification

Spore Types	Raw Count	Count/m ³	%	Raw Count	Count/m ³	%
Alternaria	-	-	-	-	-	-
Arthrinium	-	-	-	-	-	-
Ascospores	-	-	-	7	47	37
Aspergillus/Penicillium-Like	12	80	100	-	-	-
Basidiospores	-	-	-	7	47	37
Bipolaris/Dreschlera	-	-	-	-	-	-
Botrytis	-	-	-	-	-	-
Chaetorium	-	-	-	-	-	-
Cladosporium	-	-	-	3	20	16
Curvularia	-	-	-	1	7	5
Epilcoccum	-	-	-	-	-	-
Fusarium	-	-	-	-	-	-
Ganoderma	-	-	-	-	-	-
Memnoniella	-	-	-	-	-	-
Nigrospora	-	-	-	-	-	-
Oidium/Peronospora	-	-	-	-	-	-
Pitheomyces	-	-	-	-	-	-
Rust	-	-	-	-	-	-
Smut/Myxomycetes/Periconia	-	-	-	1	7	5
Stachybotrys	-	-	-	-	-	-
Torula	-	-	-	-	-	-
Ulocladium	-	-	-	-	-	-
Unidentified Spores	-	-	-	-	-	-
Total Spores	12	80		19	127	
Hypnal Fragments	1	7		-	-	-
Pollen	-	-	-	-	-	-
Debris Rating	-	3		-	3	
Detection Limit	-	7		-	7	

* Estimation performed due to high count.

Joshua Krinsky
 Joshua Krinsky
 Technical Director

Results submitted pertain only to the samples as presented on the accompanying Chain of Custody.
 This report shall not be reproduced, except in its entirety and with the written approval of AEML.



Harold Etinger
 Restore & More, LLC
 4528 Brook Drive
 West Palm Beach, FL 33417



AEML Test: A001 Spore Trap Analysis

Sample ID:	1903240061
Client Sample ID:	GSJ Living Room 28035144
Volume Sampled (L):	150
Media:	Air-O-Cell
Percent of Trace Analyzed:	100% at 600X Magnification

Spore Types	Raw Count	Count/m ³	%
Alternaria	-	-	-
Arthrinium	-	-	-
Ascospores	2	13	40
Aspergillus/Penicillium-Like	-	-	-
Basidiospores	-	-	-
Bipolaris/Dreschlera	-	-	-
Botrytis	-	-	-
Chaetomium	-	-	-
Cladosporium	-	-	-
Curvularia	3	20	60
Epicoccum	-	-	-
Fusarium	-	-	-
Ganoderma	-	-	-
Memnoniella	-	-	-
Nigrospora	-	-	-
Oidium/Peronospora	-	-	-
Pitheomyces	-	-	-
Rust	-	-	-
Smut/Myxomycetes/Periconia	-	-	-
Stachybotrys	-	-	-
Tonula	-	-	-
Ulocladium	-	-	-
Unidentified Spores	-	-	-
Total Spores	5	33	
Hyphal Fragments	3	20	
Pollen	1	7	
Debris Rating		3	
Detection Limit		7	

* Estimation performed due to high count.

AEML, Inc.
 1301 E. Atlantic Blvd., Suite 5
 Pompano Beach, FL 33060
 Phone: (954) 333-8149
 Fax: (954) 333-8151
 email: [REDACTED]

Project: GSJ

Batch: 215238

Sampled: 5/22/2019
 Received: 5/24/2019
 Analysis Date: 5/24/2019
 Report Date: 5/24/2019

Joshua Krinsky
 Joshua Krinsky
 Technical Director

Results submitted pertain only to the samples as presented on the accompanying Chain of Custody.
 This report shall not be reproduced, except in its entirety and with the written approval of AEML.

