

Name: JEFFREY EPSTEIN

Date of Birth: JAN 20 '53 Height: 5'11" Weight: 175 Social Security #: [REDACTED]

Some of the following items may be hazardous to your safety or can interfere with you MRI/MRA examination. Please check YES or NO for each of the following items.

YES	NO	
		Cardiac Pacemaker or Defibrillator
		Brain Aneurysm clip (s)
		Transdermal Patch: Nicotine / Nitroglycerine
		Shunts (e.g. Spinal / intraventricular/ VP shunt)
		Bone Growth /Fusion stimulator
		Neurostimulator
		Cochlear /Otologic / Ear Implant
		Implanted Drug Infusion Device / Insulin Pump
		Electrodes (on body, head or brain)
		Any Implant Held in Place by Magnet
		Carotid Artery Vascular Clamp
		Intravascular stents, filters, or coils
		Vascular Access Port and/or Catheter
		Swan-Ganz Catheter
		Internal Pacing Wires
		Any type of prosthesis: eye, penile, etc
		Metal or Wire Mesh Implants
		Harrington Rods (spine)
		Joint Replacement
		Bone/Joint pin, screw, nail, wire, plate
		Body piercing (s)
		Tattooed Makeup (eyeliner, lips, etc)
		Any Metal Fragments
		IUD or Diaphragm
		Hearing aid (remove before MRI/MRA)
		Dentures (remove before MRI/MRA)
		Asthma or other breathing disorder
		Anxiety
		Other:

- What problems are you having that made the doctor order this study?

- Have you ever been to the hospital for an invasive procedures or surgery? Yes / No
 Date _____ Reason _____

- Have you ever had an accident that required metal fragments to be removed from your eye?
- Women: Could you be pregnant? Yes / No
- Do you have a history of kidney disease?
 Yes / No
- Do you have sickle cell anemia? Yes / No
- Have you had an allergic reaction that required emergency treatment? Yes / No
- Do you or have you:
 High blood pressure? Yes / No
 Diabetes? Yes / No
 High cholesterol? Yes / No
 Smoked tobacco? Yes / No
- Do you have chest pain? Yes / No
 If yes:
 Is it substernal? Yes / No
 Is it brought on by exertion or emotional stress?
 Yes / No
 Is it relieved by rest or nitroglycerine? Yes / No

Patient Signature: _____

Date: JAN. 18 2018