

From: Carlos Vazquez <[REDACTED]>
To: [REDACTED]
Subject: RE: Jeffrey Epstein
Date: Mon, 08 Dec 2014 16:14:33 +0000

The issue was space. Besides leg extensions, what is he looking to accomplish that this machine does not do? I recommend the FT2 as see below....On this one, the leg extension/leg curl attaches to the cable so it is not plate loaded....

http://www.inspirefitness.net/catalog/product_info.php?products_id=74&pn=FT2 Functional Trainer

Carlos Vazquez

President/CEO of Busy Body Gyms To GO/

Busy Body Fitness Centers & Prospot

Distribution

910 Sw 2nd Place

Pompano Beach, Fl 33069

[REDACTED]

[REDACTED] fax

[REDACTED]

From: [REDACTED] [mailto:[REDACTED]]
Sent: Monday, December 08, 2014 11:08 AM
To: Carlos Vazquez
Subject: Re: Jeffrey Epstein

Carlos...Jeffrey says he "doesn't want plate loaded anything...he prefers a better machine"....

can you help?

On Dec 8, 2014, at 10:44 AM, Carlos Vazquez <[REDACTED]> wrote:

139.00, but 119.00 at a discount...

Carlos Vazquez

President/CEO of Busy Body Gyms To GO/

Busy Body Fitness Centers & Prospot

Distribution

910 Sw 2nd Place

Pompano Beach, Fl 33069

██████████

██████████ fax

████████████████████

From: ██████████ [mailto:██████████]

Sent: Monday, December 08, 2014 10:43 AM

To: Carlos Vazquez

Subject: Re: Jeffrey Epstein

Great. I will show Jeffrey and get back to you. What is the price?

Sent from my iPhone

On Dec 8, 2014, at 10:41 AM, Carlos Vazquez <██████████> wrote:

██████████

This can be added onto the bench and would be plate loaded. Let me know....thanks

http://www.inspirefitness.net/catalog/product_info.php?products_id=70&pn=Leg Extension

EFTA00357102

Carlos Vazquez

President/CEO of Busy Body Gyms To GO/

Busy Body Fitness Centers & Prospot

Distribution

910 Sw 2nd Place

Pompano Beach, Fl 33069

[REDACTED]

[REDACTED] fax

[REDACTED]

From: [REDACTED] [mailto:[REDACTED]]

Sent: Monday, December 08, 2014 9:11 AM

To: Carlos Vazquez

Subject: Re: Jeffrey Epstein

Carlos, Jeffrey says he needs a quad attachment...the one you sent does not have one...is this possible?

On Dec 8, 2014, at 9:00 AM, Carlos Vazquez <[REDACTED]> wrote:

[REDACTED], the M4 was discontinued a year ago. The quote and link I sent was for a Ft1.

Thanks

Carlos Vazquez

President/CEO of Busy Body Gyms To Go/ Busy Body Fitness Center Palm Beach Gardens & Prospot
Distribution

EFTA00357103

