

**From:** Mark Tollison <[REDACTED]>

**To:** [REDACTED]

**Subject:** RE: Meter Needs to be Read at 71st

**Date:** Wed, 20 Nov 2013 21:07:48 +0000

**Importance:** Normal

---

no worries!

Best regards,

Mark

Mark Tollison

*The information contained in this e-mail is confidential and is intended solely for the use of the addressee(s) named above. If you are not the intended recipient or the person responsible for delivering this confidential information to the intended recipient, you have received this information in error, and any review, use, dissemination, forwarding, printing, copying, or other distribution of this e-mail message and any attached files is strictly prohibited. The sender reserves the right to monitor any communication that is created, received, or sent on its network. If you have received this confidential communication in error, please notify the sender immediately by reply e-mail message and permanently delete the original communication.*

---

**From:** [REDACTED]

**Subject:** Re: Meter Needs to be Read at 71st

**Date:** Wed, 20 Nov 2013 16:03:06 -0500

**To:** [REDACTED]

OMG! this piece of mail is from Sept. 13!  
well, I'm glad the meter has been read since then!

On Nov 20, 2013, at 4:00 PM, Mark Tollison <[REDACTED]> wrote:

Hi Les,

Spoke to Rich B.

The lady was just here last week to read the meter.

Best regards,

Mark

Mark Tollison

*The information contained in this e-mail is confidential and is intended solely for the use of the addressee(s) named above. If you are not the intended recipient or the person responsible for delivering this confidential information to the intended recipient, you have received this information in error, and any review, use, dissemination, forwarding, printing, copying, or other distribution of this e-mail message and any attached files is strictly prohibited. The sender reserves the right to monitor any communication that is created, received, or sent on its network. If you have received this confidential communication in error, please notify the sender immediately by reply e-mail message and permanently delete the original communication.*

---

From: [REDACTED]  
Subject: Meter Needs to be Read at 71st  
Date: Wed, 20 Nov 2013 14:51:22 -0500  
To: [REDACTED]; [REDACTED]

Begin forwarded message:

**From:** [REDACTED]  
**Subject:** Message from KMBT\_C253  
**Date:** November 20, 2013 2:28:14 PM EST  
**To:** [REDACTED]  
**Reply-To:** [REDACTED]

