

1" GYP. BO. ON
 1" GAV. HAT CHANNELS @ 16" O.C. MAX.
 5/8" GYP. BO. ON
 18 GA. 1 1/2" STUDS @ 16" O.C. MAX.
 2x8 P.T. HEADER
 WOOD TRIM
 2x P.T. BUCK SET IN SEALANT

3

DOOR HEAD DETAIL

ABANA

STONE SILL
 BRONZE THRESHOLD
 PER DOOR MANUFACTURER
 FLOOR FINISH
 (PER FINISH SCHEDULE)
 EXISTING CONCRETE SLAB
 (SEE STRUCTURAL DRAWINGS)
 CLEAN COMPACT
 TERMITIC TREATED FILL

DOOR JAMB DETAIL

3/4"=1'-0"

NEW CONCRETE TILE ROOF
 TO MATCH EXISTING
 117.87' NGVD
 RIE BEAM
 ROLL DOWN SHUTTER
 TO MATCH EXISTING
 STUCCO WITH ACRYLIC
 PAINT FINISH
 NEW IMPACT RATED
 ALUMINUM SLIDING DOOR
 TO MATCH EXISTING
 7.33' NGVD
 FINISH

NORTH ELEVATION AT ADDITION

NEW CONCRETE TILE ROOF
 TO MATCH EXISTING
 117.87' NGVD
 RIE BEAM
 STUCCO WITH ACRYLIC
 PAINT FINISH
 7.33' NGVD
 FINISH

SOUTH ELEVATION AT ADDITION

ALL WORK MUST
 CONFORM TO THE 2004
 FLORIDA BUILDING CODE

JOB SITE COPY
 SUBJECT TO ORIGINAL DRAWING
 ALL CHANGES MUST BE MADE
 IN PENCIL ON THIS
 ORIGINAL DRAWING

REVIEW OF APPROVALS



BRIDGES, M
 ASSOCIATI
 CHARTERED A
 Eighteen Vt
 Palm Beach, FL
 Phone: (561)
 Fax: (561)

Signature

Cabar
 Addition
 358 El Bri
 PALM BEACH

ELEVATION

230