

# Maintenance Due List

N737L

Operator	Make & Model	Serial No	Date	Hours	Landings
CELESTIAL AIRWAYS LIMITED LEVEL 7, LEGATUM PLAZA THE GATE PRECINCT, BUILDING 6, DI PO BOX 506717 DUBAI 71082 UNITED ARAB EMIRATES +971-56-68-1-5877	BOEING B737-700IGW/800/900ER	30751 (YG062)	24-JUL-2014	5585:49	1578
Component	Make & Model	Serial No	Hours	Cycles	
ENGINE 1	CFM56-7B27B3G14	874966	5585:49	1578	
ENGINE 2	CFM56-7B27B3G14	876101	5585:49	1578	
APU 1	GTCP 131-9B	P-5466	6986:59	3834	

Items Due									
ATA/AD/SB Item No	Description Part No / Serial No / Reference No	Disposition Group/Tracked	Last C/W Installed	Intervals	Tolerance	Time At Inst Adjustment	Next Due	Remaining	
34 00-02 3849	UPDATE NAVIGATION DATABASE	AIRFRAME	04-NOV-2013 H: 5536:31 L: 1567	D: 28			09-JAN-2014	M: -7 D: -19	
5 0010 1	A CHECK	A CK AIRFRAME	24-JUL-2014 H: 5585:49 L: 1578	M: 1			24-AUG-2014	M: 0 D: -4	
71 00-00 5008	PERFORM ENGINE RUNS ON BOTH ENGINES IAW AMM 71-00-00.	AIRFRAME	24-JUL-2014 H: 5585:49 L: 1578	M: 1			24-AUG-2014	M: 0 D: -4	
29 230-00-01 919	OPERATIONAL CHECK STANDBY RUDDER SYSTEM TO INCLUDE OBSERVING LOW PRESSURE LIGHT ILLUMINATION AND THEN EXTINGUISHING.	AIRFRAME	27-MAR-2014 H: 5584:27 L: 1576	D: 150 H: 1000:00			24-AUG-2014 H: 6584:27	M: 0 D: -4 H: 998:38	
MTC 29-230-00-01									
SB 737-29-1114 R1 4756	HYDRAULIC POWER - MAIN - HYDRAULIC SYSTEMS A AND B PRESSURE MODULE CHECK VALVE INSPECTION AND REPLACEMENT	OPEN AIRFRAME					10-SEP-2014	M: 0 D: 13	
<b>Notes:</b> ACCOMPLISHMENT OF THIS SERVICE BULLETIN INSPECTS AND REPLACES, IF NECESSARY, THE PARKER P/N H61C0552M1 CHECK VALVES INSTALLED IN HYDRAULIC SYSTEMS A AND B PRESSURE MODULES. INSTALLATION OF IMPROVED PRESSURE MODULE CHECK VALVES WILL IMPROVE PERSONNEL SAFETY AND REDUCE PRESSURE MODULE CHECK VALVE RELATED UNSCHEDULED MAINTENANCE AND EXTENDED AIRPLANE DOWNTIME.									
25 300-00-01 3992	RESTORE NO. 1 LIFE RAFT (L/H AFT CUPBOARD)	RESTORE AIRFRAME	13-SEP-2013	M: 12		M: 0	13-SEP-2014	M: 0 D: 16	
	RAFT1210-105T1 1088DP								



## Items Due (Continued)

ATA/AD/SB Item No	Description Part No / Serial No / Reference No	Disposition Group/Tracked	Last C/W Installed	Intervals	Tolerance	Time At Inst Adjustment	Next Due	Remaining
25 300-00-01 4029	RESTORE NO. 3 LIFE RAFT (R/H FWD CUPBOARD) RAF1210-105T1 1089DP	RESTORE AIRFRAME	13-SEP-2013	M: 12		M: 0	13-SEP-2014	M: 0 D: 16
25 300-00-01 310	RESTORE NO. 2 LIFE RAFT (L/H FWD CUPBOARD) RAF1210-105 2070JY	RESTORE AIRFRAME	13-SEP-2013	M: 12		M: 0	13-SEP-2014	M: 0 D: 16
34 BBJ-01-01 1318	SERVICE HEADS UP DISPLAY OVERHEAD UNIT DESICCANT CAPSULE MTC 34-BBJ-01-01	AIRFRAME	24-JUN-2014 H: 5585:00 L: 1577	M: 3			24-SEP-2014	M: 0 D: 27
5 0020 2	B1 CHECK	B1 CK AIRFRAME	24-APR-2014 H: 5585:00 L: 1577	M: 6			24-OCT-2014	M: 1 D: 26
5 0030 3	B2 CHECK	B2 CK AIRFRAME	04-NOV-2013 H: 5536:31 L: 1567	M: 12		D: -11	24-OCT-2014	M: 1 D: 26
24 120-00 3833	SWAP MAIN AND AUX BATTERY LOCATIONS WHEN CAPACITY CHECKS ARE CONDUCTED	AIRFRAME	22-JAN-2014 H: 5584:16 L: 1576	M: 12			24-OCT-2014	M: 1 D: 26
24 120-00-01 233	MAIN BATTERY 539CH-1 090520003F523 MTC 24-120-00-01	AIRFRAME	22-JAN-2014 H: 5584:16 L: 1576	M: 12		M: 0	24-OCT-2014	M: 1 D: 26
24 120-00-01 234	AUXILIARY BATTERY 539CH-1 0905200046F7A MTC 24-120-00-01	AIRFRAME	22-JAN-2014 H: 5584:16 L: 1576	M: 12		M: 0	24-OCT-2014	M: 1 D: 26
74 010-01-01 2983	DETAILED INSPECTION OF BOTH LEFT MAIN IGNITER PLUGS.	ENGINE 1	22-AUG-2001 H: 87:00 C: 37.00	C: 1600.00			C: 1637.00	C: 59.00
80 010-01-01 2971	DETAIL INSPECTION OF THE NO. 1 ENGINE STARTER MAGNETIC CHIP DETECTOR FOR METAL CHIPS.	ENGINE 1	22-AUG-2001 H: 87:00 C: 37.00	C: 1600.00			C: 1637.00	C: 59.00



MAINTENANCE DUE LIST N737L 28-AUG-2014  
PROJECTED TO DATE: FRI SEP 30 2016 HOURS: 5662:07 LANDINGS: 1654 CYCLES: 2341 APU HOURS: 8131:59

## Items Due (Continued)

ATA/AD/SB Item No	Description Part No / Serial No / Reference No	Disposition Group/Tracked	Last C/W Installed	Intervals	Tolerance	Time At Inst Adjustment	Next Due	Remaining
25 20-01 3844	AED FRX DEFIBRILLATOR G2005 B07J-01396	AIRFRAME	04-JAN-2013 H: 5272:23 L: 1513				01-NOV-2014	M: 2 D: 4
25 2525 4028	TRONAIR TIRE PRESSURE GAUGE CALIBRATION H-2016-01 8840060223	AIRFRAME	04-NOV-2013 H: 5536:31 L: 1567	M: 12			04-NOV-2014	M: 2 D: 7
23 100-00-02 2926	OPERATIONALLY CHECK THE EMERGENCY LOCATOR TRANSMITTER (AUTOMATIC / FIXED TYPE).	AIRFRAME	04-NOV-2012 H: 5536:31 L: 1567	M: 24			04-NOV-2014	M: 2 D: 7
28 054-00-01 2945	OPERATIONALLY (BITE) CHECK THE FUEL PUMP GFI RELAY. SPECIAL NOTE: AWL TASK (28-AWL-20) INTERVAL FOR THIS TASK IS 1 YR. SEE MPD SECTION 9.	AIRFRAME	04-NOV-2013 H: 5536:31 L: 1567	M: 12			04-NOV-2014	M: 2 D: 7
28 AWL-20 3060	FUNCTIONALLY CHECK THE FUEL BOOST PUMP GROUND FAULT INTERRUPTERS (APPLICABLE TO LINE NO. 2210 AND ON OR WITH SB 737-28A1201 INCORPORATED) D626A001-CMR	AIRFRAME	04-NOV-2013 H: 5536:31 L: 1567	M: 12			04-NOV-2014	M: 2 D: 7
SB 737-24A1148R1 2613	CORROSION PROTECTION OF THE ELECTRICAL CONNECTORS IN THE MAIN WHEEL WELL.	RECURRING AIRFRAME	04-NOV-2013 H: 5536:31 L: 1567	M: 12			04-NOV-2014	M: 2 D: 7
SB 737-27A1277 R2 4795	HORIZONTAL STABILIZER TRIM CONTROL SYSTEM - BALLSCREW AND BALL NUT LUBRICATION REF AD 2011-27-03	RECURRING AIRFRAME	04-NOV-2013 H: 5536:31 L: 1567	M: 12 H: 1600:00			04-NOV-2014 H: 7136:31	M: 2 D: 7 H: 1550:42
SB 737-27-1273 R2 PT 2 3840	ACCOMPLISH LUBRICATION OF THE AILERON BALANCE TAB HINGE BEARINGS AND ROD END BEARINGS (PART 2) Notes: REF: AD 2006-21-01	RECURRING AIRFRAME	04-NOV-2013 H: 5536:31 L: 1567	M: 12 H: 4000:00			04-NOV-2014 H: 9536:31	M: 2 D: 7 H: 3950:42
AD 2005-18-23 AMD 39-14264 2895	DETAILED INSPECTION OF THE ELECTRICAL CONNECTORS OF THE LINE REPLACEABLE UNIT IN THE MLG WHEEL WELL Notes: THIS AD SUPERSEDES AD 2002-16-03. REF: SB 737-24A1148 R1 & AMOC B-H340-05-4024 (130S-05-490) AD 2005-18-23- DATED 10/19/2005	RECURRING AIRFRAME	04-NOV-2013 H: 5536:31 L: 1567	M: 12			04-NOV-2014	M: 2 D: 7



## Items Due (Continued)

ATA/AD/SB Item No	Description Part No / Serial No / Reference No	Disposition Group/Tracked	Last C/W Installed	Intervals	Tolerance	Time At Inst Adjustment	Next Due	Remaining
AD 2011-27-03 AMD 39-16904 4153	TO PREVENT AN UNDETECTED FAILURE OF THE PRIMARY LOAD PATH FOR THE BALLSCREW IN THE DRIVE MECHANISM OF THE HSTA AND SUBSEQUENT WEAR AND FAILURE OF THE SECONDARY LOAD PATH - LUBRICATION	RECURRING AIRFRAME	04-NOV-2013 H: 5536:31 L: 1567	M: 12 H: 1600:00			04-NOV-2014 H: 7136:31	M: 2 D: 7 H: 1550:42
REF SB 737-27A1277								
AD 2006-21-01 PARA I AMD 39-147843090	FREELAY-INDUCED VIBRATION OF THE AILERON BALANCE TAB - LUBRICATE AILERON BALANCE TAB COMPONENTS USING BMS 3-33 GREASE.	RECURRING AIRFRAME	04-NOV-2013 H: 5536:31 L: 1567	M: 12 H: 4000:00			04-NOV-2014 H: 9536:31	M: 2 D: 7 H: 3950:42
<b>Notes:</b> COMPLIED WITH THROUGH THE ACCOMPLISHMENT OF SEVICE BULLETIN 737-27-1273R2.								
AD 2013-19-23 AMD 39-17605 4960	TO DETECT AND CORRECT FATIGUE CRACKING OF VARIOUS PRINCIPAL STRUCTURAL ELEMENTS (PSES) REVISE MAINTENANCE PROGRAM	OPEN AIRFRAME					07-NOV-2014	M: 2 D: 10
23 4032	TEST AND CLEAN CVR ULB BEACON	AIRFRAME	10-JAN-2013 H: 5278:36 L: 1514	M: 24			10-JAN-2015	M: 4 D: 13
SEACOM DUKANE 03-TM-00037								
31 4033	TEST AND CLEAN FDR ULB BEACON	AIRFRAME	10-JAN-2013 H: 5278:36 L: 1514	M: 24			10-JAN-2015	M: 4 D: 13
SEACOM DUKANE 03-TM-00037								
33 020-00-02 1270	OPERATIONAL CHECK FLIGHT DECK EMERGENCY LIGHTING SWITCH "ON" AND "ARMED" POSITION AND ATTENDANT PANEL EMERGENCY LIGHTING SWITCH "ON" POSITION.	AIRFRAME	10-JAN-2013 H: 5278:36 L: 1514	M: 24			10-JAN-2015	M: 4 D: 13
MTC 33-020-00-02								
35 00-05 1419	HYDROSTATIC TEST NO. 2 PASSENGER OXYGEN CYLINDER	HYDROSTATIC TEST AIRFRAME	27-JAN-2012 H: 5005:24 L: 1459	M: 36		M: 0	27-JAN-2015	M: 4 D: 30
806525-211      ALT282-9775								
35 00-05 1420	HYDROSTATIC TEST NO. 3 PASSENGER OXYGEN CYLINDER	HYDROSTATIC TEST AIRFRAME	27-JAN-2012 H: 5005:24 L: 1459	M: 36		M: 0	27-JAN-2015	M: 4 D: 30
806525-211      ALT282-9760								
35 00-05 1418	HYDROSTATIC TEST NO. 1 PASSENGER OXYGEN CYLINDER	HYDROSTATIC TEST AIRFRAME	27-JAN-2012 H: 5005:24 L: 1459	M: 36		M: 0	27-JAN-2015	M: 4 D: 30
806525-211      24966/596								



**MAINTENANCE DUE LIST N737L 28-AUG-2014**

PROJECTED TO DATE: FRI SEP 30 2016 HOURS: 5662:07 LANDINGS: 1654 CYCLES: 2341 APU HOURS: 8131:59

## Items Due (Continued)

ATA/AD/SB Item No	Description Part No / Serial No / Reference No	Disposition Group/Tracked	Last C/W Installed	Intervals	Tolerance	Time At Inst Adjustment	Next Due	Remaining
25 400-00-01 2928	INSPECT (DETAILED) THE SMOKE HOODS FOR CONDITION.	AIRFRAME	28-JAN-2013 H: 5292:55 L: 1516	M: 24			28-JAN-2015	M: 5 D: 0
25 420-00-01 319	FIRST AID KIT	RESTORE AIRFRAME	22-JAN-2014 H: 5584:16 L: 1576	M: 12		M: 0	31-JAN-2015	M: 5 D: 3
	AFAK 050206039 MTC 25-420-00-01 <b>Notes:</b> EXPIRATION 01/31/2015							
25 4110	6V SMOKE DETECTOR UNIT (SDU) BATTERY (QT 2)	AIRFRAME	05-JUN-2011	M: 72		M: 0	17-FEB-2015	M: 5 D: 20
	160-1173-02 NSN							
26 00-09 445	REPLACE CABIN SMOKE DETECTOR BATTERIES	AIRFRAME	21-NOV-2011 H: 4953:12 L: 1447	M: 36			17-FEB-2015	M: 5 D: 20
	JET CENTER DOC. 099054010							
AD 2010-02-04 AMD 39-16175 4000	TO PREVENT THE FAILURE OF THE VALVE IN THE CLOSED POSITION, OPEN POSITION, OR PARTIALLY OPEN POSITION <b>Notes:</b> CUSTOMER SET NEXT DUE.	OPEN AIRFRAME					18-FEB-2015	M: 5 D: 21
49 120-00-01 3124	APU - CLEAN COMBUSTER DRAIN VALVE	APU	17-FEB-2005 H: 3354:06 C: 1798.00	H: 4000:00			H: 7354:06	H: 367:07
AD 2013-07-09 AMD 39-17413 4915	TO PREVENT AN INGITION SOURCE, WHICH COULD RESULT IN AN OXYGEN-FED FIRE OR AN INLET VALVE JAM IN A CREW OXYGEN MASK STOWAGE BOX UNIT <b>Notes:</b> REFERENCE SB 737-35A1121, REVISION 1, DATED NOVEMBER 7, 2011 AND INTERTECHNIQUE SESBMXP1/4-35-175, REVISION 2, DATED MAY 10, 2011. A REVIEW OF AIRPLANE MAINTENANCE RECORDS IS ACCEPTABLE IN LIEU OF THIS INSPECTION IF THE SERIAL NUMBER OF THE CREW OXYGEN MASK STOWAGE BOX UNIT CAN BE CONCLUSIVELY DETERMINED FROM THAT REVIEW	OPEN AIRFRAME					20-MAY-2015	M: 8 D: 22
25 410-00-01 363	RESTORE COCKPIT #3 SMOKE HOOD	REPLACE AIRFRAME	01-JUN-2005	M: 120		M: 0	01-JUN-2015	M: 9 D: 4
	802300-14 0605001083 MTC 25-410-00-01							
25 410-00-01 361	RESTORE COCKPIT #1 SMOKE HOOD	REPLACE AIRFRAME	01-JUN-2005	M: 120		M: 0	01-JUN-2015	M: 9 D: 4
	802300-14 0605001084 MTC 25-410-00-01							



MAINTENANCE DUE LIST N737L 28-AUG-2014  
PROJECTED TO DATE: FRI SEP 30 2016 HOURS: 5662:07 LANDINGS: 1654 CYCLES: 2341 APU HOURS: 8131:59

## Items Due (Continued)

ATA/AD/SB Item No	Description Part No / Serial No / Reference No	Disposition Group/Tracked	Last C/W Installed	Intervals	Tolerance	Time At Inst Adjustment	Next Due	Remaining
AD 2013-08-01 AMD 39-17418 4924	TO DETECT AND CORRECT DAMAGE TO THE FIRE SEALS, WHICH COULD ALLOW AIRFLOW INTO THE ENGINE FIRE ZONE  <b>Notes:</b> REFERENCE SB 737-78-1086 - THIS APPLIES TO LINE NUMBERS 1 THROUGH 3028 INCLUSIVE AND REQUIRES A GVI OF THE L/H AND R/H THRUST REVERSER HALVES OF EACH ENGINE FOR DAMAGE TO THE UPPER FIRE SEALS.	OPEN AIRFRAME					10-JUN-2015	M: 9 D: 13
35 00-06 1422	NO. 1 PASSENGER OXYGEN CYLINDER  806525-211                      24966/596 <b>Notes:</b> NEXT DUE ACCORDING TO HT AS DATE OF MANUFACTURE IS MISSING	LIFE LIMIT AIRFRAME	27-JAN-2012 H: 5005:24 L: 1459	M: 180		M: 0	25-JUL-2015	M: 10 D: 27
35 00-06 1424	NO. 3 PASSENGER OXYGEN CYLINDER  806525-211                      ALT282-9760 <b>Notes:</b> NEXT DUE AS THE HT DUE TO UNKNOWN MF DATE	LIFE LIMIT AIRFRAME	01-SEP-2000	M: 180		M: 0	01-SEP-2015	M: 12 D: 4
35 00-06 1423	NO. 2 PASSENGER OXYGEN CYLINDER  806525-211                      ALT282-9775	LIFE LIMIT AIRFRAME	01-SEP-2000	M: 180		M: 0	01-SEP-2015	M: 12 D: 4
35 031-00 1417	HYDROSTATIC TEST CREW OXYGEN CYLINDER  801307-00                      618742                      AVOX SIL-35-103	HYDROSTATIC TEST AIRFRAME	02-SEP-2012 H: 5218:00 L: 1503	M: 36		M: 0	02-SEP-2015	M: 12 D: 5
25 290-00-01 299	RESTORE CREW LIFE JACKETS  P0724-105                      MTC 25-290-00-01 <b>Notes:</b> MFR - EAM	RESTORE AIRFRAME	30-SEP-2010	M: 60		M: 0	30-SEP-2015	M: 13 D: 2
SB 737-34-2454 4967	NAVIGATION - AIR DATA SYSTEM - ALTIMETRY SYSTEM TEST  <b>Notes:</b> PERFORM THIS SB AT THE SAME TIME AS THE 24 MONTH MPD ATA 34 ALTIMETER TESTS.	OPEN AIRFRAME					31-OCT-2015	M: 14 D: 3
34 00-01 3157	TEST STANDBY ALTIMETER INDICATOR (FAR 91.411)  WL102AM53                      AF197                      FAR 91.411	AIRFRAME	04-NOV-2013 H: 5536:31 L: 1567	M: 24			04-NOV-2015	M: 14 D: 7
51 00-01 1514	VISUAL INSPECTION OXYGEN TANKS AND WATER TANK STRUCTURE IN THE AFT CARGO COMPARTMENT  JET CENTER DOC. 099054010	AIRFRAME	04-NOV-2013 H: 5536:31 L: 1567	M: 24			04-NOV-2015	M: 14 D: 7



MAINTENANCE DUE LIST N737L 28-AUG-2014  
PROJECTED TO DATE: FRI SEP 30 2016 HOURS: 5662:07 LANDINGS: 1654 CYCLES: 2341 APU HOURS: 8131:59

## Items Due (Continued)

ATA/AD/SB Item No	Description Part No / Serial No / Reference No	Disposition Group/Tracked	Last C/W Installed	Intervals	Tolerance	Time At Inst Adjustment	Next Due	Remaining
23 050-00-01 176	FUNCTIONAL CHECK VOICE RECORDER FOR AUDIO FIDELITY  MTC 23-050-00-01	AIRFRAME	04-NOV-2013 H: 5536:31 L: 1567	M: 24			04-NOV-2015	M: 14 D: 7
23 060-00-01 177	OPERATIONAL CHECK OF THE CVR UNDERWATER LOCATOR BEACON  MTC 23-060-00-01	AIRFRAME	04-NOV-2013 H: 5536:31 L: 1567	M: 24			04-NOV-2015	M: 14 D: 7
25 390-00-01 317	REPLACE EMERGENCY FLASHLIGHT BATTERIES  MTC 25-390-00-01	AIRFRAME	04-NOV-2013 H: 5536:31 L: 1567	M: 24			04-NOV-2015	M: 14 D: 7
27 110-00-01 525	DETAILED VISUAL INSPECTION OF THE STABILIZER TRIM JACKSCREW, BALLNUT, BALLNUT RETURN TUBES AND THE UPPER AND LOWER GIMBALL PINS  MTC 27-110-00-01	AIRFRAME	04-NOV-2013 H: 5536:31 L: 1567	M: 24			04-NOV-2015	M: 14 D: 7
33 060-00-02 1272	RESTORE (TWO OR MORE COMPLETE DEEP CYCLES) BATTERY CAPACITY TO REQUIRED STANDARD  MTC 33-060-00-02	RESTORE AIRFRAME	04-NOV-2013 H: 5536:31 L: 1567	M: 24			04-NOV-2015	M: 14 D: 7
34 010-00-01 1304	FUNCTIONAL LEAK CHECK OF THE CAPTAINS PITOT SYSTEM  MTC 34-010-00-01	AIRFRAME	04-NOV-2013 H: 5536:31 L: 1567	M: 24			04-NOV-2015	M: 14 D: 7
34 020-00-01 1305	FUNCTIONAL LEAK CHECK OF THE FIRST OFFICERS PITOT SYSTEM  MTC 34-020-00-01	AIRFRAME	04-NOV-2013 H: 5536:31 L: 1567	M: 24			04-NOV-2015	M: 14 D: 7
34 030-00-01 1306	FUNCTIONAL LEAK CHECK OF THE STANDBY PITOT SYSTEM  MTC 34-030-00-01	AIRFRAME	04-NOV-2013 H: 5536:31 L: 1567	M: 24			04-NOV-2015	M: 14 D: 7
34 040-00-01 3121	FUNCTIONAL LEAK CHECK OF THE CAPTAINS STATIC SYSTEM  MTC 34-040-00-01	AIRFRAME	04-NOV-2013 H: 5536:31 L: 1567	M: 24			04-NOV-2015	M: 14 D: 7



MAINTENANCE DUE LIST N737L 28-AUG-2014  
 PROJECTED TO DATE: FRI SEP 30 2016 HOURS: 5662:07 LANDINGS: 1654 CYCLES: 2341 APU HOURS: 8131:59

## Items Due (Continued)

ATA/AD/SB Item No	Description Part No / Serial No / Reference No	Disposition Group/Tracked	Last C/W Installed	Intervals	Tolerance	Time At Inst Adjustment	Next Due	Remaining
34 050-00-01 1307	FUNCTIONAL LEAK CHECK OF THE FIRST OFFICERS STATIC SYSTEM .  MTC 34-050-00-01	AIRFRAME	04-NOV-2013 H: 5536:31 L: 1567	M: 24			04-NOV-2015	M: 14 D: 7
34 060-00-01 1308	FUNCTIONAL LEAK CHECK OF THE STANDBY STATIC SYSTEM  MTC 34-060-00-01	AIRFRAME	04-NOV-2013 H: 5536:31 L: 1567	M: 24			04-NOV-2015	M: 14 D: 7
34 110-00-01 1316	TEST NO. 1 ATC TRANSPONDER  MTC 34-110-00-01	MANDATORY AIRFRAME	04-NOV-2013 H: 5536:31 L: 1567	M: 24			04-NOV-2015	M: 14 D: 7
34 110-00-02 1317	TEST NO. 2 ATC TRANSPONDER  MTC 34-110-00-02	MANDATORY AIRFRAME	04-NOV-2013 H: 5536:31 L: 1567	M: 24			04-NOV-2015	M: 14 D: 7
SB 737-27A1277 R2 4794	HORIZONTAL STABILIZER TRIM CONTROL SYSTEM - BALLSCREW AND BALL NUT INSPECTION  REF AD 2011-27-03  <b>Notes:</b> REF AD 2011-27-03	RECURRING AIRFRAME	04-NOV-2013 H: 5536:31 L: 1567	M: 24 H: 6400:00			04-NOV-2015 H: 11936:31	M: 14 D: 7 H: 6350:42
SB 737-27-1273 R2 PT 1 3839	ACCOMPLISH FREEPLAY CHECK OF THE AILERON BALANCE TAB FREEPLAY (PART 1)  REF AD 2006-21-01  <b>Notes:</b> REF: AD 2006-21-01	RECURRING AIRFRAME	04-NOV-2013 H: 5536:31 L: 1567	M: 24 H: 8000:00			04-NOV-2015 H: 13536:31	M: 14 D: 7 H: 7950:42
AD 2011-27-03 AMD 39-16904 4152	TO PREVENT AN UNDETECTED FAILURE OF THE PRIMARY LOAD PATH FOR THE BALLSCREW IN THE DRIVE MECHANISM OF THE HSTA AND SUBSEQUENT WEAR AND FAILURE OF THE SECONDARY LOAD PATH - DETAILED INSPECTION  REF SB 737-27A1277  <b>Notes:</b> REF SB 373-27A1277 R2	RECURRING AIRFRAME	04-NOV-2013 H: 5536:31 L: 1567	M: 24 H: 6400:00			04-NOV-2015 H: 11936:31	M: 14 D: 7 H: 6350:42
AD 2013-19-03 AMD 39-17585 4956	TO DETECT AND CORRECT POSSIBLE DAMAGE CAUSED BY INSUFFICIENT SEPARATION BETWEEN THE WIRE BUNDLES AND HYDRAULIC TUBING IN THE MAIN LANDING GEAR (MLG) WHEEL WELL  <b>Notes:</b> THIS AD APPLIES TO THE BOEING COMPANY MODEL 737-600, -700, -700C, -800, -900, AND -900ER SERIES AIRPLANES, CERTIFICATED IN ANY CATEGORY, LINE NUMBERS (L/NS) 1060 THROUGH 3289 INCLUSIVE, AND 3294, BUT EXCLUDING L/NS 3138, 3158, 3169, 3175, 3216, 3224, 3253, AND 3274.	OPEN AIRFRAME					04-NOV-2015	M: 14 D: 7



MAINTENANCE DUE LIST N737L 28-AUG-2014  
PROJECTED TO DATE: FRI SEP 30 2016 HOURS: 5662:07 LANDINGS: 1654 CYCLES: 2341 APU HOURS: 8131:59

## Items Due (Continued)

ATA/AD/SB Item No	Description Part No / Serial No / Reference No	Disposition Group/Tracked	Last C/W Installed	Intervals	Tolerance	Time At Inst Adjustment	Next Due	Remaining
AD 2006-21-01 PARA G AMD 39-147843088	FREEPLAY-INDUCED VIBRATION OF THE AILERON BALANCE TAB - MEASURE AILERON BALANCE FREE PLAY	RECURRING AIRFRAME	04-NOV-2013 H: 5536:31 L: 1567	M: 24 H: 8000:00			04-NOV-2015 H: 13536:31	M: 14 D: 7 H: 7950:42
<b>Notes:</b> COMPLIED WITH THROUGH THE ACCOMPLISHMENT OF SEVICE BULLETIN 737-27-1273R2.								
26 461-01 4008 1600	INSPECT LEFT FWD CLOSET PORTABLE HALON BOTTLE W-762035 HR3 INC.	AIRFRAME	01-JAN-2010	M: 72		M: 0	01-JAN-2016	M: 16 D: 4
AD 2008-11-08 AMD 39-15530 3949	DETAILED INSPECTION OF FLIGHT DECK NO. 2 WINDOW FOR CRACKING AND DAMAGE (TABLE 1)	COMPLIED WITH AIRFRAME	10-JAN-2013 H: 5278:36 L: 1514	M: 36 H: 7500:00			10-JAN-2016 H: 12778:36	M: 16 D: 13 H: 7192:47
<b>Notes:</b> ****NOTE****INCORPORATION OF STC ST01630SE TERMINATES THE REPETITIVE INSPECTIONS OF THE LH AND RH WINDOW NO. 4 AND NO. 5. REFER TO PATS AIRCRAFT LLC WORK ORDER 6562-010R-0556.								
25 100-02 3889	RENEW REGISTRATION FOR EMERGENCY LOCATOR TRANSMITTER (406MHZ) BEACON ID 2DC75 3CC0C FFBF.	AIRFRAME	14-JAN-2014	M: 24			14-JAN-2016	M: 16 D: 17
25 100-03 5013	RENEW REGISTRATION FOR EMERGENCY LOCATOR TRANSMITTER (406MHZ) BEACON ID ADCC0 8720F 00801.	AIRFRAME	14-JAN-2014	M: 24			14-JAN-2016	M: 16 D: 17
SB 737-30A1063 R2 4987	ICE AND RAIN PROTECTION - PITOT AND STATIC - AIR DATA PROBE ANTI-ICING SYSTEM - AIR DATA PROBE HEAT AUTOMATION INSTALLATION (REV. 2)	OPEN AIRFRAME					14-JAN-2016	M: 16 D: 17
<b>Notes:</b> REF AD 2012-24-08. GLOBAL AMOC LETTER 130S-14-66 EXTENDS COMPLIANCE TIME TO 36 MONTHS FROM AD EFFECTIVE DATE.								
AD 2012-24-08 AMD 39-17278 4780	TO PREVENT ICE FROM FORMING ON AIR DATA SYSTEM SENSORS AND CONSEQUENT LOSS OF OR MISLEADING AIRSPEED INDICATION ON ALL AIRSPEED INDICATING SYSTEMS	OPEN AIRFRAME					14-JAN-2016	M: 16 D: 17
<b>Notes:</b> REFERENCE SB 737-30A1063. GLOBAL AMOC LETTER 130S-14-66 EXTENDS COMPLIANCE TO 36 MONTHS FROM EFFECTIVE DATE.								
25 290-00-01 307	RESTORE PASSENGER LIFE JACKETS P0724-105C MTC 25-290-00-01	RESTORE AIRFRAME	28-JAN-2011 H: 4656:36 L: 1373	M: 60		M: 0	28-JAN-2016	M: 17 D: 0
<b>Notes:</b> MFR - EAM								
SB 737-78-1090 5010	EXHAUST - THRUST REVERSER SYSTEM - INSPECTION FOR AND REMOVAL OF THE THRUST REVERSER INNER WALL COOLING HOLE BLOCKAGE	OPEN AIRFRAME					31-JAN-2016	M: 17 D: 3
25 100-04 5014	RENEW REGISTRATION FOR EMERGENCY LOCATOR TRANSMITTER (406MHZ) BEACON ID ADCC0 87213 00801.	AIRFRAME	11-FEB-2014	M: 24			11-FEB-2016	M: 17 D: 14



MAINTENANCE DUE LIST N737L 28-AUG-2014  
PROJECTED TO DATE: FRI SEP 30 2016 HOURS: 5662:07 LANDINGS: 1654 CYCLES: 2341 APU HOURS: 8131:59

## Items Due (Continued)

ATA/AD/SB Item No	Description Part No / Serial No / Reference No	Disposition Group/Tracked	Last C/W Installed	Intervals	Tolerance	Time At Inst Adjustment	Next Due	Remaining
SB 737-31A1332 R4 4966	INDICATING / RECORDING SYSTEMS - AURAL WARNING SYSTEM - INSTALLATION OF THE CABIN ALTITUDE WARNING SYSTEM AND TAKEOFF CONFIGURATION WARNING SYSTEM LIGHTS (REV. 4) <b>Notes:</b> REF AD 2013-02-05.	OPEN AIRFRAME					06-MAR-2016	M: 18 D: 7
AD 2013-02-05 AMD 39-17326 4789	TO PREVENT FAILURE OF THE FLIGHTCREW TO RECOGNIZE AND REACT TO A VALID CABIN ALTITUDE WARNING HORN <b>Notes:</b> REF SB 737-31A1332, REVISION 3. REVISION 4 IS APPROVED AMOC.	OPEN AIRFRAME					06-MAR-2016	M: 18 D: 7
26 00-08 427	NO. 3 CARGO FIRE EXTINGUISHER BOTTLE FORWARD SQUIB M446290 00098 HOLLINGSEAD DOC. 20689	LIFE LIMIT AIRFRAME	22-JUN-2009 H: 4429:54 L: 1325	M: 120		M: 39	22-MAR-2016	M: 18 D: 23
35 111-00 1438	HYDROSTATIC TEST PORTABLE OXYGEN BOTTLE SALON 5600-1C1A-F23A 175943 AVOX SIL-35-103	HYDROSTATIC TEST AIRFRAME	24-MAY-2011 H: 4767:54 L: 1408	M: 60		M: 0	24-MAY-2016	M: 20 D: 26
49 190-00-01 3129	APU - VISUAL INSPECTION LUBE MODULE FOR LEAKAGE, GENERAL CONDITION, AND SECURITY OF INSTALLATION	APU	13-DEC-2013 H: 6974:48 C: 3821.00	H: 1000:00			H: 7974:48	H: 987:49
49 200-00-01 3130	APU - DETAILED INSPECTION OIL FILTER DELTA P INDICATOR	APU	13-DEC-2013 H: 6974:48 C: 3821.00	H: 1000:00			H: 7974:48	H: 987:49
72 320-01-01 3001	DETAILED INSPECTION OF THE LEFT ENGINE FWD SUMP, AFT SUMP, AGB/TGB MAGNETIC CHIP DETECTORS OR DEBRIS MONITORING SYSTEM DETECTORS AND SCAVENGE SCREENS FOR PARTICLES.	AIRFRAME	02-JUL-2012 H: 5152:33 L: 1488	H: 500:00			H: 5652:33	H: 66:44
72 320-02-01 3002	DETAILED INSPECTION OF THE RIGHT ENGINE FWD SUMP, AFT SUMP, AGB/TGB MAGNETIC CHIP DETECTORS OR DEBRIS MONITORING SYSTEM DETECTORS AND SCAVENGE SCREENS FOR PARTICLES.	AIRFRAME	02-JUL-2012 H: 5152:33 L: 1488 C: 1488.00	H: 500:00			H: 5652:33	H: 66:44
35 111-00 1437	HYDROSTATIC TEST LEFT FWD CLOSET PORTABLE OXYGEN BOTTLE 5600-1C1A-F23A 175944 AVOX SIL-35-103	HYDROSTATIC TEST AIRFRAME	08-JUL-2011 H: 4789:06 L: 1412	M: 60		M: 0	08-JUL-2016	M: 22 D: 10
25 290-00-01 4120	COCKPIT LIFE JACKET P0723E105P 10081110038	AIRFRAME	18-JUL-2011 H: 4789:06 L: 1412	M: 60		M: 0	18-JUL-2016	M: 22 D: 20



MAINTENANCE DUE LIST N737L 28-AUG-2014  
PROJECTED TO DATE: FRI SEP 30 2016 HOURS: 5662:07 LANDINGS: 1654 CYCLES: 2341 APU HOURS: 8131:59

## Items Due (Continued)

ATA/AD/SB Item No	Description Part No / Serial No / Reference No	Disposition Group/Tracked	Last C/W Installed	Intervals	Tolerance	Time At Inst Adjustment	Next Due	Remaining
25 290-00-01 4119	COCKPIT LIFE JACKET  P0723E105P 10081110010	AIRFRAME	18-JUL-2011 H: 4789:06 L: 1412	M: 60		M: 0	18-JUL-2016	M: 22 D: 20
26 00-08 428	NO. 3 CARGO FIRE EXTINGUISHER BOTTLE AFT SQUIB  M446290 00038 HOLLINGSEAD DOC. 20689	LIFE LIMIT AIRFRAME	22-JUN-2009 H: 4429:54 L: 1325	M: 120		M: 35	22-JUL-2016	M: 22 D: 24
53 070-00-01 1625	INSPECT (INTERNAL-GENERAL VISUAL) FORWARD OF NOSE WHEEL WELL  MTC 53-070-00-01	AIRFRAME	22-AUG-2001 H: 87:00 L: 37	M: 180			22-AUG-2016	M: 23 D: 25
53 120-00-01 1720	INSPECT (INTERNAL-GENERAL VISUAL) ELECTRICAL/ELECTRONIC COMPARTMENT, STATION 294.5 TO 396  MTC 53-120-00-01	AIRFRAME	22-AUG-2001 H: 87:00 L: 37	M: 180			22-AUG-2016	M: 23 D: 25
53 130-00-01 1784	INSPECT (INTERNAL-GENERAL VISUAL) FORWARD CARGO COMPARTMENT SKIN PANELS  MTC 53-130-00-01	AIRFRAME	22-AUG-2001 H: 87:00 L: 37	M: 180			22-AUG-2016	M: 23 D: 25
25 240-00-02 291	FORWARD SERVICE ESCAPE SLIDE  5A3307-5 BNG2502 MTC 25-240-00-02 <b>Notes:</b> NEXT DUE OF SLIDE IS BASED ON NEXT HYDROSTATIC TEST OF CYLINDER	AIRFRAME	04-NOV-2013 H: 5536:31 L: 1567	M: 36		M: 0	31-AUG-2016	M: 24 D: 3
25 240-00-01 290	FORWARD ENTRY ESCAPE SLIDE  5A3307-5 BNG5262 MTC 25-240-00-01 <b>Notes:</b> NEXT DUE OF SLIDE IS BASED ON NEXT HYDROSTATIC TEST OF CYLINDER	AIRFRAME	04-NOV-2013 H: 5536:31 L: 1567	M: 36		M: 0	30-SEP-2016	M: 25 D: 2