



Tropical Shipping and Construction Company Limited

**BILL OF LADING
TSCW9379674**

Page 1 of 2

NON-NEGOTIABLE

SHIPPER/EXPORTER LSJ 457 MADISON AVE. NYC NY 10022 UNITED STATES		EXPORT REFERENCES		EXPRESS RELEASE	
CONSIGNEE(NOT NEGOTIABLE UNLESS CONSIGNED TO ORDER) WHITE, ALVIN 6100 RED HOOK QUARTER B-3 LITTLE SAINT JAMES ISLAND CHARLOTTE AMALIE VI 00802 UNITED STATES		FORWARDING AGENT/FMC NO.			
NOTIFY PARTY 340.513.9855		ALSO NOTIFY/ROUTING/INSTRUCTIONS			
EXPORTING CARRIER, VOYAGE & EDA DEPARTING: TROPIC CANADA, - 0159 ARRIVING: TROPIC CANADA, - 0159 EDA: 12/1/2009		PRE-CARRIAGE BY*	PLACE OF RECEIPT* PORT OF PALM BEACH, FL	PORT OF LOADING PORT OF PALM BEACH SEAPORT	
PORT OF DISCHARGE CROWN BAY SEAPORT (ST THOMAS)		PLACE OF DELIVERY BY ONCARRIER* ST THOMAS, VI		POINT AND COUNTRY OF ORIGIN OF GOODS	
PARTICULARS FURNISHED BY SHIPPER					
MARKS & NBR/CONTAINER NBR/ W/SEAL NUMBERS	NUMBER OF PKGS.	HAZ	DESCRIPTION OF PACKAGES-GOODS	GROSS WEIGHT LBS	MEASUREMENT KG CF CM
SHIPPER 10-S TENNIS SUPPLY SHIPMENT NO 3027825 HLXU4441937 316949 316950 NO LEADING MARKS	1		SW/PLT(S) COURT SIDE BENCH	100	45 51.0 1.444
TOTAL				100	45 51.0 1.444
<p>REFERENCES: PRO NUMBER 98699 CUSTOMER INVOICE NO. 98699 DATED 10/26/09</p> <p>CLAUSES: NOEEI Sec. 30.37 (a) SHIPPER'S WEIGHT. CARRIER'S CUBE. 1 SW/PLT(S) RECEIVED SHRINKWRAPPED SHIPPERS COUNT AND WEIGHT.</p>					
SHIPPER L.M. SCOFIELD COMPANY					
SHIPMENT NO 3061876	1		SW/PLT(S) WATER REDUCING COMPOUND	2195	996 47.0 1.331
INSURED VALUE	AD VALOREM DECLARED VALUE USD (Refer to CLAUSE 7(3) on reverse side)		FREIGHT PAYABLE AT/BY ST THOMAS, USVI / LSJ		
WHERE APPLICABLE, THESE COMMODITIES, TECHNOLOGY OR SOFTWARE WERE EXPORTED FROM THE UNITED STATES FOR ULTIMATE DESTINATION (ABOVE) IN ACCORDANCE WITH THE EXPORT ADMINISTRATION REGULATIONS, DIVERSION CONTRARY TO U.S. LAW IS PROHIBITED.			CHARGE DESCRIPTION	PREPAID (USD)	COLLECT (USD)
* APPLICABLE ONLY WHEN UTILIZED FOR COMBINED TRANSPORT			OCEAN FREIGHT - LCL		256.76
Received by the Carrier from the Shipper in apparent good order and condition (unless otherwise noted herein) the total number or quantity of Containers or other packages or units indicated above received by the Carrier for the Carriage subject to all the terms and conditions hereof (EXCLUDING THE TERMS AND CONDITIONS ON THE REVERSE HEREOF AND THE TERMS OF THE CARRIER'S APPLICABLE TARIFF) from the Place of receipt or the Port of Loading whichever is applicable to the Port of Discharge or the Port of Delivery, whichever is applicable. If the Carrier so requires, before it arranges delivery of the Goods one original Bill of Lading, duly endorsed, must be surrendered by the Merchant to the Carrier at the Port of Discharge or at some other location acceptable to the Carrier. In accepting this Bill of Lading the Merchant expressly accepts and agrees to all its terms and conditions whether printed, stamped or written, or otherwise incorporated notwithstanding the non-signing of this Bill of Lading by the Merchant.			BILL OF LADING PROCESSING FEE		45.00
IN WITNESS WHEREOF number of original Bills of Lading stated herein have been signed, one of which being accomplished (if so required by the Carrier), the others shall be void.			SED		45.00
_____ FOR CARRIER			BUNKER SURCHARGE		13.72
			SECURITY SURCHARGE		9.80
			TOTAL USD		370.28
			DATE OF ISSUANCE	11/30/2009	NO. OF ORIGINAL B/L(S) SIGNED 0 VOYAGE DATE 11/27/2009

LSJ-1005
 \$177.58
 03-130

Printed: 11/30/2009 08:12:12

EFTA00600480

NON-NEGOTIABLE

HLXU4441937
316949
316950
WHITE, ALVIN

TOTAL 2195 996 47.0 1.331

REFERENCES:
PRO NUMBER 10569587
CUSTOMER INVOICE NO. S210607 DATED 11/19/09
CUSTOMER PO NO. 002
CLAUSES:
SHIPPER'S WEIGHT.
CARRIER'S CUBE.
1 SW/PLT(S) RECEIVED SHRINKWRAPPED SHIPPERS
COUNT AND WEIGHT.
AES X20091123037732

GRAND TOTAL 2

2295 1041 98.0 2.775

Tropical Shipping & Construction Co., Ltd.

WHITE, ALVIN
CFS: B.I. WAREHOUSE

CONSOLIDATION WORKSHEET
NOVEMBER 24, 2009 9:28:54

1 bag not bill

Job No.	Shipment ID	Received Date	Shipper	FPD	Comments
Quantity	Package Type	Package Description	Reference Values	Weight (LBS)	Volume (CF)
References					
9337482	3022388	10/27/2009	REDLAND SUPPLY	STT	
	9	PIECE(S)	PVC PIPES & HARDWARE	1,067	92
		CUSTOMER ORDER NO.	10038028		
		CUSTOMER PO NO.	6221		
		SHIPPER REFERENCE	811317		
		CUSTOMER INVOICE NO.	116230 DATED 10/26/09		
9342518	3027825	10/30/2009	10-S TENNIS SUPPLY	STT	
	1	PALLET(S)	COURT SIDE BENCH	100	51
		CUSTOMER INVOICE NO.	98699 DATED 10/26/09		
9358852	3044190	11/11/2009	RING POWER CORPORATION	STT	
	1	PALLET(S)	STC 15 PCS COMPRESSORS	150	10
		ALL OTHER REFERENCES	***** UPDATE EEI WHEN CARGO SAILS *****		
		CUSTOMER INVOICE NO.	75SX05729059 DATED 10/19/09		
		CUSTOMER PO NO.	E09688-2		
		SHIPPER REFERENCE	AEAT722180		
9363405	3050556	11/16/2009	AMERICAN EXPORT COMPANY	STT	
	1	BUNDLE(S)	PLYWOOD	3,200	102
		SHIPPER REFERENCE	R91120		
		CUSTOMER INVOICE NO.	R91120 DATED 11/17/09		
		CUSTOMER ORDER NO.	498786		
9364251	3051531	11/16/2009	EVERGLADES FARM EQUIPMENT	STT	
	2	SKID(S)	EQUIPMENT PARTS	200	20
		CUSTOMER INVOICE NO.	07 733382 DATED 11/16/09		
9367986	3055702	11/18/2009	RESTORATION HARDWARE	STT	
	1	BOX(S)	TISSUE/TOWEL HOLDERS, HOOKS & SCONCES	19	2
		CUSTOMER INVOICE NO.	1539177		
9369156	3057231	11/19/2009	AMERICAN EXPORT COMPANY	STT	
	1	PALLET(S)	HARDWARE	100	4
		CUSTOMER INVOICE NO.	SHORT FROM INV. #R1012-2 DATED 10/27/09		
		CUSTOMER ORDER NO.	493939		
9374883	3061540	11/23/2009	SCOFIELD COMPANY	STT	
	1	BOX(S)	LITHOCHROME	14	1
		CUSTOMER INVOICE NO.	S210604 DATED 11/19/09		
		CUSTOMER PO NO.	016		
9375213	3061876	11/23/2009	SCOFIELD COMPANY	STT	
	1	PALLET(S)	WATER REDUCING COMPOUND	2,195	47
		CUSTOMER INVOICE NO.	S210607 DATED 11/19/09		
		CUSTOMER PO NO.	002		

Total Shipments 9

18 (Pieces)

7,045 (LBS)

329 (CF)

*11-27-09
LCL Shipment*

*L55-1005
02-441 (1) ✓*

*L55
L55 (2) ✓*

*L55-1004
03-113 (4) ✓*

*L55
L55 (5) ✓*

*L55
L55 (6) ✓*

*L55-1004
06-101 (7) ✓*

*L55-1001
02-200 (8) ✓*

*L55-1005
03-130 (9) ✓*



10-S Tennis Supply
1400 NW 13th Avenue

Estimate

Date	Estimate #
10/21/2009	23744

Bill To
Alvin B. White
Little St. James Island
6100 Red Hook Quarters
Suite B-3
St. Thomas USVI 00802-1348
Virgin Islands (USA)

Ship To
Alvin B. White
Little St. James Island
6100 Red Hook Quarters
Suite B-3
St. Thomas USVI 00802-1348
Virgin Islands (USA)

Expires	Sales Rep	Phone #	Fax #
11/20/2009	Ellen Smart	340-513-4309	

Item	Quantity	Description	Customer Description	Rate	Options	Amount
MB1013-W	R	COURTSIDE BENCH - 5'	*Made in Germany	168.00	Color: White	1,344.00
<p>For Barge + Fat Cat</p> <p>10-26-09 APPROVED</p> 						
X Approved By _____ Fax to: 10-S Tennis Supply (954) 969-5451				Subtotal Shipping Cost (10-S Delivery Truck) Total		1,344.00 150.00 \$1,494.00



23744

(2)

L.M. Scofield Company
Manufacturer & Marketer Of Building Specialties Since 1915



Commercial Invoice A

PO Number: 002
Order No: S210607
Date: Nov. 19, 2009

Sold To: Alvin White /LSJ
6500 Red Hook Quarter, 3B
St. Thomas, USVI
00802

Contact: Mr. Bill Rowles
Tel:

Ship To: Alvin White / LSJ
c/o Tropical Shipping
1489 Martin Luther King Jr Blvd
Riviera Beach, FL 33404
Tel:

<u>Quantity</u>	<u>Unit</u>	<u>Description</u>	<u>Cost</u>	<u>Unit Extension</u>
120	Sacks	CHROMIX Admixtures @ 5.0 sack mix C-25 Sombrero Buff	\$38.66/per sack	\$4,639.20
		Materials Sub-Total:		\$4,639.20
1	Each	Truck Freight Charges From Douglasville, GA to Riviera Beach, FL	\$546.25	\$ 546.25
*****Total Invoice In USD*****				\$5,185.45

Note All Products Made and Manufactured in the U.S.A.

LSJ-1005
03-130

9

L.M. Scofield Company
Manufacturer & Marketer Of Building Specialties Since 1915



Packing List

PO Number: 002
Order No: S210607
Date: Nov. 19, 2009

Sold To: Alvin White /LSJ
6500 Red Hook Quarter, 3B
St. Thomas, USVI
00802

Contact: Mr. Bill Rowles
Tel:

Ship To: Alvin White / LSJ
c/o Tropical Shipping
1489 Martin Luther King Jr Blvd
Riviera Beach, FL 33404
Tel:

<u>Quantity</u>	<u>Unit</u>	<u>Description</u>
		Harmonized Code: 3206.49.2000
120	Sacks	CHROMIX Admixtures @ 5.0 sack mix C-25 Sombrero Buff

Net Weight: 2,160 lbs / 980 kg

Gross Weight: 2,210 lbs / 1,003 kg

MATERIAL SAFETY DATA SHEET and WARRANTY

A304-5G14

Date: July 14, 2005

Section I Identification



HEALTH	[1]
FLAMMABILITY	[0]
REACTIVITY	[0]
PROTECTION	0

Product Name: **CHROMIX® Admixtures for Color-Conditioned® Concrete**

Chemical Name: **Mixture**

Chemical Family: **Mixture**

Chemical Formula: **Mixture**

Emergency Telephone Number: **CHEMTREC (800) 424-9300**

Telephone Number for Information: **SCOFIELD (770) 920-6000 (323) 720-3000**

Section II Composition/ Information on Ingredients

Composition	Weight	OSHA TWA	ACGIH TLV	CAS Number
Nuisance Particles (Dust)	100%	15 mg/m ³ (Total) 5 mg/m ³ (Respirable)	10 mg/m ³	Mixture

Section III Hazards Identification

Acute Exposure:

May cause irritation to the upper respiratory tract. Abrasion may cause eye and skin irritation.

Chronic Exposure:

Long term, excessive exposures with repeated or prolonged inhalation of airborne dust of this material may cause scarring of the lungs (pulmonary fibrosis), with shortness of breath, chronic cough, and respiratory assisted heart failure. Prolonged exposure can produce a mild symptomatic pneumoconiosis.

Signs and Symptoms of Exposure:

Inhalation — **Sneezing, coughing, or other nuisance symptoms.**
 Eyes — **Irritation.**
 Skin — **Mild irritation.**
 Ingestion — **May cause mild discomfort.**

Medical Conditions Generally Aggravated by Exposure: **Dermatitis, pulmonary conditions and diseases.**

Section IV First Aid Measures

Emergency and First Aid Procedures:

Inhalation — **Move to fresh air.**
 Skin — **Wash thoroughly with soap and water. Remove soiled clothing and wash before reuse.**
 Ingestion — **Get medical attention.**

L. M. SCOFIELD COMPANY

Date: July 14, 2005

CHROMIX® Admixtures for Color-Conditioned® Concrete

Section IV First Aid Measures (continued)

Emergency and First Aid Procedures (continued):

Eyes — **DO NOT RUB EYES. Immediately flush thoroughly with large amounts of water.**

If symptoms persist or develop, get medical attention.

Section V Fire and Explosion Hazard Data

Flash Point:

Not applicable

Flammable Limits:

Unknown

Extinguishing Media:

Water spray, dry chemical, foam, and CO₂.

Special Fire Fighting Procedures:

Normal fog or nozzle jet application and/or exclusion of air.

Unusual Fire and Explosion Hazards:

Exposure to temperatures greater than 130° F may cause this product to become unstable and slowly auto-oxidize, which generates additional heat. Under certain conditions, this heat may be sufficient to cause combustible materials to ignite. It may not be obvious that the product is burning unless it is stirred and sparks are apparent. Dust explosions can occur under conditions of high dust concentration in the presence of an ignition source.

Section VI Accidental Release Measures

Steps to be Taken in Case Material is Released or Spilled: **Only qualified personnel who have read the product Tech-Data Bulletins and this MSDS should conduct these procedures. Persons not wearing protective equipment should be excluded from the area. Follow procedures in Section VIII—Exposure Controls/Personal Protection. Avoid generating dust during recovery or disposal. Collect in labeled waste container. If unable to prevent release to soil or waters of the State, immediate notice to local regulatory authorities is required.**

Section VII Precautions for Safe Handling and Use

Precautions to be Taken in Handling and Storing: **Follow personal protection procedures (Section VIII) when handling the material. Store in a cool, dry, well-ventilated area, in unopened original packaging or in tightly closed, labeled containers. Protect from physical damage. Avoid contact with acids and other oxidizers.**

Section VIII Exposure Controls/ Personal Protection

Ventilation/Engineering Controls: **Adequate ventilation and sufficient local exhaust as needed to maintain exposure below TWA and TLV limits.**

Respiratory Protection: **Wear dust (particulate) respirator (NIOSH TC-84A approved). 3M Company's Tech Line (1-800-243-4630) may be helpful for respirator advice and availability. For respiratory protection guidelines refer to OSHA 29 CFR 1910.134.**

MATERIAL SAFETY DATA SHEET and WARRANTY

CHROMIX® Admixtures for Color-Conditioned® Concrete

Section VIII Exposure Controls/ Personal Protection (continued)

Eye Protection: **Goggles recommended.**

Skin Protection: **Wear impervious gloves.**

Other Protective Clothing or Equipment: **Wear suitable protective clothing to minimize skin contact.**

Work/Hygienic Practices: **Minimize exposure in accordance with good hygienic practice.
Wash with soap and water immediately after handling.**

Section IX Physical and Chemical Characteristics

Boiling Point: **Not applicable**

Freezing Point: **Not applicable**

Vapor Pressure (mm Hg.): **Not applicable**

Vapor Density (Air = 1): **Not applicable**

Solubility in Water: **Slight**

Specific Gravity (H₂O = 1): **Approximately 2.0–2.5**

Melting Point: **Not applicable**

Evaporation Rate (Butyl Acetate = 1): **Not applicable**

Volatile Organic Compounds: **Nil**

Appearance and Odor: **Fine powder. Various colors.**

Section X Stability and Reactivity

Stability: **Stable**

Conditions to Avoid: **Excessive heat (>130° F).**

Incompatibility (Materials to Avoid): **Strong oxidizing agents.**

Hazardous Decomposition or By-products: **CO and CO₂**

Hazardous Polymerization: **Will not occur.**

Section XI Toxicological Information

Health Hazards (Acute and Chronic):
No data.

Section XII Ecological Information

Aquatic Toxicity Rating:
No data.

Section XIII Disposal Considerations

Waste Disposal Method:
**This product is not a hazardous waste and should be disposed of in accordance
with local, state, and federal regulations.**

MATERIAL SAFETY DATA SHEET and WARRANTY

CHROMIX® Admixtures for Color-Conditioned® Concrete

Section XIV Transport Information

DOT Hazard Class:
Not regulated

Section XV Regulatory Information

U. S. Federal Regulations:
OSHA Standard 29 CFR 1910.1200 requires that information be provided to employees regarding the hazards of chemicals by means of a hazard communication program including labeling, material safety data sheets, training, and access to written records. It is your legal duty to make all information in this Material Safety Data Sheet available to your employees.

State Regulations:
State of California *Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65)*; WARNING: This product contains one or more chemicals known to the State of California to cause cancer, or birth defects or other reproductive harm.

International Regulations:
Consult the regulations of the importing country.

Section XVI Other Information

Before using this product:
Completely read the Scofield Tech-Data Bulletin A-304 *CHROMIX Admixtures for Color-Conditioned Concrete* and the product label.

WARRANTY

Since no control is exercised over product use, L. M. Scofield Company (Scofield) represents and warrants only that its products are of consistent quality within manufacturing tolerances. NO OTHER ORAL OR WRITTEN REPRESENTATION OR STATEMENT OF ANY KIND, EXPRESS OR IMPLIED, NOW OR HEREAFTER MADE IS AUTHORIZED OR WARRANTED BY SCOFIELD, INCLUDING THOSE OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Liability for breach of contract, negligence, or on any other legal basis is limited to the lesser of refund or replacement of defective materials. SCOFIELD WILL NOT BE LIABLE FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES, INCLUDING FOR DELAYS OR LOST PROFITS. Communication of this warranty and its limitations to end users is not the responsibility of Scofield, but should be communicated by those in direct contract with the end user. Any claim regarding product defect must be received in writing within one year from the date of manufacture. No claim will be considered without such written notice or after the specified time interval. The end user shall determine the suitability of the products for the intended use and assumes all risks and liability in connection therewith.
