



American Export Company

INVOICE

Inv#	R101230
Date	1/18/2011

Bill To
<p>Little St. James Island 6100 Red Hook Quarters B3 St. Thomas, USVI 00802</p>

Ship To
<p>Little St. James Island 6100 Red Hook Quarters B3 St. Thomas, USVI 00802</p>

Number	Terms	Rep	Ship	Via	F.O.B.
	NET DUE	JACK	1/18/2011	TROPICAL	SOUTH FLORIDA

Quantity	UNITS	Description	Price Each	Amount
6	EA	OATEY 1-1/4" - 1-1/2" ROOF FLASHING ITEM# 11898	3.36	20.16
6	EA	OATEY 4" ROOF FLASHING ITEM# 11891	3.60	21.60
1	EA	INLAND FREIGHT	25.00	25.00
Total				\$66.76

Phone #	Fax #	E-mail	Web Site

LSJ#1011
07-412

ok
Email
1/18/11



American Export Company

QUOTE

R101216

Date 12/14/2010

Name / Address

Ship To

Little St. James Island
6100 Red Hook Quarters B3
St. Thomas, USVI 00802

Little St. James Island
6100 Red Hook Quarters B3
St. Thomas, USVI 00802

Terms	Rep	FOB	SHIP TIME
NET DUE	JACK	SOUTH FLORIDA	

Qty	Unit	Description	Price	Total
6	EA	QUALITY 1-1/4" - 1-1/2" ROOF FLASHING ITEM# 11898	3.36	20.16
6	EA	QUALITY 4" ROOF FLASHING ITEM# 11891	3.60	21.60
1	EA	INLAND FREIGHT	25.00	25.00
		BILL, PLEASE LET ME KNOW THANKS JACK <i>#1011</i> <i>07-412</i> <i>G 12/15/10</i>		
Total				56.76

Signature

Emad Hanna

12/16/10

Phone #	Fax #	E-mail	Web Site
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]

Oatey[®]



TECHNICAL SPECIFICATION

THERMOPLASTIC BASE NO-CALK[®] ROOF FLASHINGS



Engineering Specification: Oatey Thermoplastic No-Calk[™] Roof Flashings can be used in commercial and residential applications where a watertight seal for roof penetrations around the plumbing vent pipe is required.

Job Reference



(All dimensions in inches)

- ◆ Roof Flashing slides over vent pipe for pitch to 45°
- ◆ Non-fading, non-cracking rigid black thermoplastic base
- ◆ Non-fading sealing collar
- ◆ Approved for Type B installations
- ◆ Not for hot-mopped or built-up roofs
- ◆ Do not use paint or petroleum based products on plastic bases or rubber collars

✓	Product No.	Description	Length (L)	Width (W)	PACK	CARTON WEIGHT
	11898	1-1/4" x 1-1/2" Thermoplastic No-Calk Roof Flashing	13	9-1/4	6	3 lbs.
	11908	1-1/4" x 1-1/2" Thermoplastic No-Calk Roof Flashing	13	9-1/4	12	6 lbs.
	11899	2" Thermoplastic No-Calk Roof Flashing	13	9-1/4	6	3 lbs.
	11909	2" Thermoplastic No-Calk Roof Flashing	13	9-1/4	12	6 lbs.
	11890	3" Thermoplastic No-Calk Roof Flashing	15	11-1/4	6	4 lbs.
	11910	3" Thermoplastic No-Calk Roof Flashing	15	11-1/4	12	8 lbs.
	11891	4" Thermoplastic No-Calk Roof Flashing	16	12	6	5 lbs.
	11911	4" Thermoplastic No-Calk Roof Flashing	16	12	12	9 lbs.
	11917	1-1/4" x 1-1/2" Thermoplastic No-Calk Roof Flashing - SW Texas	15	11-1/4	12	9 lbs.
	11918	2" Thermoplastic No-Calk Roof Flashing - SW Texas	15	11-1/4	12	9 lbs.
	11887	1-1/4" x 1-1/2" Large Base Thermoplastic No-Calk Roof Flashing	18	18	12	9 lbs.
	11888	2" Large Base Thermoplastic No-Calk Roof Flashing	18	18	12	10 lbs.
	11889	3" Large Base Thermoplastic No-Calk Roof Flashing	18	18	12	10 lbs.



IAPMO listed



Data is subject to manufacturing tolerances.