

From: Ann Rodriquez <[REDACTED]>

To: "jeffrey E." <jeevacation@gmail.com>

Subject: Re: Septic tank

Date: Sat, 03 Oct 2015 15:13:16 +0000

Inline-Images: image1.JPG; image2.JPG; image3.JPG

 image1.JPG

 image2.JPG

 image3.JPG

Ann R.

On Oct 3, 2015, at 10:58 AM, jeffrey E. <jeevacation@gmail.com> wrote:

agreed

On Sat, Oct 3, 2015 at 10:55 AM, Ann Rodriquez <[REDACTED]> wrote:

Yes. I think it's to close to the Cabanas.

It should go across the road in the ground where the big tankers were taken out from.

 image1.JPG

 image2.JPG

Ann R.

On Oct 3, 2015, at 10:38 AM, jeffrey E. <jeevacation@gmail.com> wrote:

do we need new septic for cabn 1 and 2

--

please note

The information contained in this communication is confidential, may be attorney-client privileged, may constitute inside information, and is intended only for the use of the addressee. It is the property of JEE

Unauthorized use, disclosure or copying of this communication or any part thereof is strictly prohibited and may be unlawful. If you have received this communication in error, please notify us immediately by return e-mail or by e-mail to jeevacation@gmail.com, and destroy this communication and all copies thereof, including all attachments. copyright -all rights reserved

--

please note

The information contained in this communication is confidential, may be attorney-client privileged, may constitute inside information, and is intended only for the use of the addressee. It is the property of JEE

Unauthorized use, disclosure or copying of this communication or any part thereof is strictly prohibited and may be unlawful. If you have received this communication in error, please notify us immediately by return e-mail or by e-mail to jeevacation@gmail.com, and destroy this communication and all copies thereof, including all attachments. copyright -all rights reserved