

From: Richard Kahn <[REDACTED]>
To: Jeffrey Epstein <jeevacation@gmail.com>
Subject: Fwd: Stewart ABB screen estimate attached
Date: Fri, 01 Feb 2013 20:28:44 +0000

happy that he was apologetic
attached is email i sent him..

Richard Kahn
HBRK Associates Inc.
575 Lexington Avenue, 4th Floor,
New York, New York 10022



Begin forwarded message:

From: Richard Kahn <[REDACTED]>
Date: February 1, 2013 2:30:51 PM EST
To: Brice <[REDACTED]>
Cc: Larry Visoski <[REDACTED]>
Subject: Re: Stewart ABB screen estimate attached

Brice

Your response as i have said before is not productive to achieving our goal of pleasing Jeffrey
Based on photos that you just sent it took all of 5 minutes to do...
I find it very irresponsible that Jeffrey is now paying 2.5% more for screen when this could have been done
yesterday

Richard Kahn
HBRK Associates Inc.
575 Lexington Avenue, 4th Floor,
New York, New York 10022



On Feb 1, 2013, at 1:45 PM, Brice wrote:

I did remeasure please read email and you will get photo when I get a chance to do it

Brice M Gordon

On Feb 1, 2013, at 2:33 PM, Richard Kahn <[REDACTED]> wrote:

Brice

I did receive your email yesterday however
I thought we discussed yesterday that you were going to remeasure a 2nd time and take photos

Richard Kahn
HBRK Associates Inc.
575 Lexington Avenue, 4th Floor,
New York, New York 10022

On Feb 1, 2013, at 12:48 PM, Brice wrote:

Resend

Brice M Gordon

Begin forwarded message:

From: brice gordon <[REDACTED]>
Date: January 31, 2013, 1:00:41 PM AST
To: Larry Visoski <[REDACTED]>
Cc: Richard Kahn <[REDACTED]>
Subject: Re: Stewart ABB screen estimate attached

sorry but i need to try and finalize buck steel, they leave red hook at 2pm

answers below, hope this helps

confirming measurements

174" wide
98" high
199" diagonal

On Wed, Jan 30, 2013 at 5:43 PM, Larry Visoski <[REDACTED]> wrote:

Brice,
make sure you take into account the following design issues for screen,.I'd recommend we speak via
conference call with Elliott so he builds you the correct screen.
-location of 110vac outlet for screen Left side or Right side of screen roll. **Looking at screen, left**
-box the screen rolls into color, Black or white **Black**
-mounting points and hardware, **three large brackets hung from support beam**
-distance the screen will extend from top **2" black border around screen**
-black screen distance when screen is full extended. **As above**
-black screen boarder distance from bottom of Gray screen to bottom of roll, **As above**
-confirming it is to be a GRAY screen not White, **Gray was the sample i had**
-its a Stewart FireHAWK screen **Stewart, i'm not sure about fire hawk**

-should the screen roll over the top, or come from behind when extending, like toilet paper, roll over the top, or roll from behind?

From behind

just some questions we need to consider while placing this order,. its like building a custom car. Elliot has done these screens before and will provide all the questions when you speak to him,

thx,.
LV

Sent from my iPad

On Jan 30, 2013, at 3:22 PM, Brice <[REDACTED]> wrote:

Ok
Got it

Brice M Gordon

On Jan 30, 2013, at 3:07 PM, Richard Kahn <[REDACTED]> wrote:

update:

i got a quote out of ny 132 cheaper than original florida quote which may not make sense as shipping to tropical will eat away at those savings
i am still trying to negotiate with both dealers and will get closure on this tomorrow
brice please confirm measurements so we can be in a position to place order
ny dealer also said that Stewart will increase pricing by 2-2.5% on February 1st on all of their screens
thank you

Richard Kahn
HBRK Associates Inc.
575 Lexington Avenue, 4th Floor,
New York, New York 10022
[REDACTED]

<Visoski Screen Diagram - Florida.pdf>

<SFCEstimate-287975.pdf>

--
[REDACTED]

USVI

Phone: [REDACTED]

New Mexico

Phone: [REDACTED]