



RIMCO LLC  
 PO Box 362529  
 San Juan, PR 00936-2529  
 Tel. (787) 792-4300  
 Fax. (787) 782-1044

Quotation No. 559-18  
 August 8, 2018

Mr. Richard Kahn  
 HBRK Associates, Inc.  
 575 Lexington Avenue 4<sup>th</sup> Floor  
 New York, NY 10022  
 Ph. [REDACTED]  
 Cellular [REDACTED]

Complying with your request, we are pleased to quote the following equipments:

<b>ITEM #1</b>	<b>CATERPILLAR CERTIFIED USED 323FL HYDRAULIC EXCAVATOR, ID# REX-227, YEAR MODEL 2015</b>
----------------	---

ALARM TRAVEL  
 SUN, SHADE  
 STICK, R9'6" B1 HD CGC  
 CYLINDER, BOOM (W/O BLCV)  
 CONTROL, FINE SWING  
 CHANGER, HAND CTRL 2-WAT  
 PRODUCT LINK  
 PILOT PUMP LINES  
 GRADE CONTROL  
 AIR CLEANER  
 JOYSTICK  
 GUARD

LINKAGE, BKT-B1 W/LIFT  
 BOOM, 18'8" REACH HD CGC  
 TRACK, 31" TG (GLT)  
 CYLINDER, STICK (W/O SLCV)  
 HALOGEN LIGHT, R-BOOM  
 WIPER-RADIAL, W/O LOWER  
 CAB W/ AC INSTALLED  
 PILOT LINES  
 FRONT LINES  
 COUNTERWEIGHT  
 CYLINDER BUCKET CGC

PRICE: (Delivered to the Port of San Juan, PR)      \$188,000.00

DELIVERY: (Subject to Prior Sale)      2 to 3 Weeks Approx.

**EXTENDED COVERAGE:** SIX (6) MONTHS OR 1,500 HOURS (WHICHEVER OCCURS FIRST) POWERTRAIN + HYDRAULICS PARTS AND LABOR. It shall also be understood that on services rendered by our technicians outside our service shop during warranty period, customer will be invoiced for travel, transportation, meals and lodging expenses, if any.

**ITEM #2**  
**ONE (1)** **NEW CATERPILLAR H130ES HYDRAULIC HAMMER**, with the following specifications:

Hammer Model	Recommended Carrier Weight Lbs	*Working Weight lbs	Impact Frequency bpm	Energy Class lbs	Acceptable Oil Flow (gal / min)	Operating Pressure Psi
H130E s	19-32	1,890	320-600	4,745	120-220	15,000

- To be installed on a Caterpillar Hydraulic Excavator 323FL

**PRICE:** (Delivered to the Port of San Juan, PR) **\$92,000.00**

**DELIVERY:** **3 to 4 Weeks Approx.**

**WARRANTY:** 12 months/unlimited hours on parts and labor, from date of delivery to your premises. It shall be understood however, that this warranty will apply only and exclusively, to parts found to be defective during that period of time. Breakage due to misuse, abuse or negligence on behalf of the user, shall not be covered by this warranty. It shall also be understood that on services rendered by our technicians outside our service shop during warranty period, customer will be invoiced for travel, transportation, meals and lodging expenses, if any.

**ITEM #3**  
**ONE (1)** **NEW PEMBERTON MANUAL THUMB MODEL**

**PRICE:** (Delivered to the Port of San Juan, PR) **\$5,800.00**

**DELIVERY:** **4 Weeks Approx.**

**WARRANTY:** 12 months/unlimited hours on parts and labor, from date of delivery to your premises. It shall be understood however, that this warranty will apply only and exclusively, to parts found to be defective during that period of time. Breakage due to misuse, abuse or negligence on behalf of the user, shall not be covered by this warranty. It shall also be understood that on services rendered by our technicians outside our service shop during warranty period, customer will be invoiced for travel, transportation, meals and lodging expenses, if any.

**ITEM #4**  
**ONE (1)** **NEW CATERPILLAR 307E2 CR HYDRAULIC EXCAVATOR, YEAR MODEL 2018,**  
with the following specification:

**POWERTRAIN**

Diesel engine, C2.6 with electrical

Radial seal air filter, Double element

governor and Turbo  
One touch low idle

Straight line travel  
Two speed travel with auto shift

Quotation No. 559-18  
August 8, 2018

**UNDERCARRIAGE**

450mm triple grouser track shoes  
Towing eye on base-frame

Hydraulic track adjusters

**ELECTRICAL**

12 Volt electrical system  
Signaling/warning horn

Light, tank side mounted  
Maintenance Free Battery

**OPERATOR ENVIRONMENT**

Cab:  
-Removable lower windshield with  
-Windshield wiper & washer  
-Coat hook  
-Two stereo speakers  
-Cup holder  
-Skylight  
-12V Power outlet  
Monitor:  
-Warning information & machine condition  
Washable floor mat  
Retractable seat belt (50mm width)  
Hydraulic lock out for all controls  
Capability to install one additional  
pedal for auxiliary hydraulic control

-Openable front windshield w/assist device  
In cab storage bracket  
-Interior lighting  
-AM/FM Radio  
-Antenna  
-Air Conditioning with defroster  
-Storage pocket  
-Mounting for front & top guard (Mounting boss)  
-Instrument panel and gauge  
Hour meter  
Seat with suspension  
Hydraulic activation control lever  
Two travel control hand levers w/foot pedals

**OTHER STANDARD EQUIPMENT**

Load Sensing Hydraulics  
Caterpillar one key security system  
GPS ready  
Muffler with cover

Auxiliary hydraulic valve (one)  
Door locks and cap locks  
Accumulator  
Stacked cooling package

**ALSO EQUIPPED WITH**

Guard, Swivel  
Film, Quick Coupler, ANSI  
Light, Boom Right Side  
Light, Boom  
Seat & Mounting GP  
Installation Arrangement Blade  
Lines, Stick  
Heat jacket Water  
Radio  
Linkage Arrangement, Bucket

Track, 18" TG, W/Rubber Pad Blade  
Lights, Cab  
Drain, Ecology  
Rain Guard  
Lighting, Standard  
Control, Pattern  
Control, Quick Coupler  
Alarm, Travel  
Product Link Cellular PL 240  
24" HD Bucket

**PRICE: (Delivered to the Port of San Juan, PR)**

**\$108,000.00**

**DELIVERY: (Subject to Prior Sale)**

**Immediately**



**OPERATOR ENVIRONMENT**

100% Pilot Control Ergonomic Joysticks	Adjustable Arm Rests
Anti-theft System	COMPASS: Complete, Operation, Security System
Maintenance Performance and -Multiple Languages	Cup Holder
Digital Liquid Crystal Monitor	Hydraulic Neutral Lockout System
Literature Holder	Travel Control Pedals with Hand Levers
Washable Floor Mat	

**OTHER STANDARD EQUIPMENT**

1-way and 2-way (combined function)	Accumulator Certification
Auxiliary Hydraulic Lines	Adjustable Auxiliary Hydraulics
Auxiliary Line Quick Disconnects	Caterpillar Corporate "One Key" System
Continuous Flow	Door Locks
Dozer Blade with Float Function	Hydraulic Oil Cooler
High Definition Hydraulics	Load Sensing/Flow Sharing
Lockable Fuel Cap	Roll Over Protective Structure (ROPS)
Swing Boom Design	Swivel Guard
Tie Down Eyes on Track Frame	Tip Over Protective Structure (TOPS)
Tool Storage Area	Top Guard - ISO 10262 (Level 1)
Towing Eye on Base Frame	Work Lights

**ALSO EQUIPPED WITH**

Control Pattern Changer	Alarm, Travel
Canopy, Tops	Seat, Vinyl, w/suspension
Belt, Seat, 76mm (3") Retractable	Track, Rubber Belt
Lights, LED	Blade 70", Bolt-on
Mirror, Canopy, Left	Mirror, Canopy, Right
Camera, Rear View	Bucket-HD 24", 4.2 CFT, HD
Bucket-HD 12", 1.7 CFT, HD	Bucket-HD 18", 2.9 CFT, HD

**PRICE: (Delivered to the Port of San Juan, PR) \$62,000.00**

**DELIVERY: (Subject to Prior Sale) 3 Weeks Approx.**

**WARRANTY:** 12 months/unlimited hours on parts and labor, from date of delivery to your premises. It shall be understood however, that this warranty will apply only and exclusively, to parts found to be defective during that period of time. Breakage due to misuse, abuse or negligence on behalf of the user, shall not be covered by this warranty. It shall also be understood that on services rendered by our technicians outside our service shop during warranty period, customer will be invoiced for travel, transportation, meals and lodging expenses, if any.

**EXTENDED COVERAGE: 24 MONTHS / 3,000 HOURS ON POWERTRAIN + HYDRAULICS (WHICHEVER OCCURS FIRST),** from date of delivery to your premises, on Powertrain + Hydraulics parts and labor. It shall be understood however, that this warranty will apply only and exclusively, to parts found to be defective during that period of time. Breakage due to misuse, abuse or negligence on behalf of user, shall not be covered by this warranty. It shall also be understood that on services rendered by our technicians outside our service shop during warranty period, customer will be invoiced for travel, transportation, meals and lodging expenses, if any.

<b>ITEM#8</b> <b>ONE (1)</b>	<b>CATERPILLAR CERTIFIED USED 303.5E2 CR MINI HYDRAULIC EXCAVATOR, ID# REX-233, YEAR MODEL 2016</b>
---------------------------------	---

DRAIN, ECOLOGY  
LINES, STICK  
CONTROL, PATTERN CHG  
SEAT INYL W/SUSPENSION  
TRACK, RUBBER  
BLD 77" WELD-ON  
PINS, BUCKET  
BUCKET, 24", 4.2 CFT, HD

COOLING, HIGH AMBIENT  
LINES, BOOM  
ALAMR, TRAVEL  
BELT, SEAT 3"  
CANOPY, TOPS  
STICK PACKAGE LONG W/O 2A  
INSTRUCTIONS, ISO  
PINS, BUCKET

PRICE: (Delivered to the Port of San Juan, PR) \$46,000.00

DELIVERY: (Subject to Prior Sale) 2 to 3 Weeks Approx.

**EXTENDED COVERAGE: ONE YEAR OR 1,500 HOURS (WHICHEVER OCCURS FIRST) POWERTRAIN + HYDRAULICS PARTS AND LABOR.** It shall also be understood that on services rendered by our technicians outside our service shop during warranty period, customer will be invoiced for travel, transportation, meals and lodging expenses, if any.

<b>ITEM#9</b> <b>ONE (1)</b>	<b>NEW CATERPILLAR TL1055D TELEHANDLER, YEAR MODEL 2018, with the following specifications:</b>
---------------------------------	---

**BOOMS, STICKS, AND LINKAGES**

Four section boom with non-metallic wear pads Automatic vertical lift

**POWERTRAIN**

CAT C4.4L, 106kW (142.1 hp) Tier 3 Engine	4 Speed Powershift Transmission
Hydraulically driven fan	Radiator Cores
Side by side engine air	Engine oil
Hydraulic oil and coolant	Water separator
Dual element air filter	Spin on engine oil filter
Spin on Hydraulic oil filter	Planetary drive axles with full time 4WD
Limited slip differential	Wet disc service brakes
Spring Applied Hydraulic Release (SAHR)	Thermal starting aid
park brake w/indicator light	

**HYDRAULICS**

Variable Displacement Piston Pump	Max auxiliary flow 95 L/min (25 gpm)
Max pressure 260 bar	Load hold check valves on all load carrying cylinders
Auxiliary hydraulic service on the boom head	CAT XT3 hoses, couplings

- single function

Quotation No. 559-18  
August 8, 2018

**ELECTRICAL**

12 volt electrical socket	75 ampere alternator
1000 CCA maintenance-free battery	Horn

**OPERATOR ENVIRONMENT**

ROPS and FOPS certified operator station	Boom joystick
isolated on rubber mounts	Stabilizer levers
Frame level switch	Fully adjustable vinyl suspension seat
Seat belt & document pouch	Left & right-side rear-view mirror
Power steering with steering wheel	Load charts
Heavy duty floor mat	Fuse panel

**OTHER STANDARD EQUIPMENT**

Stabilizer legs	Integral lift and tie-down points
Stabilizers/ Outriggers	

**INSTRUCTIONS**

Operation and maintenance manual

**ALSO EQUIPPED WITH**

TL1055D Telehandler LRC	Axle, Standard
Steering, Standard	Climate Pack, Standard
Alarm, Back Up, Standard	Canopy, Open
Belt, Sat, 3" Retractable	Lever, Manual
Lights, Rooding, RH	Sun Screen, Roof
Tires, 400/75-28, FS, MT	Fender Front
Coupler, Manual, IT	Electrical Harness, Coupler
Loadchart, Metric, TL1055D	Manual, Oper. Maint. English
Worklights, No A/C	Roof CAP
USB Charging Point	Product Link Ready
Reversing, Sensor USA	Locks, Set of Four
Carriage, Standard, 72"	Fork, Pallet 2" x 2" x 48"

**PRICE: (Delivered to the Port of San Juan, PR) \$185,000.00**

**DELIVERY: (Subject to Prior Sale) Immediately**

**WARRANTY:** 12 months/unlimited hours on parts and labor, from date of delivery to your premises. It shall be understood however, that this warranty will apply only and exclusively, to parts found to be defective during that period of time. Breakage due to misuse, abuse or negligence on behalf of the user, shall not be covered by this warranty. It shall also be understood that on services rendered by our technicians outside our service shop during warranty period, customer will be invoiced for travel, transportation, meals and lodging expenses, if any.

**EXTENDED COVERAGE: 24 MONTHS / 3,000 HOURS ON POWERTRAIN + HYDRAULICS (WHICHEVER OCCURS FIRST),** from date of delivery to your premises, on Powertrain + Hydraulics parts and labor. It shall be understood however, that this warranty will apply only and exclusively, to parts found to be defective during that period of time. Breakage due to misuse, abuse or negligence on behalf of user, shall not be covered by this warranty. It shall also be understood that on services rendered by our technicians outside our service shop during warranty period, customer will be invoiced for travel, transportation, meals and lodging expenses, if any.

**ITEM #10**

**ONE (1)**

**NEW CATERPILLAR 272D2 SKID STEER LOADER, YEAR MODEL 2018,**  
equipped as follows:

**POWERTRAIN**

Cat C3.8 turbo after-cooled diesel engine  
-Gross horsepower per SAE J1349  
98 hp (73 kW) @ 2400 RPM  
-Air inlet heater starting aid  
Air cleaner, dual element, radial seal  
Filter, cartridge type, hydraulic  
Spring applied, hydraulically released,  
parking brakes  
Four wheel chain drive

-EPA Tier 4 Final and EU Stage IV  
certified with aftertreatment  
-Electric fuel priming pump  
-Liquid cooled, direct injection  
S-O-S sampling valve, hydraulic oil  
Filters, cartridge type, fuel and water separator  
radiator / hydraulic oil cooler (side-by-side)  
Hydrostatic transmission

**HYDRAULICS**

Standard flow auxiliary hydraulics with continuous flow

**CONTROLS**

Electro/hydraulic implement control

Electro/hydraulic hydrostatic transmission control

**ELECTRICAL**

12 volt electrical system  
Ignition key start / stop / aux switch  
-Two rear tail lights  
Backup alarm

100 ampere alternator  
Lights: -Gauge backlighting  
-Dome light  
Electrical outlet, beacon

**OPERATOR ENVIRONMENT**

Operator warning system indicators:  
-Alternator output  
-Engine coolant temperature  
-Air inlet heater activation  
-Hydraulic oil temperature  
-Engine emission system  
Storage compartment with netting  
Adjustable vinyl seat  
Adjustable joystick controls  
-Hydraulic system disables  
-Hydrostatic transmission disables  
ROPS Cab, open, tilt up  
FOPS, Level I  
Floormat  
12V electric socket  
Hand (dial) throttle electronic

-Air filter restriction  
-Armrest raised / operator out of seat  
-Engine oil pressure  
-Hydraulic filter restriction  
-Park brake engages  
Gauges: DEF level, fuel level, hour meter and  
tachometer  
Ergonomic contoured armrest  
Control interlock system, when operator  
leaves seat or armrest raised :  
-Parking brake engages  
Anti-theft security system w/50 user code capability  
Top and rear windows  
Interior rear view mirror  
Horn

**FRAMES**

Lift linkage, vertical path  
Machine tie down points (4)  
Support, lift arm  
Ventilated rear door with integrated sealing

Chassis, one piece welded  
Belly pan cleanout  
Cast rear bumper

**OTHER STANDARD EQUIPMENT**

Engine enclosure – lockable	Extended life antifreeze (-37C, -34F)
Coupler, mechanical	Hydraulic oil level sight gauge
Radiator coolant level sight gauge	Radiator expansion bottle
Cat tough guard hose	Heavy duty flat faced quick disconnects with integrated pressure release
Split d-Ring to route work tool hoses along side of left lift arm	Variable speed hydraulic cooling fan
Per SAE J818-2007 and EN 474-3:2006 and ISO 14397-1:2007	Rated operating capacity At 50% Tipping Load
- 3400 lb (1542 kg)	

**ALSO EQUIPPED WITH**

Two Speed	ROPS, Open (C1)
Seat, Suspension, Vinyl	Display, Advanced, LCD
Battery, Heavy Duty	Lights, Halogen
Seat, Belt, 2"	Tires, 12/16.5 CAT 10PR
Quick Coupler, Hydraulic	

**PRICE: (Delivered to the Port of San Juan, PR) \$78,000.00**

**DELIVERY: To be Discussed**

**WARRANTY:** 12 months/unlimited hours on parts and labor, from date of delivery to your premises. It shall be understood however, that this warranty will apply only and exclusively, to parts found to be defective during that period of time. Breakage due to misuse, abuse or negligence on behalf of the user, shall not be covered by this warranty. It shall also be understood that on services rendered by our technicians outside our service shop during warranty period, customer will be invoiced for travel, transportation, meals and lodging expenses, if any.

**EXTENDED COVERAGE: 24 MONTHS / 3,000 HOURS ON POWERTRAIN + HYDRAULICS (WHICHEVER OCCURS FIRST),** from date of delivery to your premises, on Powertrain + Hydraulics parts and labor. It shall be understood however, that this warranty will apply only and exclusively, to parts found to be defective during that period of time. Breakage due to misuse, abuse or negligence on behalf of user, shall not be covered by this warranty. It shall also be understood that on services rendered by our technicians outside our service shop during warranty period, customer will be invoiced for travel, transportation, meals and lodging expenses, if any.

<b>ITEM #11</b>	<b>NEW JLG ARTICULATING BOOM LIFT 450AJ 4WD, YEAR MODEL 2018,</b>
<b>ONE (1)</b>	<b>equipped as follows:</b>


- 4 ft. Articulating Jib
- Platform 30 x 72 in side entry
- 180° Hydraulic Platform Rotation
- Platform Console Machine Status Light Panel
- 110V-AC Receptacle in Platform
- Tilt Light and Alarm
- Super Wide Tires
- Swing-Out Engine Tray
- Gull-Wing Turntable Hoods
- 12V-DC Auxiliary Power
- Hydrostatic Drive



- **QUOTE VALID FOR 30 DAYS**

Thank you for the opportunity to quote and trust this proposal meets your requirements.

Sincerely,



Héctor M. Rodríguez Vázquez  
Equipment Sales Manager

/gmpl

/c: Luis Marzán, Sales Representative

