

# Lake Havasu Gunitite and Concrete/Virgin Island Gunitite Pools

Lake Havasu Gunitite and Concrete  
 2201 Donner Dr.  
 Lake Havasu City, AZ 86406

## Invoice

| DATE       | INVOICE #  |
|------------|------------|
| 09/06/2011 | 1013       |
| TERMS      | DUE DATE   |
| Net 30     | 10/06/2011 |

### BILL TO

LSJ, LLC  
 6100 Red Hook Quarter, Ste. B3  
 St. Thomas, USVI 00802

| AMOUNT DUE  | ENCLOSED |
|-------------|----------|
| \$60,206.19 |          |

✂ Please detach top portion and return with your payment. ✂

| Activity  | Amount             |
|---|--------------------|
| • Final balance due upon start-up and use   | 40,000.00          |
| • Change order #3 - Upgrade to 14 ft. diving board  | 9,017.75           |
| • Change order #8 - 6-12V lights  | 3,460.44           |
| • Addition - 6 LED pool lights, controllers, and transformers   | 5,464.00           |
| • Addition - 16 new cartridges for clean and clear 520 sq. ft. filters  | 2,264.00           |
| • Manifold bottom/pipe assembly - bulk head unions, O rings and labor to repair pool equipment caused by dead heading equipment | 0.00               |
| <b>TOTAL</b>  | <b>\$60,206.19</b> |

Project: Flagpole Pool #1013

# Duraflex & Maxiflex Diving Boards

[Online Store](#) > [All Products](#)



- Duraflex Diving Board - 14'  
 \$4,199.95  
*DUR-66231324*

---

- Duraflex Diving Board - 16'  
 \$4,399.95  
*DUR-66231326*

---


- Maxiflex Model B Diving Board - 16'  
 \$5,099.95  
*DUR-66231330*

Quantity:

1

ADD TO CART

Duraflex diving boards are a one piece ribbed extrusion of aluminum alloy and acknowledged as one of the finest aluminum boards and found in leading competitive pools. It is tapered from the fulcrum area to the diving tip. The board is coated in aqua-colored thermal-curing epoxy resin. The top surface is finished with a laminate of flint silica and alumina, between coats of epoxy to affect a slip-resistant surface. The Maxiflex board is perforated to reduce aerodynamic drag



#### 14' Duraflex Diving Board

Used for recreational diving in pools that have diving well dimensions conforming to ANSI/NSPI.

#### 16' Duraflex Diving Board

Used for recreational diving in commercial pools that conform to U.S.A. Diving/FINA minimums or better.

#### 16' Maxiflex Model B

The Maxi-B is the diving board that is used in all major diving competitive events in the world.

#### Short Stands

Durafirm short stands have fulcrum units identical to the 1M and 3M stands. They are designed for use on concrete pedestals and or platforms.

#### One Meter Stands

One meter structures are manufactured in five different heights to accommodate from 1" to 13".

#### Three Meter Stand

The ladder is thicker and 50% heavier providing a more stable base for the diving board.

CES is proud to a distributor of Duraflex diving board equipment.

Duraflex International is the maker of the finest springboard diving equipment in the world. Duraflex is the stanard in the diving industry. Professionals and amateurs appreciate the high quality of Duraflex products.

The boards are a one piece ribbed extrusion of aluminum alloy 6070-T6, heat treated for a yield strength of 50,000 psi.

The boards are coated in aqua-colored thermal-curing epoxy resin. The top surface is finished with a laminate of flint silica and alumina, between coats of epoxy to effect a slip-resistant surface.

Please contact your CES representative for more information on Duraflex products.

## Purchase Items

### 14' Duraflex Aluminum Spring Board

<https://ceswaterquality.com/product-page.php?id=Duraflex%20Boards>

|   | Quantity                       | Part Name   | Part #        | Price      |                             |
|---|--------------------------------|---|---------------|------------|-----------------------------|
|  | <input type="text" value="1"/> | 14' Duraflex Aluminum Spring Board<br><a href="#">More Info</a> | ME 66-231-324 | \$4,262.83 | <a href="#">Add to Cart</a> |
| <b>14' Olympian Aluminum Diving Board</b>   |                                |   |               |            |                             |
| <b>16' Duraflex Aluminum Spring Board</b>   |                                |   |               |            |                             |
| <b>16' Duraflex Spring Board (Maxi Model B)</b>                                   |                                |   |               |            |                             |

### CONTACT US

952 Jupiter Park Lane Suite 1  
Jupiter, FL 33458



### GO SOCIAL

Stay in touch with us:



© 2018 Commercial Energy Specialists (CES). All Rights Reserved. | [Terms and Conditions](#) | [Sitemap](#) | [Contact Us \(forms.php\)](#)

ABOUT

CONTACT

PRODUCTS

TESTIMONIALS

**PRODUCTS : DECK EQUIPMENT : DIVING BOARDS**


- Duraflex
- Paragon
- S.R. Smith
- MORE...

**Duraflex Diving Boards****14' Duraflex**

The 14' Duraflex diving board is used for recreational diving in pools that have diving-well dimensions conforming to FINA dimensional requirements.

This diving board model is the same as the 16' Duraflex in every way except length. It is basically a one piece ribbed extrusion of aluminum alloy 6070-T6, heat treated for a yield strength of 50,000 psi. It has a torsion-box extrusion, an anchor angle, and tip end cap riveted to the basic section. It is tapered from the fulcrum area to the diving tip.

The board is coated in aqua-colored thermal-cured epoxy resin. The top surface is finished with a laminate of flint silica and alumina, between coats of epoxy, to effect a slip-resistant surface. The diving board is bolted to the diving board stand by 2 carriage bolts, part # SF122 5/8" x 3 1/2". The underside ribs of the board are protected from direct contact with our metal fulcrum by rubber channels (8) attached to the board with epoxy adhesive.

**16' Duraflex**

The 16' Duraflex is used for recreational diving in commercial pools such as City pools, YMCA pools and other pools that conform to FINA dimensional requirements. Find the latest FINA dimensions on the FINA website at [fina.org](http://fina.org).

The 16' Duraflex is basically a one piece ribbed extrusion of aluminum alloy 6070-T6, heat treated for a yield strength of 50,000 psi. It has a torsion-box extrusion, an anchor angle, and tip end cap riveted to the basic section. It is tapered from the fulcrum area to the diving tip.

The board is coated in aqua-colored thermal-cured epoxy resin. The top surface is finished with a laminate of flint silica and alumina, between coats of epoxy, to effect a slip-resistant surface. The diving board is bolted to the diving board stand by 2 carriage bolts, part # SF122 5/8" x 3 1/2". The underside ribs of the board are protected from direct contact with our metal fulcrum by rubber channels (8) attached to the board with epoxy adhesive.

**Maxiflex Model B**



## 14' DURAFLEX

Part # 66-231-324

---

The 14' Duraflex diving board is used for recreational diving in pools that have diving-well dimensions conforming to FINA, USA Diving, and/or NCAA dimensional requirements. Read more...

(<https://duraflexinternational.com/14-duraflex/#more-856>)

This diving board model is the same as the 16' Duraflex in every way except length. It is basically a one-piece ribbed extrusion of aluminum alloy 6070-T6, heat treated for a yield strength of 50,000 psi. It has a torsion-box extrusion, an anchor angle, and tip end cap riveted to the basic section. It is tapered from the fulcrum area to the diving tip.

The board is coated in aqua-colored thermal-cured epoxy resin. The top surface is finished with a laminate of flint silica and alumina, between coats of epoxy, to effect a slip-resistant surface. The diving board is bolted to the diving

board stand by 2 carriage bolts, part # SF122 5/8" x 3 1/2". The underside ribs of the board are protected from direct contact with our metal fulcrum by rubber channels (8) attached to the board with epoxy adhesive.

**Important: Read our cautionary advice regarding freight damage here. (<https://duraflexinternational.com/wp-content/uploads/2018/12/Packing-Slip-Notice-Revised-2017.pdf>)**

*Photo does not necessarily indicate quantity included. Please read the description above to see exactly what is included.*



Making boards that make champions

CONTACT (<https://duraflexinternational.com/contact>)


Sea Search ...



The 16' Maxiflex model B (also called the Maxi-B) is the diving board that is used in all major competition diving events in the world. Universities that have a diving program have the Maxi-B diving boards, as do many high schools. The Maxi-B is lighter in weight, and is said to give a slightly quicker action in the hurdle-step. Divers who practice on the Maxi-B are accustomed to this action, and do not want to adjust to a different timing when they compete away from their practice facility.

The 16' Maxi-B is basically a one piece ribbed extrusion of aluminum alloy 6070-T6, heat treated for a yield strength of 50,000 psi. It has a torsion-box extrusion, a two piece anchor angle, and tip end cap riveted to the basic section. It is tapered from the fulcrum area to the diving tip, and it is tapered from the fulcrum area to the anchor end. The double-taper allows the whole board to arc while flexing, giving it more lift and much higher performance than the 16' Duraflex. What distinguishes the Maxi-B from the other models is that the diving tip has 189 slots in the metal of the top "skin" which reduces the weight of the tip-end, and has the taper at the rear of the board, which the other models do not.

The board is coated in aqua-colored thermal-cured epoxy resin. The top surface is finished with a laminate of flint silica and alumina, between coats of epoxy, to effect a slip-resistant surface. The diving board is to be bolted to the diving board stand by 2 carriage bolts, part # SF122 5/8" x 3 1/2". The underside ribs of the board are protected from direct contact with our metal fulcrum by rubber channels (8) attached to the board with epoxy adhesive.



### Paragon Diving Boards

**Paraflyte** stands are designed to receive either 16' or 14' diving boards. A 16' diving board by 20" wide, with a 24" fulcrum range, is the only board acceptable for official, competitive diving. A 14' board may be used on a recreational diving stand when less spring is desired. All diving boards have an integral non-skid surface.

**Duraflex:** Acknowledged as one of the finest aluminum boards, the Duraflex can be found at leading competitive pools. It tapers from tip to fulcrum while maintaining the thicker section from fulcrum to butt end.

**Maxiflex B:** A double tapered version of the Duraflex. This board tapers from tip to fulcrum maintaining a constant thickness through the fulcrum range, then thinning out toward the butt end. The double tapering offers livelier action. The top surface is perforated to reduce aerodynamic drag during flexing and rebound. Available in 16' length only.

**Paraflex:** A high-quality aluminum board for general commercial and institutional use. Uniform thickness throughout entire length.

**Century (Eureka):** The very best of the wood-fiberglass boards. The core has 26 laminations with complete fiber-glass wrap on all sides and edges, with extra layers of fiberglass over the fulcrum area.




### S.R. Smith Diving Boards

#### Eureka Diving Board



The Eureka is the ultimate board for heavy-duty use on commercial pools. It is available in both 14' and 16' lengths. The Eureka Boards feature a durable acrylic outer body (skin) and a non-slip tread. The entire core is reinforced with fiberglass.


*Weight capacity is 250 lbs*



#### **Frontier III Commercial Board**

The Frontier III Commercial Board has a durable acrylic outer body and a non-slip tread. It is available in 10', 12', 14' and 16' lengths.

*Weight capacity is 250 lbs*



#### **Olympian Aluminum Diving Board**

The Olympian Aluminum Board is intended for heavy duty use on commercial and residential pools. It is available in 8', 10', 12', 14' and 16' lengths. The Olympian Aluminum Diving Board features an epoxy and welded beam extrusion construction with welded ends, providing exceptional durability, and a non-slip tread for maximum safety.


*Weight capacity is 250 lbs*



#### **Swim Club Diving Board**

The Swim Club Board is the ideal mid-range board for commercial pools. It is available in 10', 12', 14' and 16' lengths. It has a durable acrylic outer body and a non-slip.


*Weight capacity is 250 lbs*



#### **Frontier IV Diving Board**

The Frontier IV Diving Board is intended for moderate to heavy use and comes in commercial and residential versions. It is made with a sanded tread for maximum slip resistance and comes in an 8' length only.

*Weight capacity is 400 lbs. Note that the Frontier IV diving board must be used with special U-Frames and Steel Meter Stands designed specifically for use with Frontier IV diving boards - See more at: <http://www.srsmith.com/en/products/diving-boards/frontier-iv-diving-board/#sthash.1cLxZL55.dpuf>*



#### **Fibre-Dive Diving Board**

The Fibre-Dive Board is perfect for light to moderate use on residential pools. This board comes in 6', 8' and 10' lengths and features a sanded tread for maximum slip resistance.

*Weight capacity is 250 lbs*

#### **FreeStyle Diving Board**

The FreeStyle Diving Board is made of a composite material that strengthens and lengthens the product life. The FreeStyle features an anti-slip tread for maximum safety.


*Weight capacity is 250 lbs*



### Frontier II Diving Board

The Frontier II Board is intended for light to moderate duty use on residential pools. Available in 6' and 8' lengths and features an anti-slip tread for maximum safety.


*Weight capacity is 250 lbs*



### Frontier III Residential Board

The Frontier III Residential Board is intended for moderate to heavy duty use on residential pools. It features an anti-slip tread for maximum safety and comes in 6', 8' and 10' lengths.

*Weight capacity is 250 lbs*



### Glas-Hide Diving Board

The Glas-Hide Diving Board is intended for heavy duty use on residential pools. It features a non-slip tread for maximum safety, and comes in 6', 8', and 10' lengths.


*Weight capacity is 250 lbs*



### HipHop Diving Board

The HipHop Diving Board is made of a composite material that strengthens and lengthens the product life. The HipHop Diving Board also features an anti-slip tread for maximum safety.


*Weight capacity is 250 lbs*



info@acepools.net

**AQUATIC CONSULTING & EQUIPMENT**  
905 Nightingale Walk Suite B, Alpharetta, GA 30022

(404) 915-9387



Press and move to zoom.

# OLYMPIAN COMMERCIAL ALUMINUM DIVING BOARD 14 FT.

Product Code:HH0931412

Features exceptional durability and outstanding action. Proven "I" Beam extrusions epoxy glued with welded end construction. Available in beautiful tile blue or white long lasting finishes. Safe, wear-resistant nonslip surface. Boards are complete with mounting kit.

**Edge Colors:**



Radiant White




Marine Blue

You will be able to choose the color when you add the item to your cart.

**Fulcrum Settings for Diving Boards**

| A | Board     | 6 ft | 8 ft | 10 ft | 12 ft | 14 ft | 16 ft |
|---|-----------|------|------|-------|-------|-------|-------|
| B | Fulcrum   | 30"  | 40"  | 52"   | 62"   | 74"   | 86"   |
| C | Tolerance | ±3"  | ±4"  | ±5"   | ±6"   | ±6"   | ±6"   |



Diving boards must be installed with rubber fulcrum pads. Fulcrum settings beyond the stated tolerance void the warranty. Diving boards must be installed level across fulcrum and heel supports. Rubber mounting pads (washers) must be installed between. Tightning Schedule found in the product's instruction booklet.

Weight capacity is 250 lbs.



This item ships by Truck. Additional charges will apply if the following services are required:

- Shipment to a residential or military base address (charge varies, approximately \$40 to \$75)
- Shipment requiring inside delivery or a lift gate (charge varies, approximately \$75 to \$125)
- Expedited Service

Please specify during the checkout process in the Comment/Note section if you will need any additional services (such as those listed above) upon delivery. You will be contacted for approval prior to processing your order if any additional charges apply.

**\$3,798.55** /EA



Qty EA

Add to My Shopping Cart

Product Resources

Videos



S.R. Smith Diving Boards and Stands Brochure



S.R. Smith Diving Boards Data Sheet



Commercial Diving Standard



S.R. Smith Commercial Diving Board Installation

Divingboardsafety.net

## Recently Viewed



[Frontier III Commercial Fiberglass Diving Board 14 ft.](#)

**\$2,314.58 /EA**



Search

(0 items) \$0.00

- Home
- Shop
- Energy Efficiency
- Training
- Events
- Library
- About Us

Shop by  Category  Brand # • A • B • C • D • E • F • G • H • I • J • K • L • M • **N** • P • Q • R • S • T • U • V • W • X • Y • Z

Path: Shop > Deck and Competitive Equipment > Deck Equipment > Diving Boards and Accessories > Aluminum diving board, 14', Olympian

### Aluminum diving board, 14', Olympian


Item #: 35-045 Price: **\$4,130.25**

Ship Qty: 1 EACH Catalog Page: [105](#)

Ship Weight: 160 lbs.

Options:  ▾

Qty:



view larger image

**ALUMINUM DIVING BOARD** — Proven "I beam" extrusions with welded end construction. Safe, nonslip surface that resists wear. 12' board is 18" wide and the 14' and 16' boards are 20" wide. Includes mounting hardware. Colors: marine blue, white or tile blue. **3-year warranty.**

#### Related Items

| Item#                  | Description  | Price      |
|------------------------|--|------------|
| <a href="#">35-050</a> | <a href="#">Aluminum diving board, 16', Olympian</a> | \$4,504.25 |
| <a href="#">35-040</a> | <a href="#">Aluminum diving board, 12', Olympian</a> | \$2,603.75 |
| <a href="#">35-039</a> | <a href="#">Aluminum diving board, 10', Olympian</a> | \$2,056.25 |

3 Records Found

Page: << < 1 > >> of 1 20 Per Page

#### Your Recent History (last 30 days)

##### Recently Viewed Products

- [Aluminum diving board, 14', Olympian](#)

[show more...](#)

##### Recently Viewed Categories

- [Diving Boards and Accessories](#)
- [Diving Boards and Accessories](#)

#### Shop

- Fall Sale
- Energy Efficiency: Products & Services
- Aquatic Accessibility and Equipment
- Chemical Systems and Equipment
- Chemicals
- Cleaning and Maintenance
- Deck and Competitive Equipment
- Competitive Equipment and Swim Training
- Deck Equipment
  - Deck Anchors and Steps
  - Diving Aeration System
  - Diving Boards and Accessories**
  - Diving Stands and Accessories
  - Exercise Railings
  - Guard Chairs and Accessories
  - Handrail Covers
  - Ladders and Handrails
  - Safety Padding Systems
  - Underwater Windows
- Lifeguarding, Rescue and Safety
- Mechanical Equipment
- Outdoor Furniture and Facility Furnishings
- Pool Covers and Storage Reels
- Revised ADA Regulations
- Swim Training, Exercise, Games and Sports
- Virginia Graeme Baker Pool and Spa Safety Act
- Water Test Kits and Reagents
- Terms and Conditions
- Credit Application

#### How To

- Find Products
- Place an Order
- Request a Quote
- Search the Site

#### Quick Order

| Qty.                 | Item #               |
|----------------------|----------------------|
| <input type="text"/> | <input type="text"/> |



Lincoln Aquatics  
 2051 Commerce Ave. • Concord, CA 94520 USA  
 Ph. (800) 223-5450 / Fax (888) 680-2825 • Int'l. (925) 687-9500 / Fax (925) 680-2825

[Home](#) | [Shop](#) | [Energy Efficiency](#)  
[Training](#) | [Events](#) | [Library](#) | [About Us](#) | [Your Account](#) | [Your Favorites](#)  
[Questions or Comments](#) | [Contact Us](#) | [Terms and Conditions](#) | [Credit Application](#)  
[Privacy Policy](#)

Copyright © 2018 Lincoln Aquatics. All rights reserved.



(0 Items)  
**\$0.00**

[Home](#)
[Shop](#)
[Energy Efficiency](#)
[Training](#)
[Events](#)
[Library](#)
[About Us](#)

Shop by  Category  Brand # • A • B • C • D • E • F • G • H • I • J • K • L • M • N • O • P • Q • R • S • T • U • V • W • X • Y • Z

Path: Shop > Deck and Competitive Equipment > Deck Equipment > **Diving Boards and Accessories**

## Diving Boards and Accessories

| Item#                  | Description   | Price          |
|------------------------|---|----------------|
| <a href="#">35-300</a> | <a href="#">Divetex matting, 3', sq ft</a>              | <b>Inquire</b> |
| <a href="#">35-310</a> | <a href="#">Divetex matting, 5', sq ft</a>              | <b>Inquire</b> |
| <a href="#">35-020</a> | <a href="#">Maxiflex Model B diving board, 16'</a>      | \$5,237.75     |
| <a href="#">35-191</a> | <a href="#">Paragon 30" Adjustable Fulcrum</a>          | \$4,731.25     |
| <a href="#">35-190</a> | <a href="#">Paragon 26" Adjustable Fulcrum</a>          | \$4,592.25     |
| <a href="#">35-010</a> | <a href="#">Duraflex diving board, 16'</a>              | \$4,541.25     |
| <a href="#">35-050</a> | <a href="#">Aluminum diving board, 16', Olympian</a>    | \$4,504.25     |
| <a href="#">35-005</a> | <a href="#">Duraflex diving board, 14'</a>              | \$4,296.75     |
| <a href="#">35-045</a> | <a href="#">Aluminum diving board, 14', Olympian</a>    | \$4,130.25     |
| <a href="#">35-035</a> | <a href="#">Fiberglass diving board, 16', Eureka</a>    | \$3,983.75     |
| <a href="#">35-030</a> | <a href="#">Fiberglass diving board, 14', Eureka</a>    | \$3,451.50     |
| <a href="#">35-034</a> | <a href="#">Fiberglass diving board, 16', Swim Club</a> | \$3,009.75     |

### Shop

- Fall Sale
- Energy Efficiency: Products & Services
- Aquatic Accessibility and Equipment
- Chemical Systems and Equipment
- Chemicals
- Cleaning and Maintenance
- Deck and Competitive Equipment
- Competitive Equipment and Swim Training
- Deck Equipment
  - Deck Anchors and Steps
  - Diving Aeration System
  - Diving Boards and Accessories**
  - Diving Stands and Accessories
  - Exercise Railings
  - Guard Chairs and Accessories
  - Handrail Covers
  - Ladders and Handrails
  - Safety Padding Systems
  - Underwater Windows
- Lifeguarding, Rescue and Safety
- Mechanical Equipment
- Outdoor Furniture and Facility Furnishings
- Pool Covers and Storage Reels
- Revised ADA Regulations
- Swim Training, Exercise, Games and Sports
- Virginia Graeme Baker Pool and Spa Safety Act
- Water Test Kits and Reagents
- Terms and Conditions
- Credit Application

### How To

- Find Products
- Place an Order
- Request a Quote
- Search the Site

### Quick Order

| Qty.                 | Item #               |
|----------------------|----------------------|
| <input type="text"/> | <input type="text"/> |



Qty:  [Add to Cart](#)

[Add to Cart](#)

[35-029](#)



[Fiberglass diving board, 14', Swim Club](#)

Qty:  [Add to Cart](#)

\$2,811.75



[35-040](#)



[Aluminum diving board, 12', Olympian](#)

Qty:  [Add to Cart](#)

\$2,603.75

[35-039](#)



[Aluminum diving board, 10', Olympian](#)

Qty:  [Add to Cart](#)

\$2,056.25

[35-025](#)



[Fiberglass diving board, 12', Swim Club](#)

Qty:  [Add to Cart](#)

\$1,602.25

[35-201](#)



NO IMAGE AVAILABLE

[Paragon 30\"/>](#)

Qty:  [Add to Cart](#)

\$1,491.75

[35-200](#)



NO IMAGE AVAILABLE

[Paragon 26\"/>](#)

Qty:  [Add to Cart](#)

\$1,425.25

[35-024](#)



[Fiberglass diving board, 10', Swim Club](#)

Qty:  [Add to Cart](#)

\$1,168.25

[34-065](#)



NO IMAGE AVAILABLE

[Concrete insert kit with dispenser, set of 8](#)

Qty:  [Add to Cart](#)

\$765.25

[34-070](#)



NO IMAGE AVAILABLE

[Concrete insert kit without dispenser, set of 8](#)

Qty:  [Add to Cart](#)

\$596.25

[35-195](#)



NO IMAGE AVAILABLE

[Paragon foot wheel only](#)

Qty:  [Add to Cart](#)

\$514.25

[35-205](#)



[Paragon Rear Swivel, Duraflex, pair](#)

Qty:  [Add to Cart](#)

\$470.25

[35-215](#)



[Paragon Rear Swivel, all other boards, pair](#)

Qty:  [Add to Cart](#)

\$412.75

[35-210](#)



[Paragon Rear Swivel, Maxiflex, pair](#)

Qty:  [Add to Cart](#)

\$374.50

[35-316](#)

[Divetex adhesive, 1.9 gallon](#)

Qty:  [Add to Cart](#)

\$279.75