



Quote 200132-01

August 7, 2018

HBRK Associates

Attention:Richard

Dear Richard, Thank you for this opportunity to quote Caterpillar products for your business needs. We are pleased to quote the following for your purchase consideration.

One (1) New CATERPILLAR Model: TL1255D Telehandlers with all standard equipment in addition to the additional specifications listed below:

**STOCK NUMBER:C88256**

We wish to thank you for the opportunity of quoting on your equipment needs. This quotation is valid for 30 days, after which time we reserve the right to re-quote. If there are any questions, please do not hesitate to contact me.

Sincerely,

Jay West  
Machine Sales Representative

**One (1) New CATERPILLAR Model: TL1255D Telehandlers with all standard equipment in addition to the additional specifications listed below:**

**STANDARD EQUIPMENT**

**CONSIST NOTE**-The Standard Equipment listing is a

**POWERTRAIN**-Limited slip differential-Hydraulic oil and coolant-Wet disc service brakes-Engine oil-Spring Applied Hydraulic Release (SAHR)-Side by side engine air-park brake w/indicator light-Radiator Cores-Thermal starting aid-Hydraulically driven fan-four wheel drive-4 Speed Powershift Transmission-Planetary drive axles with full time-ALL MACHINES INCLUDE-Spin on Hydraulic oil filter-CAT C4.4L,106kW (142.1 hp) Tier 3 Engine-Spin on engine oil filter-SOUTH AMERICA, EXCEPT PUERTO RICO-Dual element air filter-CAT C4.4,106kW (142.1 hp) Tier 4f Engine-Water separator-USA, CANADA and PUERTO RICO

**BOOMS, STICKS AND LINKAGES**-Automatic vertical lift-Four section boom-with non-metallic wear pads

**CONSIST NOTE**-equipped with all lowest charged items.-description of a TL1255D TELEHANDLER

**HYDRAULICS**-Variable Displacement Piston Pump

**OTHER STANDARD EQUIPMENT**-Integral lift and tie-down points-Stabilizers/ Outriggers

**INSTRUCTIONS**-Operation and maintenance manual

**HYDRAULICS**-Max auxiliary flow 95 L/min (25 gpm)-Auxiliary hydraulic service on the-Max pressure 260 bar-boom head - single function-Load hold check valves on all load-CAT XT3 hoses, couplings-carrying cylinders

**ELECTRICAL**-12 volt electrical socket-1000 CCA maintenance-free battery-75 ampere alternator-Horn + Back up alarm

**OPERATOR ENVIRONMENT**-Operator station isolated on rubber-Seat belt and document pouch-mounts-Left and right-side rear-view mirror-Boom joystick-Power steering with steering wheel-Stabilizer levers-Load charts-Frame level switch-Heavy duty floor mat-Fully adjustable vinyl suspension seat-Fuse panel

**OTHER STANDARD EQUIPMENT**-Stabilizer legs

**MACHINE SPECIFICATIONS**

<b>Description</b>	<b>Reference No</b>
TL1255D TELEHANDLER HRC	488-1400
AXLE, STANDARD	474-7325
STEERING, STANDARD	487-9822
RIDE CONTROL, NONE	474-6085
CLIMATE PACK, STANDARD	474-9111
HEATER, ENGINE BLOCK, 110V	472-2400
ALARM, BACK UP, STANDARD	485-3311
CAB, ENCLOSED	477-0002
WINDOW, REAR, STANDARD	473-8558
ENVIRONMENTAL CONTROL,AIR CON	474-7332
BELT, SEAT, 3" RETRACTABLE	229-0583
MONITOR, ADVANCED DISPLAY	479-4531
LIGHTS, ROADING, RH	474-9146
LEVER, MANUAL, FNR/WIPERS/IND	472-7832
SUN SCREEN, ROOF	477-1403
TIRES, 400/75-28, FS, MT	464-7016
FENDER, FRONT	474-6064
COUPLER, HYDRAULIC, IT	474-7327
ELECTRICAL HARNESS, COUPLER	474-4122
TL1255D NORTH AMERICAN ORDER	0G-0510
INSTRUCTIONS, ANSI	472-7789
MANUAL, OPER. MAINT. ENGLISH	478-8639
WORKLIGHTS, A/C COMPATIBLE	479-2700
PRODUCT LINK READY, A/C	501-3004
REVERSING, CAMERA	474-9845
CARRIAGE, STANDARD 72"	474-2532
FORK, DUAL TAPER 2" X 6" X 72"	311-2854
PACK, ROLL ON/ROLL OFF, TL	0P-3714
LANE 3 ORDER	0P-9003

---

Sell Price	\$211,117.71
<b>Net Balance Due</b>	<b>\$211,117.71</b>
Ext Warranty	Included
HET: HET POTTER/RANDL TAX (0.153%)	\$323.01
<b>After Tax Balance</b>	<b>\$211,440.72</b>

---

**WARRANTY**

Standard Warranty: Standard 12 Month Unlimited Hour Full Machine Coverage

Extended Warranty: TL1255 NONGOVERNMENT 36 / 3000 PREMIER

**F.O.B/TERMS**

Amarillo

Accepted by \_\_\_\_\_ on \_\_\_\_\_

\_\_\_\_\_  
Signature