

Richard J. Katz, M.D.
Steven A. Albert, M.D.
Stephen D. Greenberg, M.D.
Douglas R. DeCorato, M.D.
Gavin L. Duke, M.D.
Paul S. Choi, M.D.
Sean K. Herman, M.D.
Robert L. Ludwig, M.D.



Timothy W. Deyer, M.D.
James W. Brady, M.D.
Gwen N. Harris, M.D.
Adam J. Wilner, M.D.
Mark H. Pinals, M.D.
George Stassa, M.D. (ret.)
Morton Schneider, M.D. (ret.)
Alison Bender Haimes, M.D. (ret.)

519 & 523 East 72nd Street • New York, NY 10021 • 3 East 75th Street, At Fifth Avenue • New York, NY 10021
430 East 59th Street, Sutton Place • New York, NY 10022

Te [REDACTED] • www.eastriverimaging.com

BRUCE W MOSKOWITZ, M.D.
1411 NORTH FLAGLER DRIVE
SUITE 7100
WEST PALM BEACH, FL 33401

Patient: EPSTEIN, JEFFREY
Exam Date: 6/5/18

Acc No: 7156124

MRN: 0315192

Dear Dr. Moskowitz,

MRI SCAN OF THE LEFT CLAVICLE

Clinical History:

65-year-old male with left sided lipoma, increase in size.

Technique:

Magnetic resonance imaging of the left clavicle was performed using T1 and T2 weighted axial sagittal and coronal images. Fat suppression was selectively used.

Comparison:

The study is compared to an MRI of the neck dated 11/30/2016.

Findings:

A marker was placed over the region of interest prior to initiation of the study.

Evaluation of the left supraclavicular fossa once again demonstrates a lesion identified, inferior to the subclavian vein, and displacing the roots of the brachial plexus inferiorly. This lesion measures approximately 5.8 cm in transverse dimension by 2.8 cm in anterior-posterior dimension by 3.6 cm in craniocaudal dimension. This lesion is isointense to fat on all pulse sequences, consistent with a lipoma. When measured at a similar location on the prior study this it measured approximately 6.0 x 2.5 x 3.4 cm in size. Allowing for the overall difference in technique this is without significant change. No discrete soft tissue components are identified. There are small vascular structures, which permeate the lipoma.

EPSTEIN, JEFFREY ACC: 7156124 Exam Date: 6/5/18 DOB: 01/20/1953

ACCESS YOUR PATIENTS IMAGES AND REPORTS @ [REDACTED]

PET/CT • HIGH FIELD MRI • OPEN MRI • MULTIDETECTOR VOLUME CT (VCT) • BONE DENSITY • NUCLEAR MEDICINE
ULTRASOUND • DIGITAL X-RAY • CORONARY CT ANGIOGRAPHY • VIRTUAL COLONOSCOPY • CT/MR ANGIOGRAPHY

There is no evidence of adenopathy identified.

The osseous structures demonstrates some degenerative change noted at the acromioclavicular joint. No destructive lesions are seen.

IMPRESSION

Lipoma identified within the left supraclavicular fossa, allowing for the difference in technique without significant change from the prior study of 11/30/2016.

Very truly yours,

DOUGLAS DECORATO, M.D.

Electronically Signed By DOUGLAS DECORATO, M.D.
Date/Time Transcribed: 6/5/18 10:06 am

REPORT

CC: CC PATIENT

EPSTEIN, JEFFREY ACC:7156124 Exam Date: 6/5/18 DOB: 01/20/1953



EAST RIVER MEDICAL IMAGING, PC

www.eastriverimaging.com

*PET/CT • HIGH FIELD MRI • OPEN MRI • MULTIDETECTOR VOLUME CT (VCT) • BONE DENSITY • NUCLEAR MEDICINE
ULTRASOUND • DIGITAL X-RAY • CORONARY CT ANGIOGRAPHY • VIRTUAL COLONOSCOPY • CT/MR ANGIOGRAPHY*

EFTA00811734

 **EAST RIVER**
MEDICAL IMAGING, PC
519 East 72nd Street, Suite 103
New York, NY 10021

RECEIVED
JUN 11 2018

FIRST CLASS

U.S. POSTAGE  PITNEY BOWES

ZIP 10021 \$ 000.47⁰
02 1W
0001387394 JUN 07 2018

JEFFREY EPSTEIN
6100 RED HOOK QUARTERS, APT B3
SAINT THOMAS, VI 00802
7156124

00802-134823

