

From: Richard Kahn <[REDACTED]>
To: Jeffrey Epstein <jeevacation@gmail.com>
Subject: Fwd: pool
Date: Wed, 03 Oct 2018 12:48:17 +0000

Richard Kahn
HBRK Associates Inc.
575 Lexington Avenue 4th Floor
New York, NY 10022
tel [REDACTED]
fax [REDACTED]
cell [REDACTED]

Begin forwarded message:

From: Kyle reavis <[REDACTED]>
Subject: Re: pool
Date: October 3, 2018 at 7:55:30 AM EDT
To: Rick Rossi <[REDACTED]>
Cc: Richard Kahn <[REDACTED]>, brice gordon <[REDACTED]>, [REDACTED]

Good Morning Rick,

Thank you for the update on the pool. Since the schedule and sequence of work on this pool have changed I would like you guys to come out a few times a week (or whatever is best in your professional opinion) to check on the progress and do your own PH testing. We will happily help you out but we will not be accepting your work as completed until the sealant is applied. I want to make sure you guys will own this work until completion, which I'm am sure you have no issue with. Please let me know what days and times per week work for you for the pool inspections as we wrap this project up. Thank you for all of your hard work so far and I look forward to seeing the finished product, it is looking good! Thanks!

Very Respectfully,

Kyle Reavis
Construction Manager
[REDACTED]

On Tue, Oct 2, 2018, 2:04 PM Rick Rossi <[REDACTED]> wrote:

Good day all , Just wanted to give an update on the status of the pool.
The plaster work went very well , however in the acid wash and power washing of the pool in preparation of putting the Kristacure (sealer) we felt that the pool would benefit from being filled with water first for a few weeks .(This is the normal start up procedure) During this time have Smiley brush it daily or as often as he's able , to even up the surface a little better so when it's sealed the pool looks the best it can.

The Blue and other colored plasters are very difficult to get the finish uniform and I'm confident this additional step before sealing will do the trick.

It is important that the PH stay at or close to 7.0 for 30 days .(this is done with the addition of Muratic acid) Additionally chlorine can be added on Friday . No calcium is to be used. The salt system should not be used during this time as well.

After this period the pool can then be drained and sealed as planned.

Please call me or email if you have any questions.

Thank you

Rick Rossi