

**From:** Eric Roth <[REDACTED]>

**To:** jeffrey E. <jeevacation@gmail.com>

**Subject:** Sub woofer

**Date:** Tue, 28 Aug 2018 18:24:14 +0000

**Inline-Images:** image009.png; image002.jpg; image004.jpg; image006.jpg; image015.jpg; image016.jpg

---

The aircraft was designed with four (4) sub woofers:

1. Under R/H #1 seat
2. Under L/H #3 seat
3. Under aft section of L/H divan
4. Under the L/H aft most seat (just fwd of the galley)

The Dennis Tracey subs are designed to require very little air movement (see photos below).

With regard to the curtain, we need to talk a little more, but we should make a “foldable) 3 / 4 panel ½ bulkhead that attaches to the arm rest cabinet with rare earth magnets. Use nomex composite for rigidity. We can discuss the foam, fabric, etc. over the phone. Please do not say mirror the bedroom side....

[Mounts to the floor](#)



There is a foam membrane to “seal” the sub with the only area for air movement is approx.. .50” high x 2.00” wide (either side of the one mounting bracket)



There is a foam membrane to “seal” the sub with the only area for air movement is approx.. .50” high x 2.00” wide (either side of the one mounting bracket)



Best Regards,

Eric

**ERIC H. ROTH** | PRESIDENT

 IJI Logo - Horizontal-SMALL



[www.intljet.com](http://www.intljet.com)



---

2221 Smithtown Avenue, Long Island MacArthur Airport, Ronkonkoma, New York 11779