

From: LSJ GSJ <[REDACTED]>
To: "jeffrey E." <jeevacation@gmail.com>
Subject: Re: LSJ Chillax Office
Date: Tue, 04 Apr 2017 23:54:56 +0000

Will mark out wall in the morning
Thanks for travel dates
Regards
Karen

Sent from my iPhone

On Apr 4, 2017, at 5:36 PM, jeffrey E. <jeevacation@gmail.com> wrote:

I should arrive zorro on april 21 morning. stay till 25

On Tue, Apr 4, 2017 at 10:46 PM, LSJ GSJ <[REDACTED]> wrote:

Good Evening
Bluewater Construction where on site today
Chillax window would be 12"W x 8"H with x 6 (24" x 24") Horizontal Astragals or as Bluewater call them "eyes" & x 4 (24" x 24") Vertical
They will estimate out for floor power/ethernet option, but that can be changed if another option is requested.
Will review the relocation of outside canister lights when you are on site
Expecting completed proposal early next week
Warmest regards
Karen

On Mon, Apr 3, 2017 at 7:21 PM, LSJ GSJ <[REDACTED]> wrote:

Confirming that Bluewater Construction will be on site tomorrow, their electrician will be reviewing projects
Reference Chillax Office, just need to confirm location of power/Ethernet etc which will need to be relocated. If your desk is to be in the same location, would you prefer power etc to be placed in the floor?
Or do you plan to change furniture configuration
Please advise
Thank you
Warmest regards
Karen

Sent from my iPhone

--
The St. James Group
6100 Red Hook Quarter
Suite B3
St Thomas
USVI 00802

--

please note

The information contained in this communication is confidential, may be attorney-client privileged, may constitute inside information, and is intended only for the use of the addressee. It is the property of JEE

Unauthorized use, disclosure or copying of this communication or any part thereof is strictly prohibited and may be unlawful. If you have received this communication in error, please notify us immediately by return e-mail or by e-mail to jeevacation@gmail.com, and destroy this communication and all copies thereof, including all attachments. copyright -all rights reserved