

```

<?xml version="1.0" encoding="UTF-8" ?>
<QUITEXML xmlns="http://www.quite.com/general/ns/quitexml/">
<ITEMS>
<DICTIONARY N='0'> <ITEMS>
  <A N='Category'>HistoryItem_V1</A>
  <A N='Command'>AddNumbers</A>
  <DICTIONARY N='Desc'> <ITEMS>
    <S N='0'>Range: From page 1 to page 1</S>
    <S N='1'>Font: Times-Roman 14.0 point</S>
    <S N='2'>Origin: bottom centre</S>
    <S N='3'>Offset: horizontal 0.00 points, vertical 28.80 points</S>
    <S N='4'>Prefix text: &apos;/s/ Howard Daniels&apos;</S>
    <S N='5'>Suffix text: &apos;&apos;</S>
    <S N='6'>Use registration colour: no</S>
  </ITEMS> </DICTIONARY>

  <DICTIONARY N='Params'> <ITEMS>
    <I N='AdvanceNumber'>1</I>
    <B N='AdvancedUI'>0</B>
    <S N='After'></S>
    <A N='Align'>BC</A>
    <S N='Before'>/s/ Howard Daniels</S>
    <I N='EveryNPages'>1</I>
    <S N='FirstNum'>1</S>
    <A N='Font'>TR</A>
    <B N='Interactive'>1</B>
    <B N='NoNum'>1</B>
    <I N='PosX'>197</I>
    <I N='PosY'>273</I>
    <B N='RegInk'>0</B>
    <I N='RepeatNumber'>1</I>
    <F N='Size'>14.0000</F>
    <DICTIONARY N='Source'> <ITEMS>
      <DICTIONARY N='Range'> <ITEMS>
        <A N='EvenOdd'>Both</A>
        <I N='From'>1</I>
        <A N='RangeType'>SubDoc</A>
        <I N='To'>1</I>
      </ITEMS> </DICTIONARY>

      <A N='SourceType'>CurrentAVDoc</A>
    </ITEMS> </DICTIONARY>

    <F N='XOff'>0.0000</F>
    <F N='YOff'>28.8000</F>
  </ITEMS> </DICTIONARY>

  <DICTIONARY N='Provider'> <ITEMS>
    <S N='Code'>QITE_QuiteImposingPlus3</S>
    <S N='FullName'>Quite Imposing Plus 3.0</S>
    <S N='Name'>Quite Imposing Plus 3</S>
    <I N='Version'>1</I>
  </ITEMS> </DICTIONARY>

  <DICTIONARY N='Result'> <ITEMS>
    <I N='CurrentPage'>0</I>
    <I N='DocPages'>1</I>
    <I N='FirstPage'>0</I>
    <I N='PagesProcessed'>1</I>
  </ITEMS> </DICTIONARY>

<I N='Version'>1</I>
</ITEMS></DICTIONARY>

```

```

<DICT N='1'> <ITEMS>
  <A N='Category'>HistoryItem_V1</A>
  <A N='Command'>AddNumbers</A>
  <DICT N='Desc'> <ITEMS>
    <S N='0'>Range: From page 1 to page 1</S>
    <S N='1'>Font: Times-Roman 14.0 point</S>
    <S N='2'>Origin: bottom centre</S>
    <S N='3'>Offset: horizontal 0.00 points, vertical 28.80 points</S>
    <S N='4'>Prefix text: &apos;/s/ Ramiro A. Honeywell&apos;</S>
    <S N='5'>Suffix text: &apos;&apos;</S>
    <S N='6'>Use registration colour: no</S>
  </ITEMS> </DICT>

  <DICT N='Params'> <ITEMS>
    <I N='AdvanceNumber'>1</I>
    <B N='AdvancedUI'>0</B>
    <S N='After'></S>
    <A N='Align'>BC</A>
    <S N='Before'>/s/ Ramiro A. Honeywell</S>
    <I N='EveryNPages'>1</I>
    <S N='FirstNum'>1</S>
    <A N='Font'>TR</A>
    <B N='Interactive'>1</B>
    <B N='NoNum'>1</B>
    <I N='PosX'>197</I>
    <I N='PosY'>273</I>

    <B N='RegInk'>0</B>
    <I N='RepeatNumber'>1</I>
    <F N='Size'>14.0000</F>
    <DICT N='Source'> <ITEMS>
      <DICT N='Range'> <ITEMS>
        <A N='EvenOdd'>Both</A>
        <I N='From'>1</I>
        <A N='RangeType'>SubDoc</A>
        <I N='To'>1</I>
      </ITEMS> </DICT>

      <A N='SourceType'>CurrentAVDoc</A>
    </ITEMS> </DICT>

    <F N='XOff'>0.0000</F>
    <F N='YOff'>28.8000</F>
  </ITEMS> </DICT>

  <DICT N='Provider'> <ITEMS>
    <S N='Code'>QITE_QuiteImposingPlus3</S>
    <S N='FullName'>Quite Imposing Plus 3.0</S>
    <S N='Name'>Quite Imposing Plus 3</S>
    <I N='Version'>1</I>
  </ITEMS> </DICT>

  <DICT N='Result'> <ITEMS>
    <I N='CurrentPage'>0</I>
    <I N='DocPages'>1</I>
    <I N='FirstPage'>0</I>
    <I N='PagesProcessed'>1</I>
  </ITEMS> </DICT>

  <I N='Version'>1</I>
</ITEMS></DICT>

```

```
<A N='Category'>HistoryList_V1</A>  
<S N='Requires'>q12base</S>  
</ITEMS>  
</QUITEXML>
```